

LATITUDE 39° 02' 30"



LONGITUDE 80° 58' 00"

7'5 OGIS topo location

7.5' loc 0.58S 15' loc _____
 0.26W (calc.) _____

Company _____

Farm _____

Quad CAMDEN 7/2'

County LEWIS

District FREEMANS CREEK

WELL LOCATION MAP

File No. 041-634A

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE. ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY, AND EXTRA COPIES IF REQUIRED, SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES.


No Coal Operations: COAL OPERATOR OR OWNER
 ADDRESS: Unknown
 Name of Well Operator: Hope Natural Gas Company
 NAME OF WELL OPERATOR: 445 West Main St., Clarkburg, W. Va.
 COMPLETE ADDRESS: 19
 WELL AND LOCATION: Freemans Creek, District
 Lewis, County
 Well No. 6239
 Bridget Cummings Farm
 STATE INSPECTOR SUPERVISING PLUGGING: George Simons

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Lewis

ss: Eddie R. Snyder and Ernest R. Riddle
 being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Hope Natural Gas Co. well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 1st. day of June, 19 55, and that the well was plugged and filled in the following manner:

| SAND OR ZONE RECORD FORMATION | FILLING MATERIAL | PLUGS USED SIZE & KIND | CASING | |
|--|----------------------|---------------------------|---------------|-------------------------|
| | | | COG PULLED | COG LEFT IN |
| Gas 2670-2680 | Aquagel 2700 to 2660 | Cement 2660 | 10-3/4" | |
| | Aquagel 2600 to 2423 | Cement 2423 | 24 | 106 |
| Gas 2514, 2508, 2480-2492, 2455, 2444. | Aquagel 2423 to 1900 | Cement 1900 | | |
| | Aquagel 1900 to 1828 | Cement 1828 | 8-5/8" | |
| | Aquagel 1828 to 1210 | Cement 1210 | 621 | 182 |
| | Aquagel 1210 to 813 | Cement 813 | | |
| Gas 1920 | Aquagel 813 to 590 | Cement 590 | | |
| Gas 1416 | Cement 590 to 284 | | 1037 | 851 |
| | Cement 284 to 220 | | | |
| | Clay 220 to Surface | | | |
| COAL BEAMS | | | | |
| (NAME) | | | | |
| (NAME) | | | | |
| (NAME) | | | | |
| (NAME) | | | | |
| | | | | DESCRIPTION OF MONUMENT |
| | | | | Regular Concrete Marker |



and that the work of plugging and filling said well was completed on the 10th. day of June, 19 55.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

728

Quadrangle Vadis

Permit No. LEW-634-A

WELL RECORD

Oil or Gas Well Gas
(KIND)

Company Hope Natural Gas Company
Address 445 West Main St., Clarksburg, W. Va.
Farm Bridget Cummings Acres 313
Location (waters) _____
Well No. 8239 Elev. 1257'
District Freemans Creek County Lewis
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by _____
Address _____

Drilling commenced 3-12-19
Drilling completed 4-19-19
Date Shot Not Shot From _____ To _____
With _____

Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume 7 M Cu. Ft.
Rock Pressure 8# lbs. _____ hrs.
Oil None bbls., 1st 24 hrs.
Fresh water No Record feet _____ feet
Salt water No Record feet _____ feet

| Casing and Tubing | Used in Drilling | Left in Well | Packers |
|-------------------|------------------|--------------|----------------|
| Size | | | Kind of Packer |
| 16 | | | |
| 13 | | | |
| 10 | <u>130'</u> | <u>130'</u> | Size of |
| 8 1/4 | <u>803'</u> | <u>803'</u> | |
| 6 5/8 | <u>1888'</u> | <u>1888'</u> | Depth set |
| 5 3/16 | | | |
| 3 | | | Perf. top |
| 2 | | | Perf. bottom |
| Liners Used | | | Perf. top |
| | | | Perf. bottom |


CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

No Cementing

COAL WAS ENCOUNTERED AT 250 FEET 48 INCHES

_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

| Formation | Color | Hard or Soft | Top | Bottom | Oil, Gas or Water | Depth Found | Remarks | |
|-----------------|-------|--------------|------|--------|-------------------|--------------|---------|--|
| Pittsburgh Coal | | | 250 | 254 | | | | |
| Little Dunkard | | | 600 | 615 | | | | |
| Big Dunkard | | | 700 | 720 | | | | |
| Gas Sand | | | 790 | 890 | | | | |
| First Salt | | | 930 | 1060 | | | | |
| 2nd Salt | | | 1230 | 1416 | | Gas | 1416 | |
| 3rd Salt | | | 1550 | 1600 | | | | |
| Little Lime | | | 1730 | 1758 | | | | |
| Pencil Cave | | | 1758 | 1788 | | | | |
| Big Lime | | | 1788 | 1848 | | | | |
| Big Injun | | | 1848 | 1980 | Gas | 1920 | | |
| Thirty Foot | | | 2371 | 2381 | | | | |
| Gordon Stray | | | 2427 | 2432 | | | | |
| Gordon | | | 2443 | 2516 | Gas | 2444 to 2514 | | |
| Fifth | | | 2670 | 2680 | Gas | | 2675' | |
| Total Depth | | | | 2700' | | | | |



AUG 12 1955

(Over)

