

- New Location...
- Drill Deeper.....
- Abandonment.....

Company LURAY LAND INC.

Address POINT PLEASANT, W.VA.

Farm WILLIAM McCUDDEN

Tract \_\_\_\_\_ Acres 161.5 Lease No. \_\_\_\_\_

Well (Farm) No. No. 1 Serial No. \_\_\_\_\_

Elevation (Spirit Level) 1165'

Quadrangle BURNSVILLE

County LEWIS District COURT HOUSE

Engineer HENRY P. SUTER

Engineer's Registration No. 1805

File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_

Date 23 MAY 1958 Scale 1" = 40 POLES

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

**WELL LOCATION MAP**  
FILE NO. LEW-670-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

D.M.P.

1957



777

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle Burnsville

Permit No. Lewis-670-A

WELL RECORD

Oil or Gas Well \_\_\_\_\_  
(KIND)

Company Hope Natural Gas  
 Address Clarksburg, West Virginia  
 Farm Wm. McCudden Acres 158  
 Location (waters) \_\_\_\_\_  
 Well No. 2273 Elev. 1165'  
 District Court House County Lewis  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced July 3, 1911  
 Drilling completed Nov. 18, 1911  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 WELL ACIDIZED \_\_\_\_\_  
 WELL FRACTURED \_\_\_\_\_


Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	262'2"	Pulled	Size of
8 1/4	1955'8"	"	
6 5/8	2120'	2120'	Depth set
5 3/16	2701	"	
3			Perf. top
2	2743	"	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

RESULT AFTER TREATMENT \_\_\_\_\_  
 ROCK PRESSURE AFTER TREATMENT \_\_\_\_\_  
 Fresh Water \_\_\_\_\_ Feet \_\_\_\_\_ Salt Water \_\_\_\_\_ Feet \_\_\_\_\_

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Pittsburgh Coal			432				
Dunkard Sand			776	947			
Salt Sand			1165	1372	Water at	1332	Salt
Maxon Sand			1962	1984			
Injun Sand			2086	2216			
Gantz Sand			2419	2427	Gas at	2421	
Fifty Foot Sand			2427	2660			
Stray Sand			2660	2683	Gas	2662-70-7	
Gordon Sand			2695	2712	Gas at	2698-2702	
Total Depth			2716				



(over)

DEC 20 1958

