

New Location   
 Drill Deeper   
 Abandonment  8446

Mapsh 69 S 26-27-E-2-3-FB 392 P. 30, 513 P. 28-30

Company Hope Natural Gas Co.  
 Address Clarksburg, W.Va.  
 Farm Stark White  
 Tract \_\_\_\_\_ Acres 359 Lease No. 53284  
 Well (Farm) No. \_\_\_\_\_ Serial No. 8446  
 Elevation (Spirit Level) 1298'  
 Quadrangle Vadis  
 County Lewis District Freemans Crk.  
 Engineer Wm Bowers  
 Engineer's Registration No. 900  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 3-8-49 Scale 1" = 40 P

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. LEW-475-A-#8446  
LEW-675-A-#8444  
LEW-676-A-#8445

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

1957



784

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle Valia  
Permit No. Lew. 676A

WELL RECORD

Oil or Gas Well Gas  
(KIND)


Company Hope Natural Gas Company  
Address Clarksburg, West Virginia  
Farm Stark White Acres 359  
Location (waters) \_\_\_\_\_  
Well No. 8445 Elev. 1257  
District Freemans Creek County Lewis  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	183'	183'	Size of
8 1/4	960'	<del>960'</del>	
6 3/4	1606'	<del>1606'</del>	Depth set
5 3/16			
3	2032	2032'	Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Drilling commenced \_\_\_\_\_  
Drilling completed Sept. 12, 1912  
Date Shot From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Dunkard Sand	L		470	500			
	B		550	580			
Gas Sand			735	825			
Salt Sand 1			845	908			
Salt Sand 2			933	1018			
Maxon Sand			1460	1478			
Little Lime			1505	1520			
Big Lime			1530	1600			
Injun Sand			1600	1782			
Gordon Sand			2186	2283			
Fourth Sand			2331	2344			
Fifth Sand			2403	2426			
Total Depth			4 2227				



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks



Date May 5, 19 58

APPROVED LURAY LAND, INC., Owner

By Byron M. Finch  
Byron M. Finch (Title) Consultant