



New Location...   
 Drill Deeper.....   
 Abandonment.....

Company STANDARD GAS CO. INC.

Address JANE LEW W. VA.

Farm CLIFFORD JACKSON SURFACE  
W. A. JACKSON HEIRS ROY. (D.W. Rinehart)

Tract \_\_\_\_\_ Acres 79.25 Lease No. \_\_\_\_\_

Well (Farm) No. TWO Serial No. \_\_\_\_\_

Elevation (Spirit Level) 1076

Quadrangle WESTON

County LEWIS District HACKERS CREEK

Engineer J. H. Fleisher Anthony Stark  
 SURV. IN CHARGE

Engineer's Registration No. 378

File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_

Date FEB. 2 1960 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. Lew. 708-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



804

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle Wheaton  
Permit No. 705-A

WELL RECORD

Oil or Gas Well Gas  
(KIND)

Company Standard Gas Company  
 Address Jane Lew, W. Va.  
 Farm Rinehart (W.A. Jackson heirs) Acres 80  
 Location (waters) Hacker's Creek  
 Well No. 2 Elev. 1076  
 District Hacker's Creek County Lewis  
 The surface of tract is owned in fee by Heirs of W. A. Jackson  
 Address Jane Lew, W. Va.  
 Mineral rights are owned by Heirs of W. A. Jackson  
 Address Jane Lew, W. Va.  
 Drilling commenced April 25, 1929  
 Drilling completed June 28, 1929  
 Date Shot 6/29/29 From 4167 To 4179  
 With 40 quarts nitroglycerin  
 Open Flow 8 /10ths Water in 2 119 mcf Inch  
 After shot 42 /10ths Water Mercur in 2 Inch  
 Volume 203, 171 Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. 54 hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	168	0	Size of
8 1/2	824	0	
6 1/2	1324	1324	Depth set
5 3/16			
3	4206 1/2	0	Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Big Dunkard			380	465			
Gas Sand			500	550			
1st Salt			640	690			
2nd Salt			730	935			
Maxon			1190	1210			
Little Lime			1245	1275			
Pencil Cave			1275	1277			
Big Lime			1277	1337			
Big Infun			1337	1463			
Gants			1549	1569			
Fifty Foot		Shells					
Thirty Foot			1753	1783			
Gordon			2036	2082			
Fifth			2146	2150			
Senson			4167	4179	Gas	4169-4177	
Total Depth				4206 1/2			S. L. M.

RECEIVED  
 WEST VIRGINIA  
 DEPT. OF MINES  
 MAR 26 1960

RECEIVED  
 WEST VIRGINIA  
 DEPT. OF MINES  
 MAR 26 1960

