

#### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Friday, July 12, 2019 WELL WORK PERMIT Vertical / Plugging

CORE APPALACHIA OPERATING LLC **414 SUMMERS STREET** 

CHARLESTON, WV 25301

Re:

Permit approval for 808441 47-043-01211-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

> James A. Martin Chief

Operator's Well Number: 808441

TCO MIN TR 1 Farm Name:

U.S. WELL NUMBER: 47-043-01211-00-00

Vertical Plugging

Date Issued: 7/12/2019

### **PERMIT CONDITIONS**

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

#### **CONDITIONS**

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. This well is under a consent order and must be plugged under the terms of that agreement.

WW-4B Rev. 2/01

1)	Date	March	, 2	19			
2)	Oper	ator'	S				
	Well	No.	808441				_
3)	API	Well	No.	47-043	_	- 01211	

### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	APPLICATION FOR A PERM	MIT TO PLUG AND ABANDON	
4)	Well Type: Oil/ Gas $\underline{X}$ / Liquid (If "Gas, Production or Und	d injection/ Waste disposal/ derground storage) Deep/ Shallow_X	
5)	Location: Elevation 1118.46'	Watershed East Fork of Fourteenmile Creek	
0 /	District Laurel Hill	County Lincoln Quadrangle Ranger	_
6)	Well Operator Core Appalachia Operating, LLC	7) Designated Agent Jessica Greathouse	_
	Address P.O. Box 6070  Charleston, WV 25362	Address P.O. Box 6070  Charleston, WV 25362	_
8)	Oil and Gas Inspector to be notified		
	Name Jeffrey L. Smith	Name R & R Well Service	_
	Address 5349 Karen Circle, Apartment # 2101	Address 42 Lynch Ridge Walton, WV 25286	-
	Cross Lane, WV 25313	Walloff, WV 23200	_
	SEE ATTACHE	ED SHEET	
		Office Of Oil and Ga  MAR 8 2019  Environmental Protection	
	fication must be given to the district oi can commence.	.l and gas inspector 24 hours before permitte	
	garag		
	order approved by inspector	Date	

PLUGGING PROCEDURE 808441 LINCOLN COUNTY, WEST VIRGINIA API# 47-043-01211

BY: **DMC** DATE: 1/14/19

#### **Current Status**

10 ¾" @ 7"

8 5/8" @ 598'

7" @ 1726'

3½" @ 3630' w/ Hookwall pkr 3 ½ x 7 @ 2070'

Shale: 2470'-3675'

TD @ 3675'

Fresh Water @ 230', 695'

Salt Water @ 1045'

Coal @ 295-297', 395-397', 585-588'

Gas Shows 2477', 3400', 3480'

Elevation 1110.67'

11/28/2017 Echometer FL @ 900'

#### Objective: Plug and abandon

- 1) Prepare road and location.
- 2) PJSA. MIRU service rig and support equipment.
- 3) Blow well down. Check TD.
- 4) Cut 3 1/2" at free point and pull. WHILE

  SPORTING GEL TO ABOUR SHOT HOLE
- 5) Spot 100' cement plug @ TD, ~ 2400' To 2200'
- WOC, TIH MOD MORE CEMENT IT NECLESARY,
- 6) Spot 6% gel from 2200 1775'.
- SET 100' CEMENT PLUG ACROSS 7" CASING CUT. 7) Cut 7" at free point and pull.
- 8) Spot 100' cement plug from 1775 1675'.
- 9) Spot 6% gel from **1675 1150'**.
- BLEVATION PLUG. 10) Spot 150' cement plug from **1150 – 1000'**.
- 11) SPOT 670 GEL FROM 1000' TO 500'

RECEIVED Office of Oil and Gas MAR 8 2019 WV Department of Environmental Protection

- 12) Attempt to pull 8 5/8" csg. If unsuccessful, shoot or rip holes @ 550', 450; 350', 250' 250'.
- (3) Spot 600' cement plug from 600' Surface.
- Pull work string and top off w/cement.
- 15) Erect permanent monument (30" minimum height and 6" minimum diameter pipe) with API # (1/2" height numbering) and reclaim.



STATE OF WEST VIRGINIA DEPARTMENT OF MINES

808441 47-043-01211P

Quadrangle Midkiff

Permit No. LIN-1211

Location (waters)\_\_\_

Drilling commenced\_

District Harts Creek

Mineral rights are owned by\_

Well No\_

8441

The surface of tract is owned in fee by\_

Drilling completed September 8, 1956

Company United Fuel Gas Company

Address P. O. Box 1273; Charleston 25, W. Va.

East Fork of 14 Mile Creek

County.

Address\_

June 21, 1956

Lincoln

United Fuel Gas Co.

#### WELL RECORD

OIL AND GAS DIVISION Gas Oil or Gas Well (KIND) Casing and Tubing Used in Drilling Left in Well Packers Farm United Fuel Gas Co.Min.Tr.#1 Acres 19,210.61 Size Kind of Packer\_ Elev. 1110.67 Hook Wall 10\_3/4 711 Size of\_ 3½m × 7m 8<u>4 5/8</u> 5981 7 656\_ 1726 Depth set\_ Address Charleston, W. Va. 20701 5 3/16. 31/23630 Perf. top\_\_\_ Perf. bottom\_

Date Shot 9-10	2-56 From	,	3675	Liners Used		i	erf. top
With 8,	.600# Gelat	in					erf. bottom
			Inch				
	/10ths Merc. in	n	Inch	CASING CEM	TENTED S	HZE No	. FtDate
			Cu. Ft.			110	. 1 0
			8 hrs.				
			bbls., 1st 24 hrs.	COAL WAS I	ENCOUNTERED A	at <u>295</u> fe	ET 24 INCHES
			25feet	395 FER	er 24 inch	ES 462 FE	ET 24 INCHES
Salt water 1					er 36 INCH		
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
W 17 A7				And the second second			
Yellow Clay Blue Sand			0	15	Water 230' 1	bailers p	er hour
Blue Slate			15	22			
Grey Sand			22	40	Water 6951 2	-8" bailers	per hour
Blue Slate			40 122	122			
Grey Sand			1	155	Hole full wa	ter 1045'	
Blue Slate			155 281	281	2 21 22		RECENTER
Coal			295	295	Gas 2477 2/	10 W 1" 15	RECEIVED Moffice of Oil and Gas
Blue Slate			297	297 363			1445
Sand			363	380	Gas 3400' 1/		0 5010
Blue Slate	,		380	395	2 2/02/ 0/		WV Department of Wironmental Protection
Coal			395	397	Gas 3480' 2/	TO M TH TE	invironmental Protection
Blue Slate			397	427	1		
Lime Shell			427	442	Test before	Bnot 2/10 W	1" 15 M
Blue Slate	1		442	462	2470-3675	with 8,600	Gelatin from
Coal 6 4	1		462	1/1			
Blue Slate			464		Pest 1 nour	after shot	106/10 W 2m 434
Grey Sand			475	532	rest 20 nour	s alter sno	t 28/10 W 2m 223
Blue Slate			532	585			
Coal			585	-	FINAL OPEN F	OU OOO W	D- C17
Slate			588	608	48 Hr. R.P.		br. Snale
Sand			608	630	The Tree of	ω <i>)</i> π	
Slate		ĺ	630	695			
Grey Sand			695	715	Shut in 9-12	-56 in 3km	tuhing.
Black Slate	1.1.0	İ	715	800		72	
Grey Sand		ļ	800	845		12020	
Salt Sand	OHATTS		845	965	63	28293037	
Blue Slate			965	1205	W.Co.	4 1/2	
Salt Sand			1205 1209	1209	1 (85)	Van.	\
Blue Slate			1312	1312 1330	NEO	EIVED Z	3
Slate & Line	Shells		1330	1450	EST.	EIVER	]
Grey Sand			1450	1515	O DEPT O	IRGINI V	71
Slate & Shell	Ls		1515	1575	(OF )	MINES S	
Maxon Sand			1575	1620	REO WEST DEPT. OF	del 20 Milles	
	``		(0)	ver)		منوس یان یا	
			(0	/			

				808441	47-04	3-01211	P
Formation	Color	Hard or Soft	Top 4	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate & She Little Lime Pencil Cave Big Lime Injun Sand Red Injun S Slate & She Shell Slate Lime Shell Slate & She Brown Shale Berea Sand Slate & She Brown Shale Gray Slate Total Depti	and lls		1620 1659 1697 1703 1893 1905 1925 2070 2132 2142 2192 2450 2472 2490 3338 3655 3675' SI	1659 1697 1703 1893 1905 1925 2070 2132 2142 2192 2450 2472 2490 3338 3655 3675			

Date <u>November 29</u> ,	19_56
APPROVED UNITED FUEL GAS COMPANY	_, Owner
By IR Jewel	

Supt., Civil Engineering Department

WW-4A Revised 6-07

1)	Date:	March 6, 2019	
2)	Operator's V	Well Number	
	_	808441	

3) API Well No.: 47 -

47-043

01211

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surfa	ice Own	er(s) to be served:	5) (	(a) Coal Operator	•	
(a) Na	ame	Larry G. Noe, et als, C/O	Larry G. Noe	Name	None	
Addre	ess	3917 McClellan Highway		Address		
		Branchland, WV 25506				
(b) Na	ame			(b) Coal Ow	ner(s) with Declaration	
Addre	ess			NT	Southern Region Industrial, Inc.	
				Address	Three Commercial Place	
					Norfolk, VA 23510	
(c) Na	me			Name		
Addre				Address		
220020	500					
6) Inspec	tor	Jeffrey L. Smith		(c) Coal Les	see with Declaration	
Addre		5349 Karen Circle, Apartn	nent # 2101	(c) coar nes	Argus Energy, LLC	
110010	00	Cross Lanes, WV 25313		Address	81 Enterprise Drive	
Teleph	one	681-313-6743			Debord, KY 41214	
rerebr	10116	0010100140			Deboid, K1 41214	
Ta ac Pr th	ake notice to companying otection, we e Applicati	g documents for a permit to ith respect to the well at the	the West Virginia Cod o plug and abandon a v e location described on n mailed by registered	well with the Chief of the n the attached Application or certified mail or del	operator proposes to file or has filed the Office of Oil and Gas, West Virginia on and depicted on the attached Form Vivered by hand to the person(s) named	Department of Environmental WW-6. Copies of this Notice,
			Wall Onemater	Core Appalachia Oper	oting 11 C	
			By:	Core Apparacrita Oper	Jessica Greathouse	
			Its:	Manager - EHS & Adm		
			Address	P.O. Box 6070	illistration Services	
			Address	Charleston, WV 2536		
			Tolophone	304-353-5240	2	
			Telephone	304-333-3240		
Subscribe		worn before me this	Myles	ay of March, 20	19 Notary Public	Office of Oil and Gas MAR 8 2019
TITA COTITI	TTOOTOTT I	TAPITES September 10	, 2020 V	,		
Oil and Ga	s Privac	y Notice				WV Department of Environmental Protection

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

API Number47 - 043 01211 Operator's Well No. 808441

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Core Appalachia Operating, LLC OP Code 494518671	
Watershed (HUC 10) East Fork of Fourteenmile Creek Quadrangle Ranger	
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No	
Will a pit be used? Yes Vo No	
If so, please describe anticipated pit waste: Plugging returns/Cement - Will utilize above ground tanks	
Will a synthetic liner be used in the pit? Yes No If so, what ml.?	
Proposed Disposal Method For Treated Pit Wastes:	
Land Application (if selected provide a completed form WW-9-GPP)	
Underground Injection ( UIC Permit Number)  Reuse (at API Number)	
Off Site Disposal (Supply form WW-9 for disposal location)	
Other (Explain Any fluid recovered will be hauled to a Core tank battery and disposed of properly)	
Will closed loop systembe used? If so, describe:	
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc.	
-If oil based, what type? Synthetic, petroleum, etc	
Additives to be used in drilling medium?	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc	
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust)	
-Landfill or offsite name/permit number?	
Permittee shall provide written notice to the Office of Oil and Cas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.	
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.  I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.  Company Official Signature	
Company Official (Typed Name) Jessica Greathouse	
Company Official Title Manager - EHS and Administrative Services   RECEIVED  Office of Oil and (	àas
MAR 8 201	)
Subscribed and sworn before me this by day of Mach, 2019  WV Department of Environmental Protection  White Department of Environmental Protection  Notary Public	f tion
My commission expires September 16, 2023	


Proposed Revegetation Treatr			
Lime 3	Tons/acre or to correc	t to pH 6.5	
Fertilizer type 10	-20-20 or equivalent		
Fertilizer amount		lbs/acre	
Mulch_2		_Tons/acre	
		Seed Mixtures	
Те	mporary	Perm	anent
Seed Type	lbs/acre	Seed Type	lbs/acre
Red Fescue	40	Red Fescue	15
Alsike	5	Alsike Clover	5
Annual Rye	15		
Maps(s) of road, location, pit provided). If water from the (L, W), and area in acres, of	pit will be land applied, pro the land application area.	l application (unless engineered plans inclivide water volume, include dimensions (I	uding this info have been  2, W, D) of the pit, and dimensions
Maps(s) of road, location, pir provided). If water from the (L, W), and area in acres, of Photocopied section of invol	t and proposed area for land pit will be land applied, pro the land application area. ved 7.5' topographic sheet.	vide water volume, include dimensions (I	J, W, D) of the pit, and dimensions
provided). If water from the (L, W), and area in acres, of Photocopied section of involutional Plan Approved by:	t and proposed area for land pit will be land applied, pro the land application area. ved 7.5' topographic sheet.	vide water volume, include dimensions (I	J, W, D) of the pit, and dimensions
Maps(s) of road, location, pir provided). If water from the (L, W), and area in acres, of Photocopied section of involutional Approved by:	t and proposed area for land pit will be land applied, pro the land application area. ved 7.5' topographic sheet.	vide water volume, include dimensions (I	J, W, D) of the pit, and dimensions
Maps(s) of road, location, pir provided). If water from the (L, W), and area in acres, of Photocopied section of involutional Approved by:	t and proposed area for land pit will be land applied, pro the land application area. ved 7.5' topographic sheet.	vide water volume, include dimensions (I	J, W, D) of the pit, and dimensions
Maps(s) of road, location, pir provided). If water from the (L, W), and area in acres, of Photocopied section of involutional Approved by:	t and proposed area for land pit will be land applied, pro the land application area. ved 7.5' topographic sheet.	vide water volume, include dimensions (I	J, W, D) of the pit, and dimensions
Maps(s) of road, location, pir provided). If water from the (L, W), and area in acres, of Photocopied section of involutional Approved by:	t and proposed area for land pit will be land applied, pro the land application area. ved 7.5' topographic sheet.	vide water volume, include dimensions (I	J, W, D) of the pit, and dimensions
Maps(s) of road, location, pir provided). If water from the (L, W), and area in acres, of Photocopied section of involutional Approved by:	t and proposed area for land pit will be land applied, pro the land application area. ved 7.5' topographic sheet.	vide water volume, include dimensions (I	J, W, D) of the pit, and dimensions
Maps(s) of road, location, pir provided). If water from the (L, W), and area in acres, of Photocopied section of involutional Plan Approved by:	t and proposed area for land pit will be land applied, pro the land application area. ved 7.5' topographic sheet.	vide water volume, include dimensions (I	, W, D) of the pit, and dimensions
Maps(s) of road, location, pir provided). If water from the (L, W), and area in acres, of Photocopied section of involutional Plan Approved by:	t and proposed area for land pit will be land applied, pro the land application area. ved 7.5' topographic sheet.	vide water volume, include dimensions (I	J, W, D) of the pit, and dimensions
Maps(s) of road, location, pir provided). If water from the (L, W), and area in acres, of Photocopied section of involutional Plan Approved by:	t and proposed area for land pit will be land applied, pro the land application area. ved 7.5' topographic sheet.	vide water volume, include dimensions (I	DECEMBER

# CORE APPALACHIA OPERATING, L.L.C. 4-7-043-01211 P

Diagram of Well 808141 API 47-043-01211 Field Office - Hamlin County - Lincoln

Surface Owner: Larry G. Noe etal





Note: No Land Application if pit is used

RECEIVED
Office of Oil and Gas


MAR 8 2019

WV Department of Environmental Protection

Site Plan

Prepared by: Kris Aldridge

Date: 2/6/2019




WW-7 8-30-06



# West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LO	CATION FORM: GPS		
<sub>API:</sub> 47-043-01211	WELL NO.:_80	08441	_
FARM NAME: TCO MIN 7	ΓR 1		_
RESPONSIBLE PARTY NAME:	Core Appalachia Ope	erating, LLC	<u> </u>
COUNTY: Lincoln	bistrict: Lau	ırel Hill	
QUADRANGLE: Ranger			_
SURFACE OWNER: Larry G	6. Noe,etal		
ROYALTY OWNER: Core A	ppalachia Production	n, LLC	
UTM GPS NORTHING: 4215			_
UTM GPS EASTING: 397100		<b>ON:</b>	[vle
The Responsible Party named above preparing a new well location plat for above well. The Office of Oil and O	or a plugging permit or assigned A das will not accept GPS coordinates:  e: 17 North, Coordinate Units: meters!  by the coordinate of the	PI number on the s that do not meet	
	ime Differential		
Mapping Grade GPS X : Pos			
Rea	al-Time Differential X		RECEIVED Office of Oil and Gas
4. Letter size copy of the t I the undersigned, hereby certify this belief and shows all the information prescribed by the Office of Oil and	required by law and the regulation	nowledge and	MAR 8 2019  WV Department of nvironmental Protection
Tin alliela	EHS Specialist	3/6/19	
Signature	Title	Date	

47-043-01211A WEU 808441 47-043-01311



Certified Mail Fee \$3.50 0523 5 \$2.80 \$3ppropa \$0.00 04 Extra Services & Fees (check box, add fee Return Receipt (hardcopy) Return Receipt (electronic) \$0.00 Postmark Certified Mail Restricted Delivery \$0.00 Here \$0.00 Adult Signature Restricted Delivery \$ \$1.30 90 03/06/2019 Total Po 808#A16P&A Ш Southern Region Industrial, Inc. Sent To 707 **Three Commercial Drive** Street al Norfolk, VA 23510 City, Sta PS For

RECEIVED
Office of Oil and Gas

MAR

8 2019

WV Department of Environmental Protection