

### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

March 18, 2015

#### WELL WORK PLUGGING PERMIT

### Plugging

This permit, API Well Number: 47-4301872, issued to CHESAPEAKE APPALACHIA, L.L.C., is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chie

Operator's Well No: 2407

Farm Name: VICKERS, F. M.

API Well Number: 47-4301872

**Permit Type: Plugging**Date Issued: 03/18/2015

Promoting a healthy environment.

### PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

### **CONDITIONS**

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. This well is under a consent order and must be plugged under the terms of that agreement.

4301872P

FORM WW-4 (B)
Observe
File Copy
(Day 2/04)

1) Date: 2/12/2015 2) Operator's Well No. 802407 P&A 3) API Well No. 47-043-01872

719

1.10	2007	
	STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS	CK5244
4)	APPLICATION FOR A PERMIT TO PLUG AND ABANDON  Well Type: Oil Gas X Liquid injection Waste disposal (Is Gas, Production X or Underground storage ) Deep Shallow X	
5)	Location: Elevation 711' Watershed Davis Trace of Middle Fork District Carroll County Lincoln Quadrangle Hamlin, WV 7.5'	
6)	Well Operator Address  Chesapeake Appalachia, L.L.C. P.O. Box 18496 Oklahoma City, OK 73154-0496  7) Designated Agent Address Address Address P.O. Box 6070 Charleston, WV 25362	
8)	Oil and Gas Inspector to be notified Name Address Ralph Triplett Address Branchland, WV 25506  9) Plugging Contractor Name Chesapeake Appalachia, L.L.C. P.O. Box 18496 Oklahoma City, OK 73154-0496	
	See Attached Sheet	
		=
	Recei	ved
	FEB 25	2015
	Office of Oil a WV Dept. of Environm	nd Gas ental Protection
Not	tification must be given to the district oil and gas inspector 24 hours before permitted work can commence.	
Wo	ork Order approved by Inspector Date	

43018721

API: 47-043-01872

### 802407 P&A PROCEDURE

BLEV. 711'

- 1) Prepare road and location, MIRU service rig
- 2) RIH with tools to check TD approximately at 2120'
- 3) Attempt to pull 3 1/2" and packer
  - A) If successful:
    - a) Run W.S. to 2120', spot gel, pull W.S. to 2085'
    - b) Spot 100' cement plug 2085'-1985'
    - c) Proceed to step 4
  - B) If unsuccessful:
    - a) Run W.S. to 2120', spot gel
    - b) Spot 150' cement plug 2120'-1970', pull W.S.
    - c) Cut 3 1/2" at free-point (approximately 1750') and pull
    - d) Proceed to step 4
- 4) Pull or run W.S. to 1750', spot gel
- 5) Spot 125' cement plug 1750'-1625', pull W.S.
- 6) Rip or shoot holes in 6 5/8" approximately at 1580', 1560', 1380' and 1360'
- 7) Run W.S. to 1580', spot gel
- 8) Spot 100' cement plug 1580'-1480', pull W.S. to 1380'
- 9) Spot 100' cement plug 1380'-1280', pull W.S.
- 10) Cut 6 5/8" at free-point (approximately 800') and pull
- 11) TIH with W.S. to 800', spot gel
- 12) Spot 150' cement plug 800'-650', pull W.S.
- 13) Attempt to pull 8 1/4" casing
  - A) If successful:
    - a) Run W.S. to 350', spot gel
    - b) Spot 100' cement plug 350'-250'
    - c) Proceed to step 14

Received

FEB 2 5 2015

Office of Oil and Gas WV Dopt. o. Environmental Protection

- B) If unsuccessful
  - a) Run W.S. to 350'
  - b) Spot 100' cement plug 350'-250', pull W.S.
  - c) Cut the 8 1/4" at free-point (approximately 180') and pull (If at least 160' of 8 1/4" cannot be pulled, then rip or shoot holes approximately at 175' and 150', then pull pipe from freepoint)
  - d) Proceed to step 14
- 14) Pull or run W.S. to 180'

200 200 15) Spot 180' cement plug 180'-surface

200- Surfoce

16) Pull W.S. and top off with cement

17) Erect monument and reclaim as prescribed by law

03/20/2015

Well 802407
Incorporated API 47-043-018729

Serial Well No. 2407

Lease No. 1384

Map Square. 38- 53

Paragon Print 500 42047			braj.	o square		
RE	CORD OF WELL 2407	on the	CASIN	NG AND TU	BING	TEST BEFORE SHOT
F.M.Vickers	Farm of 50	Acres	Size	Used in Drilling	Left in Well	61 Sinch
	rroll ncoln	District County	16 13			of Merc, in inch
Branchland	Field, State of W.V		10	20° 291°	30 291	Volume Cu. ft.  TEST AFTER SHOT  13
Rig Commenced	March 28	192 5	81/4 65/8	1711	1711	15 of Water in inch 10ths of Merc. in inch 10ths
Rig Completed Drilling Commenced	April 4 April 8	192 <b>5</b> 192 <b>5</b>	5 3-16 4%			Volume Cu. 14 Rock pressure 48-H- 350
Drilling to cost	May 15 per foot	192 <b>5</b>	3 3		2153'8	Size of Torpedo
	umbia Gas & Elect achland, W.Va.	ric Co	2	SHUT IN		Oil Pumped bbls. 1st 24 hrs.
Driller's Names			<b>3</b> in	ay- 20-	ing or	Well abandoned and
	The Brookover		Kind of Pa	eker Angl ocker 3 "x6. on fi	-5/8x16	
				set <b>39°</b> fr		

### DRILLER'S RECORD

Formation	Тор	Bottom	Thickness	Remarks
Surface & Gravel	00	30	30	
COAL	155	159	4	6-5/8" Casing Pt- 1711
Sand & Slate	169	614	.455	
Lime	614	624	10	
Slate & Sand	624	780	156	Gas Pay in Berea Sand
Lime	780	790	10	2078 to 2091
Gas Sand	790	800	10	Test 61/10-W-2" Befor Tubing
Slate	800	815	15	Tost 13/10-W-3" After Tubing
Salt Sand	815	1326	511	48-Hr- Reck Press # 350
Maxton Sand	1326	1356	30	
Little Lime	1356	1390	34	NOTE-
Pencil Cave	1390	1395	5	20 # 6-5/8" Casing Run-
Big Lime	1395	1580	185	7,675 # 3" Tubing Run
Red Rock	1580	1590	10	
Big Injun Sand	1590	1615	25	
Squaw Sand	1615	1625	10	3" x 6-5/8" x 16" 0.W.3. Ancher
Berea Sand	2078	2096	18	Packer Set- 357'4" From Bettem
Slate	2096	3131	35	on 3" Tubing
Total Depth	2051	2131	1	

RECEIVED

Office of Oil and Gas.

FEB 1 7 2015

WV Department of Environmental Protection 03/20/2015

J.R. Catunght

WW4-A Revised 2/01

1) Date:	2/12/2015
2) Operator's Well No.	802407 P&A
3) API Well No	47-043-01872

## STATE OF WEST VIRGINIA - BUREAU OF ENVIRONMENT

				NMENTAL PROT			GAS
4)	Surface Owr (a) Name Address	Paul & Sue Byr Box 58 Byrd lan Hamlin, WV 25	ed: / rd ne	- - -	5) Coal Operato (a) Name Address		
	(b) Name Address	Thomas Joe Ba 6174 Straight F Hamlin, WV 25	ork	- - -	Coal Owner( (b) Name Address	s) with Declar See Attached	ation d List for Coal Owners
	(c) Name Address			-	Name Address		
6)	Inspector Address	Ralph Triplett 5539 McClellan Branchland, W		- - -	Coal Lesse (c) Name Address	e with Declar	ration
	Telephone	304-389-0350		•			
то	(1) The applications of the reason you instructions on Take notice the Notice and Applications of the Appl	ation to Plug and Ai the well its and the urveyor's map) sho u received these do the reverses side. at under Chapter 22 plication and accom Vest Virginia Depart cation and depicted stered or certified m	bandon a Well on For plugging work order; wing the well location ocuments is that you However, you are n 2-6 of the West Virgin panying documents the to the attached For hail or delivered by helay of mailing or delivered	have rights regarding the required to take a contact the underse for a permit to plughtal Protection, with row WW-6. Copies of and to the person(s) very to the Chief.	g the application wh ny action at all. signed well operator and abandon a well respect to the well at f the Notice, the App	nvolved in the wo lich are summaria proposes to file of with the Chief of the location des plication, and the publication in co	zed in the or has filed the the Office of cribed on the plat have been
		Official Seal Notary Pu State of West Virgini Phyllis A. Co 144 Williard Circle Hurricane, My Commission Expir September 15, 2018	ia plcy W 25628	Well Operator: By: Its: Address: Telephone:	Completion Superi P.O. Box 18496 Oklahoma City, Ok 405-935-4073	intendent	
Sub	scribed and swo	orn before me this	12th day of	f February  O. Coplay	the year of	2015 Notary Public C	RECEIVED Office of Oil and Gas
Му	Commission Exp	pires		mber 16, 2018			FED 17 com

FEB 1 7 2015

WV Department of Environmental Protection

### Received

FEB 2 0 2015

Office of Oil and Gas WV Dept. of Environmental Protection

SENDER: COMPLETE THIS SECTION ■ Complete items 1, 2, and 3. Also complete

item 4 If Restricted Delivery is desired.

so that we can return the card to you.

or on the front if space permits.

802407 P&A (surface) Paul & Sue Byrd

Hamlin, WV 25523

1. Article Addressed to:


Box 58

2. Article Number

(Transfer from service label) PS Form 3811, July 2013

Print your name and address on the reverse

Attach this card to the back of the mailpiece,



7014 2120 0003 6636 5750

Domestic Return Receipt

☐ Yes

FORM WW-4 (B) Reverse

47-043-01872 API No. Farm Name V M Vickers 1 Well No. 802407 P&A

Environmental Protection

### INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application in given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVE	₹	
The undersigned coal operator well location has examined this proposed proposed to be done at this location, provof the West Virginia Code and the govern	vided, the well operator		
Date: 2/15/15		By: Its:	WW Department of

Well 802407 P&A API 47-043-01872

### Coal Owners

W. J. Vickers 2114 Holswade Drive ✓ Huntington, WV 25701

John E. White Rt 1 Box 5 V Hamlin, WV 25523

Valery Billups 2131 Airport Road Haleyville, AL 35565 Donna Carter Frye 1866 Martha Road Barboursville, WV 25504

Hamlin Baptist Church 8138 Sycamore Avenue Hamlin, WV 25523

Central Big Creek Baptist Church Garland T. Salmons Rt 2 Box 97 Big Creek Road Hamlin, WV 25523

RECEIVED
Office of Oil and Gas

FEB 1 7 2015

WV Department of Environmental Protection

API 47-043-01872 Well 802407 U.S. Postal Service™ U.S. Postal Service™ CERTIFIED MAIL® RECEIPT CERTIFIED MAIL® RECEIPT 5743 Domestic Mail Only -50 Domestic Mail Only For delivery information HARLEIN W. 2552 delivery information n, visit our . П 0523 멾 \$1.40 m \$1.40 0523 9 9 Postage 01 \$3,30 Certified Fee 01 \$3.30 Certified Fee m E000 \$2.70 000 Return Receipt Fee (Endorsement Required) Here \$2.70 Return Receipt Fee (Endorsement Required) Here \$0.00 Restricted Delivery Fee (Endorsement Required) Restricted Delivery Fee (Endorsement Required) \$0.00 2750 02/12/2015 \$7.40 \$7.40 02/12/2015 Total Po 딥 802407 P&A (surface) 802407 P&A (access surface) Sent To Sent To 7014 014 Paul & Sue Byrd Thomas Joe Baker Street & A Box 58 Street & F or PO Box 6174 Straight Fork or PO Bo Hamlin, WV 25523 Hamlin, WV 25523 City, State City, State U.S. Postal Service™ U.S. Postal Service™ CERTIFIED MAIL® RECEIPT CERTIFIED MAIL® RECEIPT

Domestic Mail Only 36 Domestic Mail Only delivery information, visit our website at t For delivery information, visit our website at www.usps.com®. 27 53 9699 Л \$1.40 0523 \$1.40 0523 PP3 Postage Postage \$3.30 01 01 \$3.30 Certified Fee Certified Fee m Postmark m 000 \$2.70 Return Receipt Fee (Endorsement Required) 000 \$2,70 Here Return Receipt Fee (Endorsement Required) Here \$0.00 \$0.00 stricted Delivery Fee Restricted Delivery Fee (Endorsement Required) 2750 2750 02/12/2015 \$7.40 02/12/2015 \$7.48 Total P 802407 P&A (coal) 802407 P&A (coal) Sent To 4TO2 John E. White W. J. Vickers 707 Street & Ap 2114 Holswade Drive Street & Rt 1 Box 5 or POB Huntington, WV 25701 Hamlin, WV 25523 City, State, City, Sta U.S. Postal Service™ **U.S. Postal Service** CERTIFIED MAIL® RECEIPT **CERTIFIED MAIL® RECEIPT** 6 Domestic Mail Only Domestic Mail Only 55 For delivery information, visit our website delivery information HAMEIN W 25523 9699 35 \$1.40 0523 \$1.40 0523 9 Postage Postage \$3.30 \$3.30 01 01 Certified Fee Certified Fee E000 m Postmark Postmark 000 \$2.70 \$2.70 Return Receipt Fee (Endorsement Required) Return Receipt Fee (Endorsement Required) Here Here Restricted Delivery Fe (Endorsement Require \$0.00 \$0.00 2120 2750 02/12/2015 \$7,40 \$7.40 02/12/2015 Total F Total 802407 P&A (coal) 802407 P&A (coal) Sent To Hamlin Baptist Church \_ Central Big Creek Baptist Church Street & or PO B 8138 Sycamore Avenue Street Garland T. Salmons Hamlin, WV 25523 Rt 2 Box 97 Big Creek Road City, Sta City, St. Hamlin, WV 25523 U.S. Postal Service U.S. Postal Service" CERTIFIED MAIL® RECEIPT CERTIFIED MAIL® RECEIPT 凸 Domestic Mail Only 5705 Domestic Mail Only 54 r website at www.usps.com®. at www.usps.com®. For delivery information, visit of BARBUIRSVILLE NV 2550 HALEYVILLE AL 35565 ЗB 9699 0523 \$1.40 0523 \$1.40 П Postage 01 \$3.30 \$3.30 01 Certified Fee Certified Fee E000 \$2.70 \$2.70 Return Receipt Fee (Endorsement Required) Here (Endo Here Restricted Delivery Fee (Endorsement Required) \$0,00 \$0.00 Restricted Delivery Fee Endorsement Required) 2750 02/12/2015 02/12/03/20/2015 \$7.40 \$7.40 Total F Total P 802407 P&A (coal) 802407 P&A (coal) Valery Billups Sent To Donna Carter Frye 7014 2131 Airport Road 1866 Martha Road or POB Barboursville, WV 25504 Street & Haleyville, AL 35565 or PO Bo City, Sta City, Stati

Form WW-9 Rev. 02/01

API Number	47-043-01872	
Operator's Well No.	802407 P&A	

#### STATE OF WEST VIRGINIA

# DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name Chesapeake Appalachia, L.L.C. OP Code 494477557					
Watershed Davis Trace of Middle Fork Quadrangle Hamlin, WV 7.5'					
Elevation CountyLincoln District Carroll					
Description of anticipated Pit Waste: Plugging Returns/Cement					
Will a synthetic liner be used in the pit? Yes Zo ML,					
Proposed Disposal Method For Treated Pit Wastes:  X					
Proposed Work For Which Pit Will Be Used:  Drilling  Workover  Swabbing  X Plugging Other (Explain)					
Company Official Title Completion Superintendent					
Subscribed and sworn before me this 12th day of February, 2015.  Phyllis a. Coply Notary Public.					
My Commission Expires  Office of Oil and Gas  FEB 1 7 2015  Cifficial Seal Notary Public State of West Virginia Phyllis A. Copley  144 Williard Circle Hurricane, WY 25526  My Commission Expires  Reptomber 16, 2018					

manamanaman

WV Department of Environmental Protection

### Attachment #1

API #: 47-043-01872 Operator's Well No. 802407 P&A

	Diversion Leaders Land Land Land Land	Li .
Road = = = = = = = = = = = = = = = = = = =	Spring	_
Existing Fence — X — X — X —	Wet Spot	
Planned Fence / / /	Drain Pipe with size in inches @	
Stream Change Control of the Stream Change Chang		
Open Ditch	Cross Drain 777777777777777777777777777777777777	=
Rock ESESE	Artificial Filter Strip	_ X
North N	Pit: cut walls	- <del>-</del>
Buildings	Pit: compacted fill walls	
Water wells	Area for Land Application of Pit Waste	
Drill site		
Proposed Revegetation Treatment: Acres Distu	rbed 1.0 Prevegetation pH 6.1	<del></del>
Lime		
Lime	Tons/acre or to correct to pH6.5	
Fertilizer (10-20-20 or equivalent) 1/3	TON lbs/acre (500 lbs minimum)	
Mulah Ua	y 2 Tons/acre	
with Ha	<del></del>	
witten na	Seed Mixtures	
Area I	Seed Mixtures Area II	
Area I Seed Type lbs/acr	Seed Mixtures Area II e Seed Type	lbs/acre
Area I Seed Type Ibs/acr CHESAPEAKE CONTRACTOR'S MIX 4	Seed Mixtures Area II Fe Seed Type  ORCHARD GRASS	15
Area I Seed Type Ibs/acr CHESAPEAKE CONTRACTOR'S MIX 4 ALSIKE CLOVER	Seed Mixtures Area II  Seed Type  ORCHARD GRASS  ALSIKE CLOVER	
Area I Seed Type Ibs/acr CHESAPEAKE CONTRACTOR'S MIX 4 ALSIKE CLOVER	Seed Mixtures Area II Fe Seed Type  ORCHARD GRASS	15
Area I Seed Type Ibs/acr CHESAPEAKE CONTRACTOR'S MIX 4 ALSIKE CLOVER ANNUAL RYE 1	Seed Mixtures  Area II  Seed Type  O ORCHARD GRASS  ALSIKE CLOVER  5	15
Area I Seed Type Ibs/acr CHESAPEAKE CONTRACTOR'S MIX 4 ALSIKE CLOVER ANNUAL RYE 1	Seed Mixtures  Area II  Seed Type  O ORCHARD GRASS  ALSIKE CLOVER  5	15
Area I Seed Type Ibs/acr CHESAPEAKE CONTRACTOR'S MIX 4 ALSIKE CLOVER ANNUAL RYE 1	Seed Mixtures  Area II  Seed Type  O ORCHARD GRASS  ALSIKE CLOVER  for land application.	15
Area I Seed Type Ibs/acr CHESAPEAKE CONTRACTOR'S MIX 4 ALSIKE CLOVER ANNUAL RYE 1  Attach: Drawing(s) of road, location, pit and proposed area Photocopied section of involved 7.5' topographic sect	Seed Mixtures  Area II  Seed Type  O ORCHARD GRASS  ALSIKE CLOVER  for land application.	15
Area I Seed Type Ibs/acr CHESAPEAKE CONTRACTOR'S MIX 4 ALSIKE CLOVER ANNUAL RYE 1  Attach: Drawing(s) of road, location, pit and proposed area	Seed Mixtures  Area II  Seed Type  O ORCHARD GRASS  ALSIKE CLOVER  for land application.	15
Area I Seed Type Ibs/acr CHESAPEAKE CONTRACTOR'S MIX 4 ALSIKE CLOVER ANNUAL RYE 1  Attach: Drawing(s) of road, location, pit and proposed area Photocopied section of involved 7.5' topographic sect	Seed Mixtures  Area II  Seed Type  O ORCHARD GRASS  ALSIKE CLOVER  for land application.	15
Area I Seed Type Ibs/acr CHESAPEAKE CONTRACTOR'S MIX 4 ALSIKE CLOVER ANNUAL RYE 1  Attach: Drawing(s) of road, location, pit and proposed area Photocopied section of involved 7.5' topographic s  Plan Approved by:	Seed Mixtures  Area II  Seed Type  O ORCHARD GRASS  ALSIKE CLOVER  for land application.	15

LEGEND

Received

FEB 2 5 2015


Office of Oil and Gas
WV Dept. of Environmental Protection 03/20/2015

### CHESAPEAKE APPALACHIA, L.L.C.

43018729

RECLAMATION DIAGRAM WELL LOCATION 802407

API 47-087-01872



This drawing is a schematic representation of the well site and access road. Proposed structures such as well site, drilling pit, roadways, culverts, sediment barriers, etc. are show in approximate pre-planning configurations.

All culvert pipes will be a minimum of 15 inches in diameter, all culvert pipes installed will be All curvert pipes will be a minimum of 15 inches in diameter, all curvert pipes installed will be accomanied by an entrance sump with dimensions no less than 3 feet (width) x 3 feet (length) x 4 feet (deep). Culverts will be installed at an angle to ensure proper flow. The out fall of culverts will be protected from erosion and sedimentation using large roacks of other sediment controls deemed necessary in the prevention of erosion and sedimentation. Storm water from the ditches to the culverts will be directed to stable natural vegitative areas. Where culverts are not practical, operator will have other sediment control in place to minimize erosion sedimentation.

Cross drains, broad based dips, water bars, and diversion ditches, will be employed during the construction phase. These erosion and sediment control structures will be used to control erosion and sedimentation during the contruction phase, where applicable, and in areas that will allow. These RECEDIA20/2015 structures will be considered permanent and used as such.

Permanent seeding: See Attachment #1.

Office of Oil and Gas


FEB 1 7 2015

### CHESAPEAKE APPALACHIA, L.L.C.

## 43018728

TOPOGRAPHICAL MAP OF ACCESS AND WELL LOCATION 802407

API 47-043-01872



FEB 1 7 2015

WV Department of Environmental Protection

CHESAPEAKE ENERGY CORPORATION - EASTERN DIVISION P.O. BOX 579 - 8165 COURT AVENUE - HAMLIN, WV 25523 304 824-5141 - FAX 304 824-2247

