

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Friday, August 30, 2019 WELL WORK PLUGGING PERMIT Vertical Plugging

CORE APPALACHIA OPERATING LLC **414 SUMMERS STREET**

CHARLESTON, WV 25301

Re:

Permit approval for 804937 47-043-02060-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: 804937

Farm Name: MUD RIVER GREYHOUNDS

U.S. WELL NUMBER: 47-043-02060-00-00

Vertical Plugging

Date Issued: 8/30/2019

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. This well is under a consent order and must be plugged under the terms of that agreement.

WW-4B Rev. 2/01

1) Date	July 2	23		,	2019	
2)Oper	ator	S				
Well	No.	80493	7			
3)API	Well	No.	47-043		- 02060 P	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

OFFICE OF	OIL AND GAS
APPLICATION FOR A PER	MIT TO PLUG AND ABANDON
4) Well Type: Oil/ Gas X/ Liquid	d injection/ Waste disposal/
(If "Gas, Production or Und	derground storage) Deep/ Shallow X
5) Location: Elevation 247.95 m	Watershed Unnamed tributary of Mud River
District Union	County Lincoln Quadrangle Hager
6) Well Operator Core Appalachia Operating, LLC	7) Designated Agent Jessica Greathouse
Address P.O. Box 6070	Address P.O. Box 6070
Charleston, WV 25362	Charleston, WV 25362
8) Oil and Gas Inspector to be notified	
Name Jeffery L. Smith	Name R & J Well Service, Inc.
Address 5349 Karen Circle, Apartment #2101	Address P.O. Box 40 Hueysville, KY 41640-0040
Cross Lane, WV 25313	Hueysville, KY 41040-0040
SEE ATTACH	ED SHEET
or gwm	
Notification must be given to the district on work can commence.	il and gas inspector 24 hours before permitted RECEIVED Office of Oil and Gas
Work order approved by inspector	Date JUL 2 9 2019

PLUGGING PROCEDURE 804937 LINCOLN COUNTY, WEST VIRGINIA API# 47-043-02060

BY: JM

DATE: 7/17/2019

Current Status

Csg Schedule

- 10" csg @ 14'. Not on completion report. Assumed depth from offset 804936 (47-043-02059)
- 65/8" csg @ 1335'
- 2" tbg w/ packer (Original ran to 2080 w/ packer at 1487').
- TD @ 2080' (Original)

Completion

- Open Hole Completion @ 1335'- 2080
- Big Lime 1330'- 1508'
- Big Injun 1523'- 1545'
- Berea 2062'- 2080'

Plugged Back

• June 2012 tbg and packer was attempted to be pulled. Tbg was shot off at 1487' and 5 sacks cement dumped on top of packer.

Fresh water @ No shows Coal @ No Shows Gas Shows @ No shows Elevation 813'

Objective: Plug and abandon

- 1) Prepare road and location.
- 2) MIRU service rig and support equipment.
- 3) Blow well down. Check TD.
- 4) TIH w/tbg to 1487'. Load hole with 6% bentonite gel to 1487'. Pump 202' C1A cement plug from 1487'-1285'.
- 5) TOOH w/ tbg. Free point 6 5/8" csg. Shoot or rip csg at free point. TOOH w/ 6 5/8" csg. A 100' C1A cement plug must be set across csg cut. Any plugs below that will remain behind 6 5/8" csg must be shot or ripped at bottom of plug and then every 50' through plug
- 6) TIH w/ tbg to 1285'. Pump 6% bentonite gel from 1285'-813'
- 7) TOOH w/ tbg to 813'. Pump 100' C1A cement plug from 813' to 713'

RECEIVED Office of Oil and Gas

8) TOOH w/ tbg to 713'. Pump 6% bentonite gel from 713' to 250'.

JUL 29 2019

WV Department of

- 9) TOOH w/ tbg to 250'. Pump 250' C1A cement from 250' to Surface.
- 10) Pull work string and top off w/cement.

Environmental Protection

11) Erect permanent monument (30" minimum height and 6" minimum diameter pipe) with API # (1/2" height numbering) and reclaim.

Lease No.	·50	Acres	28½	Farm	Name	w. P.	Black	47-043-0	We	ll No.
N. S. Civil District	E. W		Rig	ition Made Completed		٠		Purchasod F Dato Purcha	200	rel :
County	Lincoln		_	Commence	_			Sold To		
	West Va.	•	_	Completed Contractor	. •	4-22		Date Sold Date Aband	oned	
GAS Rights Owne	о ву₩	PTRCK	D1 9	Contractor	٠.	C. Wo:	lfe .	Dato Abano		
	FOR	MATION						CASING RE		. 45
Kind	Top	Bottom	Steel Line Meas.	Tests		Size '	Sottom Casi Steel Line	ing Put in Well Tally Mess.	Pulici Tally Meas.	(
Big Lime Big Injun Berea	1330 1523 2062	1508 15 45 2080	2080		11 11 11	6 5/8	1335	; '		Dato Sizo (Top Bot.
Total Depth	•	· !	2000		•	•				
		. •				:		•		
NU	3-2	060		•	H		1	PACKERS AN	D SHOES	
01		: 	! !		: !	ŀ	Cind	Sizo	Depth Set	1
	•	!			:			;		•
	ı	! !	:		i			,		
		İ	! !					TORPEDO R	FCORD	
		i			; ;					· · · · · · · · · · · · · · · · · · ·
	:	! ! !	1	 	; ; ; ;	Date	30	Qts. Size Shell	rop enot bu	itom
			: : :	: ! !	· • • • • • • • • • • • • • • • • • • •					
		:	•	į						
	•	<u>;</u>	•	:	4		:	•		
	:	• •		:			i	DRILLING	DEEDED	;
			:	!		Commence	d Cemp			oth
•	i		•		1	Columbia		Depti		
	•	:	•	!			1	İ		:
	:			:	1			ABANDONME	NT RECORI	
•	•	•			!!	Filled Wil	th F	rom To	Size	Kind
!	•	•			;; ;;			:	'	
		•			i					
: 1		:	•	!	į			· t		
1	:						i t	:		
4	i	I I			i (* *		<u> </u>			
Initial Prod.	Sand :	At Completi	on ★,30,Day	ro After 🖈			į	• •		
OII			İ	i	!	APPROV	ED '	•		
Gas	:		1		i i	! !				
★ Oil in Barrels			•		•	· ·	TE	sts, reports a	nd remarks c	N REVI

WW-4A Revised 6-07

 Date: July 23, 2019 Operator's Well Number 804937 		· · · · · · · · · · · · · · · · · · ·		
3) API Well No.: 47 -	47-043	-	02060	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surface O	wner(s) to be served:	5) (a) Coa	d Operator		
(a) Name	Mud River Geyhounds, LLC	1	Vame	None	
Address	P.O. BOX 356	P	Address		
	Hamlin, WV 25523				
(b) Name		(b) Coal Owi	ner(s) with Declaration	
Address		1	Vame	Waco Oil & Gas Company, Inc.	
		A	ddress	P.O. Box 397	
				Glenville, WV 26351	
(c) Name		1	Jame		
Address		A	ddress		
6) Inspector	Jeffery L. Smith) Cool Loss	ee with Declaration	
Address	5369 Big Tyler Road		lame	None	
Auttess	Cross Lanes, WV 25313			Notie	
TT 1 1		A	ddress		
Telephone	681-313-6743				

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

	OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA Phyllis A. Copley	Well Operator By:	Core Appalachia Operating, LLC Jessica C	realhouse	
	144 Willard Circle Hurricane, WV 25528	Its:	Manager - EHS & Administration Services		
My C	Commission Expires September 16, 2023	Address	P.O. Box 6070		
	***********	4	Charleston, WV 25362	RECEIVED)
		Telephone	304-353-5240	Office of Oil and	
Subscribed a	nd sworn before me this	22nd da	y of July 20	19 JUL 29 21	
My Commiss	Fright	is a. Copt Sept	My Nota	y Public WV Departmental Pro	nt of extection
Oil and Gas Pr	ivacy Notice				

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

Mud River Greyhounds, LLC

SURFACE OWNER WAIVER

Operator's Well Number

804937

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

N: RECEIVED
Office of Oil and Gas

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

JUL 29 2019

WV Department of Environmental Protection

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

		nned work described in these materials, and I have no
objection to a permit being issued on those	se materials.	
FOR EXECUTION BY A NATURAL PE	RSON	FOR EXECUTION BY A CORPORATION,
ETC.		
		tout al Thill
	Date	Name
Signature		By Its President Date

Signature

Date

WW-9 (5/16)

API Number47 - 043 02060 Operator's Well No. 804937


STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name_Core Appalachia Operating, LLC OP Code 4	94518671
Watershed (HUC 10) Unnamed tributary of Mud River Quadrangle Hager	
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Y	es No 🗸
Will a pit be used? Yes V No No	
If so, please describe anticipated pit waste: Plugging returns/Cement - Will utilize abo	
Will a synthetic liner be used in the pit? Yes No If so, what ml.?_2	
Proposed Disposal Method For Treated Pit Wastes:	PLICATION
Land Application (if selected provide a completed form WW-9-GPP)	
Underground Injection (UIC Permit Number Reuse (at API Number	`
Off Site Disposal (Supply form WW-9 for disposal location))
Other (Explain Any fluid recovered will be hauled to a Core tank battery at	nd disposed of properly)
Will closed loop systembe used? If so, describe:	
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, et	
-If oil based, what type? Synthetic, petroleum, etc	
Additives to be used in drilling medium?	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc	
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust)_	
-Landfill or offsite name/permit number?	
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or	associated waste rejected at any
West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and twhere it was properly disposed.	
I certify that I understand and agree to the terms and conditions of the GENERAL WA on April 1, 2016, by the Office of Oil and Cas of the West Virginia Department of Environment	
provisions of the permit are enforceable by law. Violations of any term or condition of the general	
or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with	the information submitted on this
application form and all attachments thereto and that, based on my inquiry of those individuals in the information, I believe that the information is true, accurate, and complete. I am aware the	mediately responsible for obtaining
submitting false information, including the possibility of fine or imprisonment.	STATE OF WEST VIRGINIA
Company Official Signature	Phyllis A. Copley 144 Willard Circle
Company Official (Typed Name) Jessica Greathouse	Humicane, WV 25528 My Commission Expires September 16, 2023
Company Official Title Manager - EHS and Administrative Services	
	RECEIVED Office of Oil and Gas
Subscribed and swom before me this 200 day of Stillet . 20	Office of Oil and Gas
David Cont	JUL 2 9 2019
Motary Notary	
My commission expires September 16, 3033	WV Department of Environmental Protection


Operator's Well No. 804937


		+/- Preveg etation pH	
Lime 3	Tons/acre or to correc	t to pH 6.5	
Fertilizer type 10	0-20-20 or equivalent		
Fertilizer amount_		lbs/acre	
Mulch 2		_Tons/acre	
		Seed Mixtures	
Te	emporary	Perma	nent
Seed Type	lbs/acre	Seed Type	lbs/acre
Red Fescue	40	Red Fescue	15
Alsike	5	Alsike Clover	5
Annual Rye	15		
Attach: Maps(s) of road, location, piprovided). If water from the (L, W), and area in acres, of Photocopied section of invo	pit will be land applied, pro the land application area.	application (unless engineered plans incluvide water volume, include dimensions (L,	ding this info have been W, D) of the pit, and dimensions
Maps(s) of road, location, poporovided). If water from the (L, W), and area in acres, of Photocopied section of invo	pit will be land applied, pro the land application area. lved 7.5' topographic sheet.	vide water volume, include dimensions (L,	W, D) of the pit, and dimensions
Maps(s) of road, location, poporovided). If water from the (L, W), and area in acres, of Photocopied section of invo	pit will be land applied, pro the land application area. lved 7.5' topographic sheet.	application (unless engineered plans incluvide water volume, include dimensions (L,	W, D) of the pit, and dimensions
Maps(s) of road, location, provoided). If water from the (L, W), and area in acres, of Photocopied section of invo	pit will be land applied, pro the land application area.	vide water volume, include dimensions (L,	W, D) of the pit, and dimensions
Maps(s) of road, location, provoided). If water from the (L, W), and area in acres, of Photocopied section of invo	pit will be land applied, pro the land application area.	vide water volume, include dimensions (L,	W, D) of the pit, and dimensions
Maps(s) of road, location, provoided). If water from the (L, W), and area in acres, of Photocopied section of invo	pit will be land applied, pro the land application area.	vide water volume, include dimensions (L,	W, D) of the pit, and dimensions
Maps(s) of road, location, provoided). If water from the (L, W), and area in acres, of Photocopied section of invo	pit will be land applied, pro the land application area.	vide water volume, include dimensions (L,	W, D) of the pit, and dimensions
Maps(s) of road, location, provoided). If water from the (L, W), and area in acres, of Photocopied section of invo	pit will be land applied, pro the land application area.	vide water volume, include dimensions (L,	W, D) of the pit, and dimensions
Maps(s) of road, location, provoided). If water from the (L, W), and area in acres, of Photocopied section of invo	pit will be land applied, pro the land application area.	vide water volume, include dimensions (L,	W, D) of the pit, and dimensions
Maps(s) of road, location, provoided). If water from the (L, W), and area in acres, of Photocopied section of invo	pit will be land applied, pro the land application area.	vide water volume, include dimensions (L,	W, D) of the pit, and dimensions
Maps(s) of road, location, provoided). If water from the (L, W), and area in acres, of Photocopied section of invo	pit will be land applied, pro the land application area.	vide water volume, include dimensions (L,	W, D) of the pit, and dimensions
Maps(s) of road, location, provoided). If water from the L, W), and area in acres, of Photocopied section of invo	pit will be land applied, pro the land application area.	vide water volume, include dimensions (L,	RECEIVED Office of Oil and


WV Department of Environmental Protection











WW-7 8-30-06



West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

THE E	CITATION (CAMPIL GILD	
_{API:} 47-043-02060	WELL NO.: 8	04937
FARM NAME: W.F. Black	· 	
RESPONSIBLE PARTY NAME:	Core Appalachia Op	erating LLC
COUNTY: Lincoln	bistrict: Un	ion
QUADRANGLE: Hager		
SURFACE OWNER: Mud Ri	ver Greyhounds, LL	C
ROYALTY OWNER: Waco	Oil and Gas CO INC	
UTM GPS NORTHING: 402,8 UTM GPS EASTING: 4,229,9	900.42 GPS ELEVATI	ON: 247.95 m
The Responsible Party named above preparing a new well location plat for above well. The Office of Oil and Gothe following requirements: 1. Datum: NAD 1983, Zone height above mean sea leterated a	or a plugging permit or assigned A as will not accept GPS coordinate e: 17 North, Coordinate Units: me evel (MSL) – meters.	PI number on the s that do not meet
	ime Differential	JUL 2 9 2019
Mapping Grade GPS X : Post	Processed Differential	WV Department of Environmental Protection
4. Letter size copy of the t I the undersigned, hereby certify this belief and shows all the information prescribed by the Office of Oil and O	required by law and the regulation	cnowledge and
11A	Engineer III	7-22-2019
Signature	Title	Date