

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton , Cabinet Secretary www.dep.wv.gov

Monday, February 12, 2018 WELL WORK PERMIT Vertical / New Drill

HG ENERGY, LLC 5260 DUPONT ROAD

PARKERSBURG, WV 26101

Re: Permit approval for W. S. MAY NO. 502

47-043-03577-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

....

Chief

James A. Martin

Operator's Well Number: W. S. MAY NO. 502

Farm Name: DAVID ADKINS

U.S. WELL NUMBER: 47-043-03577-00-00

Vertical / New Drill

Date Issued: 2/12/2018

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code §22-6-20, which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- Pursuant to 35 CSR 4-19.1.a, at the request of the surface owner all water wells or springs within 1000 feet of the proposed well that are actually utilized for human consumption, domestic animals or other general use shall be sampled and analyzed.
- 3. Pursuant to 35 CSR 4-19.1.c, if the operator is unable to sample and analyze any water well or spring with one thousand (1,000) feet of the permitted well location, the Office of Oil and Gas requires the operator to sample, at a minimum, one water well or spring located between one thousand (1,000) feet and two thousand (2,000) feet of the permitted well location.
- 4. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 5. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 6. During the surface casing and cementing process, in the event cement does not return to the surface, or any other casing string that is permitted to circulate cement to the surface and does not return to the surface, the oil and gas inspector shall be notified within twenty-four (24) hours
- 7. Well work activities shall not constitute a hazard to the safety of persons.
- 8. Operator shall provide the Office of Oil & Gas notification of the date that drilling commenced, drilling ceased, completion of any other permitted well work and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov within 30 days of commencement of drilling.

FORM WW-3 (B) 1/12



1) Date: 12/05/201	17				
2) Operator's Well 1	No.	W. :	S. May 502		
3) API Well No.:	47	-	Lincoln	+1	
	State		County		Permit
4) UIC Permit No.	HICS	20430	2AP		

STATE OF WEST VIRGINIA

NOTICE OF LIQUID INJECTION OR WASTE DISPOSAL WELL WORK PERMIT APPLICATION FOR THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

	District	· Duval			Co	unty Lincoln		Onadrar	igle Griffithsville 7.5'
7) WELL OPERA			I.C.		Cu	8) DESIGNA	TED AGE		
		260 Dupont				u) DEBIGIAL	Addre		pont Road
7100		arkersburg,					radio		ourg, WV 26101
OL & GAS IN				FD		10) DRILLIN	G CONT		alg. TTV 20101
Name Jeffery		KIODI	HOILI	LD				d Upon Approva	of Permit
-	ig Tyler Road					Address			
200 C C C C C C C C C C C C C C C C C C	anes, WV 25								
(2) GEOLOGIC (13) Estimated De	TARGET	FORMA	TION BE	hysical erea	ation change in v	deeper Performed (specify) Depth	rate new fo	Feet (top	/ Stimulate
								Feet	Foot
4) Approximate				esh 300		Feet	Salt	11/0	_ Feet
5) Approximate			487'		NI.				
6) Is coal being				4050	No .		-		
7) Virgin reserve					psi	g Source	Estimated		· (DITTER)
8) Estimated res	ervoir frac	ture pres	sure 268	00					psig (BHFP)
O MARKET CO	DDODOGT	TO DETTO	TTONIO	DED 1	roxid x	7 1 1	05.001	T 1	
									nole pressure 2400 psi
19) MAXIMUM 1 20) DETAILED I	DENTIFI	CATION	OF MA	TERIAL	S TO BE I	NJECTED, INC			nole pressure 2400 psi
20) DETAILED I water, bactericides	DENTIFICATION OF THE PROPERTY	CATION micals as n	OF MA	ΓERIAL intain water	S TO BE I	NJECTED, INC			nole pressure 2400 psi
vater, bactericides 1) FILTERS (IF	DENTIFIC and other che ANY) _C	CATION micals as no artridge filte	OF MA' eeded to ma rs and charc	ΓERIAL intain water coal bed filter	S TO BE I quality and im ers	NJECTED, INC aprove oil recovery.	CLUDING	ADDITIVE	S Fresh water, produced
0) DETAILED I water, bactericides 1) FILTERS (IF	DENTIFIC and other che ANY) _C	CATION micals as no artridge filte	OF MA' eeded to ma rs and charc	ΓERIAL intain water coal bed filter	S TO BE I quality and im ers	NJECTED, INC aprove oil recovery.	CLUDING	ADDITIVE	nole pressure 2400 psi
0) DETAILED I water, bactericides 1) FILTERS (IF 2) SPECIFICAT	DENTIFICATIONS FO	CATION emicals as no artridge filte R CATH	OF MA ended to mai rs and chard ODIC PR	ΓERIAL intain water coal bed filter	S TO BE I quality and im ers	NJECTED, INC aprove oil recovery.	CLUDING	ADDITIVE	S Fresh water, produced
20) DETAILED I water, bactericides 21) FILTERS (IF 22) SPECIFICAT 23) CASING AND	DENTIFICATIONS FO	CATION micals as no artridge filte R CATH PROGRAM	OF MAC eeded to mains and charc ODIC PR	TERIAL intain water coal bed filte ROTECT	S TO BE I quality and im ers	NJECTED, INC aprove oil recovery. OTHER CORI	CLUDING ROSION C	ADDITIVE	S Fresh water, produced NA
water, bactericides water,	DENTIFICANY) CONS FOR	CATION cation artridge filte R CATH PROGRAM	OF MA' eeded to mai rs and charc ODIC PR	TERIAL intain water coal bed filte ROTECT	S TO BE I quality and im ers TON AND	NJECTED, INC aprove oil recovery OTHER CORI FOOTAGE IN	CLUDING ROSION O	ADDITIVE CONTROL CEMENT	S Fresh water, produced
water, bactericides water,	DENTIFICATIONS FO	CATION micals as no artridge filte R CATH PROGRAM	OF MAC eeded to mains and charc ODIC PR	TERIAL intain water coal bed filte ROTECT	S TO BE I quality and im ers	NJECTED, INC aprove oil recovery. OTHER CORI	CLUDING ROSION C	ADDITIVE	S Fresh water, produced NA
0) DETAILED I water, bactericides 1) FILTERS (IF 2) SPECIFICAT 3) CASING AND CASING OR TUBING TYPE	DENTIFICANY) CONS FOR	CATION cation artridge filte R CATH PROGRAM	OF MA' eeded to mai rs and charc ODIC PR M ECIFICATI Weight	TERIAL intain water coal bed filte ROTECT	S TO BE I quality and im ers TON AND	NJECTED, INC aprove oil recovery OTHER CORI FOOTAGE IN	CLUDING ROSION C TERVALS Left In	CONTROL CEMENT FILL -UP OR SACKS	NA PACKERS
o) DETAILED I water, bactericides 1) FILTERS (IF 2) SPECIFICAT 3) CASING AND CASING OR TUBING TYPE	DENTIFICANY) CONS FOR	CATION cation artridge filte R CATH PROGRAM	OF MA' eeded to mai rs and charc ODIC PR M ECIFICATI Weight	TERIAL intain water coal bed filte ROTECT	S TO BE I quality and im ers TON AND	NJECTED, INC aprove oil recovery OTHER CORI FOOTAGE IN	CLUDING ROSION C TERVALS Left In	CONTROL CEMENT FILL -UP OR SACKS	S Fresh water, produced NA
0) DETAILED I water, bactericides 1) FILTERS (IF 2) SPECIFICAT 3) CASING AND CASING OR TUBING TYPE Conductor resh Water	DENTIFICANY) CANY) CONS FOR	CATION micals as no artridge filte R CATH PROGRAM SP Grade	OF MA' eeded to mai rs and charc ODIC PR M ECIFICATI Weight per ft.	TERIAL intain water coal bed filte COTECT ONS New	S TO BE I quality and im ers TON AND	NJECTED, INCorprove oil recovery. OTHER CORI FOOTAGE IN For Drilling	ROSION O	CEMENT FILL -UP OR SACKS (CU. FT.)	NA PACKERS Kinds
20) DETAILED I water, bactericides 21) FILTERS (IF 22) SPECIFICAT 3) CASING AND CASING OR TUBING TYPE Conductor resh Water Coal	DENTIFICANY) CANY) CONS FOR	CATION micals as no artridge filte R CATH PROGRAM SP Grade	OF MA' eeded to mai rs and charc ODIC PR M ECIFICATI Weight per ft.	TERIAL intain water coal bed filte COTECT ONS New	S TO BE I quality and im ers TON AND	NJECTED, INCorprove oil recovery. OTHER CORI FOOTAGE IN For Drilling	ROSION O	CEMENT FILL -UP OR SACKS (CU. FT.)	NA PACKERS
water, bactericides. 21) FILTERS (IF 22) SPECIFICAT CASING AND CASING OR TUBING TYPE Conductor Fresh Water Coal Intermediate	DENTIFICANY) CANY) CONS FOR	CATION micals as no artridge filte R CATH PROGRAM SP Grade	OF MA' eeded to mai rs and charc ODIC PR M ECIFICATI Weight per ft.	TERIAL intain water coal bed filte COTECT ONS New	S TO BE I quality and im ers TON AND	NJECTED, INCorprove oil recovery. OTHER CORI FOOTAGE IN For Drilling	ROSION O	CEMENT FILL -UP OR SACKS (CU. FT.)	NA PACKERS Kinds Sizes 2.375"
water, bactericides 21) FILTERS (IF 22) SPECIFICAT 33) CASING AND CASING OR TUBING TYPE Conductor Fresh Water Coal Intermediate	DENTIFICAND CONTROL OF TUBING FOR Size	CATION micals as no artridge filte R CATH PROGRAN SP Grade	OF MA' eeded to mai rs and charc ODIC PR M ECIFICATI Weight per ft.	CONS New	S TO BE I quality and im ers TON AND	NJECTED, INCorprove oil recovery. OTHER CORI FOOTAGE IN For Drilling 540'	CLUDING ROSION C TERVALS Left In Well 540	CONTROL CEMENT FILL -UP OR SACKS (CU. FT.) CTS	NA PACKERS Kinds Sizes 2.375" Depths set
20) DETAILED I water, bactericides. 21) FILTERS (IF 22) SPECIFICAT 23) CASING AND CASING OR TUBING TYPE Conductor Fresh Water Coal Intermediate Production Cubing	DENTIFIC and other che ANY) _C TONS FO. TUBING F Size 7" 4 1/2"	CATION micals as no artridge filte R CATH PROGRAN SP Grade LS J-55	OF MA' eeded to mai rs and charc ODIC PR M ECIFICATI Weight per ft. 17#	CONS New	S TO BE I quality and im ers TON AND	NJECTED, INCorprove oil recovery. OTHER CORI FOOTAGE IN For Drilling 540' 2985'	CLUDING ROSION C TERVALS Left In Well 540'	CONTROL CEMENT FILL -UP OR SACKS (CU. FT.) CTS	NA PACKERS Kinds Sizes 2.375" Depths set
20) DETAILED I water, bactericides 21) FILTERS (IF 22) SPECIFICAT 23) CASING AND CASING OR	DENTIFIC and other che ANY) _C TONS FO. TUBING F Size 7" 4 1/2"	CATION micals as no artridge filte R CATH PROGRAN SP Grade LS J-55	OF MA' eeded to mai rs and charc ODIC PR M ECIFICATI Weight per ft. 17#	CONS New	S TO BE I quality and im ers TON AND	NJECTED, INCorprove oil recovery. OTHER CORI FOOTAGE IN For Drilling 540' 2985'	CLUDING ROSION C TERVALS Left In Well 540'	CONTROL CEMENT FILL -UP OR SACKS (CU. FT.) CTS	PACKERS Kinds Sizes 2.375" Depths set Perforations PACKERS
20) DETAILED I water, bactericides. 21) FILTERS (IF 22) SPECIFICAT 23) CASING AND CASING OR TUBING TYPE Conductor Fresh Water Coal Intermediate Production Cubing	DENTIFIC and other che ANY) _C TONS FO. TUBING F Size 7" 4 1/2"	CATION micals as no artridge filte R CATH PROGRAN SP Grade LS J-55	OF MA' eeded to mai rs and charc ODIC PR M ECIFICATI Weight per ft. 17#	CONS New	S TO BE I quality and im ers TON AND	NJECTED, INCorprove oil recovery. OTHER CORI FOOTAGE IN For Drilling 540' 2985'	CLUDING ROSION C TERVALS Left In Well 540'	CONTROL CEMENT FILL -UP OR SACKS (CU. FT.) CTS	PACKERS Kinds Sizes 2.375" Depths set Perforations Office of Office
water, bactericides. 21) FILTERS (IF 22) SPECIFICAT 23) CASING AND CASING OR TUBING TYPE Conductor Fresh Water Coal Intermediate Troduction Cubing	DENTIFIC and other che ANY) _C TONS FO. TUBING F Size 7" 4 1/2"	CATION micals as no artridge filte R CATH PROGRAN SP Grade LS J-55	OF MA' eeded to mai rs and charc ODIC PR M ECIFICATI Weight per ft. 17#	CONS New	S TO BE I quality and im ers TON AND	NJECTED, INCorprove oil recovery. OTHER CORI FOOTAGE IN For Drilling 540' 2985'	CLUDING ROSION C TERVALS Left In Well 540'	CONTROL CEMENT FILL -UP OR SACKS (CU. FT.) CTS	PACKERS Kinds Sizes 2.375" Depths set Perforations Onice of Otherno Top Bottom JAN 18 201
water, bactericides. 21) FILTERS (IF 22) SPECIFICAT 3) CASING AND CASING OR TUBING TYPE Conductor Fresh Water Coal Intermediate Production Subing Liners	DENTIFIC and other che ANY) _C TONS FO. TUBING F Size 7" 4 1/2" 2 3/8"	CATION micals as no artridge filte R CATH PROGRAM SP Grade LS J-55 J-55	OF MA' eeded to mai rs and charc ODIC PR M ECIFICATI Weight per ft. 17# 10.5# 4.6#	CONS New x x	S TO BE I quality and im ars ION AND Used	NJECTED, INCorprove oil recovery. OTHER CORI FOOTAGE IN For Drilling 540' 2985' 2760'	CLUDING ROSION C TERVALS Left In Well 540' 2985' 2760'	CONTROL CEMENT FILL -UP OR SACKS (CU. FT.) CTS	PACKERS Kinds Sizes 2.375" Depths set Perforations Office of
20) DETAILED I water, bactericides 21) FILTERS (IF 22) SPECIFICAT 23) CASING AND CASING OR TUBING TYPE Conductor Fresh Water Coal Intermediate Production Cubing Liners 24) APPLICANT	DENTIFIC and other che ANY) _C TONS FO. TUBING F Size 7" 4 1/2" 2 3/8"	CATION micals as no artridge filte R CATH PROGRAN SP Grade LS J-55 J-55 ATING R	OF MA' eeded to mai rs and charc ODIC PR M ECIFICATI Weight per ft. 17# 10.5# 4.6#	CONS New x x vere acqu	S TO BE I quality and im ars TON AND Used	NJECTED, INCorprove oil recovery. OTHER CORI FOOTAGE IN For Drilling 540' 2985' 2760'	CLUDING ROSION C TERVALS Left In Well 540' 2985' 2760'	CONTROL CEMENT FILL -UP OR SACKS (CU. FT.) CTS	Perforations 2400 psi 2400 psi S Fresh water, produced PACKERS PACKERS Kinds Sizes 2.375" Depths set 2660' FreshVED Top Bottom

FORM WW-3 (A) 1/12



1) Date:	December	5, 2017				
2) Operato	or's Well	No.	W. S. M	ay 502		
3) API We	ell No.:	47	-		-	
		State		County		Permit
4) UIC Per	mit No.	UIC2F	04302AF	,		

	OF LIQUID INJECTION OF WASTE		L WORK PERMIT APP	
	IE DEPARTMENT OF ENVIRONME vner(S) To Be Served	7) (a) Coal Operator	TON, OFFICE OF OIL A	IND GAS,
(a) Name	David Adkins	Name NA		
Address	5115 Straight Fork	Address		
	Griffithsville, WV 25521	-		
(b) Name		7) (b) Coal Owner(S)	With Declaration Of Record	
Address		Name NA		
		Address		
(c) Name		Name NA		
Address		Address		
6) Inspector	Jeffery Smith	7) (c) Coal Lessee wi	th Declaration Of Record	
Address	5369 Big Tyler Road	Name NA		
	Cross Lanes, WV 25313	Address		
Telephone	681-313-6743			
(3) The Consplan for each of the APPLICATION AT A Take notice the Notice and Application and A	surveyor's map) showing the well location or struction and Reclamation Plan on Form WW rosion and sediment control and for reclamatic proposed for the first injection or waste on YOU HAVE RECEIVED THESE DOC N WHICH ARE SUMMARIZED IN THE "ATION [(FORM WW-3(B)] DESIGNATED ALL. at under Chapter 22-6 of the West Virginia Complication and accompanying documents for Department of Environmental Protection, and depicted on the attached Form WW-6. Complian have been mailed by registered or ce	-9 (unless the well woon for the site and action for the undersigned a Well Work Permit with respect to a well pies of this Notice, t	vell operator proposes to file with the Chief of the Office the Application, the plat, and	EGARDING THE F THE COPY OF JIRED TO TAKE e or has filed this of Oil and Gas, on the attached the Construction
by publication	in certain circumstances) on or before the day	of the mailing or de	livery to the Chief.	
	The person signing this documen			Office of Oil and G
"I certify unde	r penalty of law that I have personally examin	ed and Well Op	erator HG Energy, LLC	JAN 10 and
	th the information submitted in this document		5260 Dupont Road	1 9 5018
	d that, based on my inquiry of those individua		Parkersburg, WV 26101	WV Daparlmant o Environmenta, Protec
	sponsible for obtaining the information, I bel		Diane White	Environmenta, Protei
	is true, accurate and complete. I am aware t		Agent	
	penalties for submitting false information, inc	cluding		
the possibility	of fine and imprisonment.	Signatur	e: piane Who	o)
		- 0		

WW-2B1 (5-12)

Well No.	W. S. May 502	

West Virginia Department of Environmental Protection Office of Oil and Gas

NOTICE TO SURFACE OWNERS

The well operator named below is preparing to file for a permit from the state to drill a new well. Before a well work permit can be filed with the Chief of the Office of Oil and Gas, the well operator is required to have given notice of the right to request water well or spring analytical testing. This notice shall be given to the owners or occupants of land which have a water well or spring being utilized for human consumption, domestic animals, or other general use and which is located within 1000 feet of the proposed well site.

With this form, the operator is giving you notice of your right to request analytical testing. The operator is required to sample and analyze the water wells or springs of all owners or occupants who request it. Therefore, if you wish to have your water well or spring tested, contact the operator named below.

All sampling shall be completed prior to drilling. Within thirty (30) days of the receipt of such sample analyses the operator shall submit the results to the Chief of the Office of Oil and Gas and to the owners or occupants who may have requested them.

Be advised, you have the right to sample and analyze any water supply at your own expense.

Listed below is the laboratory chosen by operator to perform analysis, and contactor chosen to collect sample.

Certified Laboratory Name Sturm Environmental Lab

Sampling Contractor

Sturm Environmental Lab

Well Operator

HG Energy, LLC

Address

5260 Dupont Road

Parkersburg, WV 26101

Telephone

304-420-1119

FOR OPERATOR'S USE ONLY: Below, or on an attached page, list those persons which were given this notice. Place an asterisk beside the one(s) that contacted you and requested sampling and analyses. If there were no requests made, indicate by underling which one you have selected to sample and analyze. If there are no water wells or springs within 1000 feet of the proposed site, the Chief may require the operator to test wells up to 2000 feet from the proposed site. Office of Oil and Gas

JAN 18 2018

WV Department of Environmental Protection

No water sources to be tested.

WATER WELLS PREVIOUSLY TESTED.

WW-9 (2/15)

API Number 47 -	-
Operator's Well No	W. S. May 502

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name HG Energy, LLC	OP Code 494497948
	Quadrangle Griffithsville 7.5'
Do you anticipate using more than 5,000 bbls of water to comp Will a pit be used? Yes V No	la 1000 mal
If so, please describe anticipated pit waste: Fluids e	
Will a synthetic liner be used in the pit? Yes	No If so, what ml.? 30 mil
Proposed Disposal Method For Treated Pit Wastes:	
Land Application Underground Injection (UIC Perm Reuse (at API Number Off Site Disposal (Supply form W	W-9 for disposal location)
Other (Explain No land application of	of fluids
NA	
Will closed loop system be used? If so, describe: NA	A. A
Drilling medium anticipated for this well (vertical and horizon	
-If oil based, what type? Synthetic, petroleum, etc^	Α
Additives to be used in drilling medium? Water, soap, KCI	
Drill cuttings disposal method? Leave in pit, landfill, removed	offsite, etc. Remove offsite to approved facility
-If left in pit and plan to solidify what medium will be	e used? (cement, lime, sawdust) NA
-Landfill or offsite name/permit number?	
	Gas of any load of drill cuttings or associated waste rejected at any d within 24 hours of rejection and the permittee shall also disclose
on August 1, 2005, by the Office of Oil and Gas of the West V provisions of the permit are enforceable by law. Violations of law or regulation can lead to enforcement action. I certify under penalty of law that I have personall application form and all attachments thereto and that, base	conditions of the GENERAL WATER POLLUTION PERMIT issued firginia Department of Environmental Protection. I understand that the of any term or condition of the general permit and/or other applicable by examined and am familiar with the information submitted on this ad on my inquiry of those individuals immediately responsible for true, accurate, and complete. I am aware that there are significant bility of fine or imprisonment.
Company Official (Typed Name) Diane White	JAN 1 8 2018
Company Official Title Agent	
Company Official Title 1990	W/ Department of Environmental Protection
Subscribed and sworn before me this 5th day of D	
	Notary Commissioner for West Virginia
My commission expires 3/29/2020	Barry J. DeWitt 126 Wendy Dr.
A STATE OF THE STA	Uniontown P62/549/201

Form WW-9

HG Energy, LLC			
Proposed Revegetation Treat	ment: Acres Disturbed 0.4	Prevegetation p	Н
Lime	3 Tons/acre or to correct to pl	<u>6.5</u>	
Fertilizer type 10-2	20-20		
Fertilizer amount_	500 <u>l</u> i	os/acre	
Mulch_Straw	2 _{Tons} /	acre	
	See	d Mixtures	
Te	mporary	Perm	anent
Seed Type	lbs/acre	Seed Type	lbs/acre
Tall Fescue	40	Tall Fescue	40
Ladino Clover	5	Ladino Clover	5
Attach: Drawing(s) of road, location,	Will Be In Place At All pit and proposed area for land ap	Times ** plication (unless engineered plans in	ncluding this info have be
Attach: Drawing(s) of road, location, provided) Photocopied section of involved the provided by:	pit and proposed area for land ap	plication (unless engineered plans in	
Attach: Drawing(s) of road, location, provided) Photocopied section of involved the provided by:	pit and proposed area for land ap		
Attach: Drawing(s) of road, location, provided) Photocopied section of involved the provided by:	pit and proposed area for land ap	plication (unless engineered plans in	
Attach: Drawing(s) of road, location, provided) Photocopied section of involved the provided by:	pit and proposed area for land ap	plication (unless engineered plans in	relegse

WW-9- GPP Rev. 5/16

	Page	of	
API Number	47		
Operator's We	ell No. W. S. M	lay 502	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS GROUNDWATER PROTECTION PLAN



	GROUNDWATER	PROTECTION PLAN		
perator Name: HG Energy, LLC				
Vatershed (HUC 10): Bear Fork		Quad: Gri	iffithsville 7.5'	
arm Name: W. S. May 502				
List the procedures used for the groundwater.	reatment and discharge of	of fluids. Include a list of all	operations that could	contaminate the
NA - No land application of	fluids			
				
Describe procedures and equipme	nt used to protect ground	dwater quality from the list of	f potential contaminant	sources above.
NA				
			····	
List the closest water body, dist discharge area.	ance to closest water bo	dy, and distance from close	est Well Head Protect	ion Area to the
NA				
Summarize all activities at your f	acility that are already re-	gulated for aroundwater prote	ection	
Canada da accivicios de y cui i		Samuel for Broamawater prote		Office of Oil and
·				
NA				JAN 10 and
NA				JAN 18 20
NA				JAN 18 20 W Department Environmental Prote


5. Discuss any existing groundwater quality data for your facility or an adjacent property.

W-9- GPP	Page of
v. 5/16	API Number 47 Operator's Well No. W. S. May 502
A	
Provide a statement that no waste material v	vill be used for deicing or fill material on the property.
IA	
•	
Describe the groundwater protection instru- provide direction on how to prevent ground	ection and training to be provided to the employees. Job procedures shall water contamination.
A	
Provide provisions and frequency for inspe	ctions of all GPP elements and equipment.
	ctions of all GPP elements and equipment.
Provide provisions and frequency for inspe	RECEIVED Office of Oil and (
	RECEIVED Office of Oil and (
	ctions of all GPP elements and equipment. Office of Oil and C JAN 18 2018 WY Department of Environmental Protect

Form WW-9


Operator's Well No.

LEGEND



Reclamation Plan For:

W.S. May No. 502



- REQUESTED PERMIT IS FOR DRILLING OF NEW WELL.
- ALL ACCESS ROADS ARE EXISTING AND WILL BE MAINTAINED TO WVDEP STANDARDS.
- STOCKPILE TOPSOIL FOR RE-DRESSING LOCATION DURING RECLAMATION
- ALL DISTURBED AREAS WILL BE RE-VEGETATED AS OUTLINED ON FORM WW-9.
- Maintain sediment barriers and drainage structures.
- ALL ROAD GRADES <5% EXCEPT AS NOTED.
- LOCATION OF DRILL PIT MAY BE CHANGED BASED ON AS-BUILT CONSIDERATIONS.
- STACK BRUSH BELOW DISTURBED AREAS FOR SEDIMENTATION CONTROL.
- DRAWING NOT TO SCALE.


Env. onmental Protection SEE ATTACHED LEGEND.


NOTE REFER TO THE WVDEP

EROSION AND SEDIMENT CONTROL FIELD MANUAL VER. MAY 2012 FOR BMPS CONTROLLING EROSION AND SEDIMENT FROM SOIL-DISTURBING OPERATIONS.

02/16/2018

PAGE 1







GRIIFTHSVILLE WATERFLOOD

Lincoln County, W.Va.

RECLAMATION PLAN SHOWING ROAD SYSTEMS TO BE USED FOR 2018 **DRILLING PROGRAM**

NOTES

- 1. REFER TO THE WVDEP EROSION AND SEDIMENTATION CONTROL MANUAL (VER. MAY 20, 2013) FOR BMP'S CONTROLLING **EROSION AND SEDIMENTATION FROM ALL** SOIL-DISTURBING OPERATIONS.
- 2. SEE PAGE ONE OF RECLAMATION PLAN FOR DETAILS OF NEW ROAD CONSTRUCTION AND ROAD UPGRADES FROM POINT (A) TO DRILL SITE LOCATION.
- 3. EXISTING WATERFLOOD ACCESS ROADS WILL BE MAINTAINED IN PRESENT CONDITION. THESE ROADS WERE CONSTRUCTED UNDER CONDITIONS SET FORTH IN VARIOUS DRILLING PERMITS ISSUED BY WVDEP-OOG PRIOR TO 2015 (AS SHOWN). SEE PERMITS ON FILE FOR MORE DETAIL.

LEGEND

EXISTING WATERFLOOD ROADS TO BE USED.

OTHER EXISTING MAIN WATERFLOOD ROADS (Possible Access).

EXISTING LEASE OR FARM ROADS TO BE UPGRADED.

NEW ROADS TO BE CONSTRUCTED.

RF 505

LOCATION FOR PROPOSED WELLS

POTENTIAL WATER SUPPLY SOURCE TO BE SAMPLED (LOC. APPROX.)

PAGE 2

NOVEMBER 14, 2017

