

### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Monday, September 16, 2019 WELL WORK PERMIT Vertical / Convert

HG ENERGY, LLC 5260 DUPONT ROAD

PARKERSBURG, WV 26101

Re:

Permit approval for E. J. MAY 148 REV 47-043-03590-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: E. J. MAY 148 REV

Farm Name: JUDY R. SMITH

U.S. WELL NUMBER: 47-043-03590-00-00

Vertical Convert

Date Issued: 9/16/2019

Promoting a healthy environment.

### PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit</u> conditions may result in enforcement action.

#### **CONDITIONS**

- 1. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code §22-6-20, which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 2. Pursuant to 35 CSR 4-19.1.a, at the request of the surface owner all water wells or springs within 1000 feet of the proposed well that are actually utilized for human consumption, domestic animals or other general use shall be sampled and analyzed.
- 3. Pursuant to 35 CSR 4-19.1.c, if the operator is unable to sample and analyze any water well or spring with one thousand (1,000) feet of the permitted well location, the Office of Oil and Gas requires the operator to sample, at a minimum, one water well or spring located between one thousand (1,000) feet and two thousand (2,000) feet of the permitted well location.
- 4. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 5. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 6. During the surface casing and cementing process, in the event cement does not return to the surface, or any other casing string that is permitted to circulate cement to the surface and does not return to the surface, the oil and gas inspector shall be notified within twenty-four (24) hours
- 7. Well work activities shall not constitute a hazard to the safety of persons.
- 8. Operator shall provide the Office of Oil & Gas notification of the date that drilling commenced on this well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov within 30 days of commencement of drilling.

WW - 2B (Rev. 8/10)

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operato	or: HG E	nergy, Ll	LC	494497948	Lincoln	Duval	Griffithsville 7.5	5'		
				Operator ID	County	District	Quadrangle			
2) Operator's Well Number: EJ May 148 3) Elevation: 840'										
4) Well Type: (a	a) Oil <u>×</u>	or Ga	as							
(b) If Gas: Production / Underground Storage										
Deep/ Shallow _x										
5) Proposed Target Formation(s): Berea Proposed Target Depth: 2542' 6) Proposed Total Depth: Feet Formation at Proposed Total Depth: Berea 7) Approximate fresh water strata depths: 1050', 1080'										
9) Approximate	coal sea	m depth	s: 315', 385'				RECEIV	/ED		
10) Approximat	e void de	pths.(co	al, Karst, other):	None			Office of Oil	and Gas		
					ono		— AUG 15	2019		
11) Does land o	contain co	oal seam	s tributary to act	tive mine?	one		WV Depart Environmental	ment of Protection		
	•		nd fracturing meth	•						
Well has been drille running rods through				onvert presently p	permitted injection	on well to a prod	ducing well by			
Turring rous trious	gir tire tubii	ig in the w	······							
12)		CA	A SINIC A NID THE		A 10.71					
13) TYPES	PECIFIC	-	ASING AND TUI	FOOTAGE	<u>aivi</u> Intervals	S CEMEN	<u>VT</u>			
	<u>Size</u>	<u>Grade</u>	Weight per ft	For Drilling	Left in Well	Fill -up (Cu.	. Ft.)			
Conductor	13319"	LS			15'	Already pr	resent (	75)		
Fresh Water	7"	LS	17#		463.1'	Already pr	resent			
Coal										
Intermediate										
Production	4 1/2"	LS	10.5#		2576.96'	Already pr	resent			
Tubing			-		=					
Liners										
Packers: Kind	Packers: Kind:									
	Depths Set									

WR-35 Rev. 8/23/13 Page 1 of 4

# State of West Virginia Department of Environmental Protection - Office of Oil and Gas Well Operator's Report of Well Work

API 47- 043 - 03590 County LINCO	.N District DUVAL	·
Quad GRIFFITHSVILLE 7.5' Pad Name MAY		E
Farm name JUDY R. SMITH	Well Number 148	·
Operator (as registered with the OOG) H.G. ENERGY LI	С	
Address 5260 DuPONT ROAD City PA	RKERSBURG State WW Zip 2610°	l 
As Drilled location NAD 83/UTM Attach an as-drill  Top hole Northing 4,232,517 M  Landing Point of Curve Northing  Bottom Hole Northing 4,232,586 M		
Elevation (ft) 840' GL Type of Well	■New □ Existing Type of Report □Interim ■Fina	al
Permit Type   Deviated   Horizontal   Horizontal	tal 6A 🗆 Vertical Depth Type 🗆 Deep 🛔	Shallow
Type of Operation □ Convert □ Deepen ■ Drill	Plug Back   Redrilling   Rework   Stimulate	
Well Type □ Brine Disposal □ CBM □ Gas □ Oil ■ Se	condary Recovery   Solution Mining   Storage   Other	
Type of Completion ■ Single □ Multiple Fluids Prod  Drilled with □ Cable ■ Rotary	ced □ Brine □Gas □ NGL ■ Oil □ Other	
Drilling Media Surface hole Air Mud Fresh W Production hole Air Mud Fresh Water Brit Mud Type(s) and Additive(s) N/A		□ Brine
Date permit issued11/28/18 Date drilling compate completion activities began6/11/19  Verbal plugging (Y/N)N Date permission grants	Date completion activities ceased	1/19 EIVED
Please note: Operator is required to submit a plugging appli	reson was the same for the same from the sam	5 7919
Freshwater depth(s) ft125'	Open mine(s) (Y/N) depths NoFevironmen	ital Protection
Salt water depth(s) ft 1050', 1080'	Void(s) encountered (Y/N) depths None	
Coal depth(s) ft 315, 385'	Cavern(s) encountered (Y/N) depths None	
Is coal being mined in area (Y/N) N	Reviewed by	:

/R-35 Rev. 8/23/13 Page 2 of 4

API 47- 043	303590	Farm na	<sub>ime</sub> JUDY R	. SMITH		Well number_1	48	
CASING STRINGS	Hole Size	Casing Size	Depth	New or Used	Grade wt/ft	Basket Depth(s)		ment circulate (Y/ N vide details below*
Conductor	15"	. 13 3/8"	15'	New	LS			Sand In
Surface	8 3/4"	7"	463.1	New	LS	64'	\$· ,	Υ
Coal			•					
Intermediate 1								
Intermediate 2								
Intermediate 3								
Production	6 1/4"	4 1/2"	2576.96'	New	LS			Υ ·
Tubing						<del>-   </del>		
Packer type and c	lepth set		~		<u> </u>			
CEMENT DATA	Circulated Est. 30 :  Class/Type of Cement	sks to surface on 7" surf  Number  of Sacks	Slurr	ry Y	rield Vol	lume Ce	ment (MD)	WOC (hrs)
Conductor								· · · · · · · · · · · · · · · · · · ·
Surface	Reg Neat	120	15.6	3 1	1.18 1	42 Su	rface	8
Coal								
Intermediate 1								
Intermediate 2								
intermediate 3								
Production	50:50 Pozmi	x 110/125	13.2/14	4.2 1.6	4/1.27 180	/186 3	62'	8
<b>Fubing</b>								
Orillers TD (ft Deepest forma Plug back pro	tion penetrated	Berea		Loggers Ti				
Kick off depth	(ft)_550'							
Check all wire	line logs run	acaliper and neutron	<ul><li>■ density</li><li>■ resistivity</li></ul>		ed/directional ray	■ induction ■ temperature	□soni	c
Well cored	Yes 🖪 No	Convention	nal Sidev	vall	Were cutt	ings collected	■ Yes ⊓	ı No
DESCRIBE TI	HE CENTRALI	ZER PLACEME	NT USED FO	R EACH CA	SING STRING			ļ.
20 Centralizers every 88 fi	om bottom on 4 1/2", Centra	lizer placed mid string on 7°						<u> </u>
								· · · · · · · · · · · · · · · · · · ·
WAS WELL C	OMPLETED A	S SHOT HOLE	□ Yes 🚪	No DE	TAILS			<del></del>

kev. 8/23/13

API 47- 043 03590 Farm name\_JUDY R. SMITH

\_Well number\_148

### PERFORATION RECORD

Stage No.	Perforation date	Perforated from MD ft.	Perforated to MD ft.	Number of Perforations	Formation(s)
1	6/11/19	2448'	2460'	48	Berea
	· · · · · · · · · · · · · · · · · · ·				·
	· · · · · · · · · · · · · · · · · · ·		ļ		
	· · · · · · · · · · · · · · · · · · ·				
LL					

Please insert additional pages as applicable.

### STIMULATION INFORMATION PER STAGE

Complete a separate record for each stimulation stage.

Stage No.	Stimulations Date	Ave Pump Rate (BPM)	Ave Treatment Pressure (PSI)	Max Breakdown Pressure (PSI)	ISIP (PSI)	Amount of Proppant (lbs)	Amount of Water (bbls)	Amount of Nitrogen/other (units)
	6/13/19	4	1502	2247	1302	1,000	140	
						1		
L							·	
				<del>                                     </del>				
<del></del>								
-								NEIVED #
							Office of	CEIVED Oil and Gas
							1	' [
							AUG	1 5 2019
<b></b>							1	
							WA D∈	partment of ental Protession
							Environme	ental Frotesias.
LL								

Please insert additional pages as applicable.

R-35 kev. 8/23/13 API 47- 043 \_ 03590 Farm name JUDY R. SMITH \_\_\_\_Well number 148 PRODUCING FORMATION(S) **DEPTHS** Berea 2330'- 2352' 2444'- 2468' TVD MD Please insert additional pages as applicable. □ Build up □ Drawdown □ Open Flow GAS TEST OIL TEST | Flow □ Pump SHUT-IN PRESSURE Surface psi Bottom Hole\_ psi DURATION OF TEST **OPEN FLOW** Gas Oil NGL Water GAS MEASURED BY mcfpd bpd bpd □ Estimated □ Orifice bpd □ Pilot LITHOLOGY/ TOP **BOTTOM** TOP **BOTTOM FORMATION** DEPTH IN FT DEPTH IN FT DEPTH IN FT DEPTH IN FT DESCRIBE ROCK TYPE AND RECORD QUANTITYAND NAME TVD TVD MD TYPE OF FLUID (FRESHWATER, BRINE, OIL, GAS, H2S, ETC) Sand/Shale 0 385 385 Pittsburgh Coal 385 391 385 391 Sand/Shale 391 1618 391 1672 Big Lime 1618 1818 1672 1890 Big Injun 1818 1923 1890 2004 Shale 1923 2310 2004 2423 Coffee Shale 2310 2330 2423 2444 Berea 2330 2352 2444 2468 Drilled directional N 68.5° E a distance of 622' Shale 2352 2512 2468 2636 TD 2512 2636 RECEIVED Office of Oil and Gas AUG 1 5 2019 Please insert additional pages as applicable. WV Department of Environmental Protection Drilling Contractor Noah Horn Well Drilling Address 1070 Sandy Valley Lane City Vansant State VA Zip 24656 Logging Company Weatherford International Address 13211 Old Hwy 50 City Flora Zip 62839 IL State Cementing Company Petroset Services Address P.O. Box 1076 City Wooster OH Zip 44691 State Stimulating Company Producers Service Corp. Address 109 South Graham Street City Zanesville State OH Zip 43701 Please insert additional pages as applicable.

Title Operations Manager

Submittal of Hydraulic Fracturing Chemical Disclosure Information

Completed by Roger Heldman

Signature /

Attach copy of FRACFOCUS Registry

Date 6/14/19

Telephone 304-420-1107

	<b>V-2A</b> ev. 6-14)		1). Da 2.) Or	ite: <u>July</u> perator's Wel	25, 2019 I Number		— Лаv 148	
			, .	PI Well No.:	State	County 043	Permit - 03590	
	STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE AND APPLICATION FOR A WELL WORK PERMIT							
4)	Surface Owi	ner(s) to be served:/ Judy Smith	5) (a) Coal O Name	perator NA				
	Address	25 Pond Gap	Address					-
	(b) Name Address	Yawkev, WV 25573  Justin White  90 Bear Fork Road  Yawkev, WV 25573	(b) Coal Name Address	Owner(s) wit NA	h Declara	ation		_
	(c) Name		Name					•

### TO THE PERSONS NAMED ABOVE TAKE NOTICE THAT:

Included is the lease or leases or other continuing contract or contracts by which I hold the right to extract oil and gas

Address

Name Address

(c) Coal Lessee with Declaration

<u>OR</u>	
X	Included is the information required by Chapter 22, Article 6, Section 8(d) of the Code of West Virginia (see page 2)
	I certify that as required under Chapter 22-6 of the West Virginia Code I have served copies of this notice and
app	lication, a location plat, and accompanying documents pages 1 through on the above named parties by:
	Personal Service (Affidavit attached)
	Certified Mail (Postmarked postal receipt attached)

Publication (Notice of Publication attached)

I have read and understand Chapter 22-6 and 35 CSR 4, and I agree to the terms and conditions of any permit issued under this application.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete.

I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator HG Energy, LLC OFFICIAL SEAL Diane By: Diane White STATE OF WEST VIRGINIA Its: Accountant NOTARY PUBLIC CASSIDY A. BOARDMAN Address: 5260 Dupont Road 5301 13th Ave Vienna, WV 26105 Parkersburg, WV 26101 My Commission Expires July 31, 2022 Telephone: 304-420-1119 WV Departme Email: dwhite@hgenergyllc.com Environmental Protection Subscribed and sworn before me this 25th day of 03590 July

Casaidy A. Boodin Notary Public

My Commission Expires
Oil and Gas Privacy Notice

Address

Jeffery Smith

681-313-6743

5369 Big Tyler Road

Cross Lanes, WV 25313

6) Inspector

Address

Telephone

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at <a href="mailto:depprivacyofficer@wv.gov">depprivacyofficer@wv.gov</a>



### HG Energy, LLC 5260 Dupont Road Parkersburg, WV 26101 (304) 420-1100 - Office (304) 863-3172 - Fax

July 25, 2019

Judy Smith 25 Pond Gap Yawkey, WV 25573

RE:

Edna May No. 148

Duval District, Lincoln County

West Virginia

### Dear Landowner:

Enclosed are copies of various application papers that we have filed with the West Virginia Department of Environmental Protection (WVDEP), Office of Oil and Gas. A well work permit is being requested for the above-referenced well.

Pursuant to WV Code Chapter 22B, Article 6, you are receiving copies of this correspondence because the well or other anticipated disturbance is located on your surface property. Your rights as a landowner are detailed in the enclosed permit application papers.

No action on your part is required. If you have any questions or comments regarding this application, you may call this office at (304) 420-1119.

Very truly yours,

Diane White

Diane C. White

RECEIVED
Office of Oil and Gas

AUG 15 2019

WV Department of Environmental Protection

**Enclosures** 



### HG Energy, LLC 5260 Dupont Road Parkersburg, WV 26101 (304) 420-1100 - Office (304) 863-3172 - Fax

July 25, 2019

Justin White 90 Bear Fork Road Yawkey, WV 25573

RE:

Edna May No. 148

Duval District, Lincoln County

West Virginia

### Dear Landowner:

Enclosed are copies of various application papers that we have filed with the West Virginia Department of Environmental Protection (WVDEP), Office of Oil and Gas. A well work permit is being requested for the above-referenced well.

Pursuant to WV Code Chapter 22B, Article 6, you are receiving copies of this correspondence because the well or other anticipated disturbance is located on your surface property. Your rights as a landowner are detailed in the enclosed permit application papers.

No action on your part is required. If you have any questions or comments regarding this application, you may call this office at (304) 420-1119.

Very truly yours,

Diane White

Diane C. White

RECEIVED Office of Oil and Gas

AUG 1 5 2019

WV Department of Environmental Protection

Enclosures

**WW-2A1** (Rev. 1/11)

Operator's Well Number EJ May 148

### INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6, Section 8(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that -

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

_		4	_				-+-
G	ran	lO	Γ.	Les	SO	Γ.	etc.

Grantee, Lessee, etc.

Royalty

Book/Page

\*\*See Attached\*\*

### **Acknowledgement of Possible Permitting/Approval** In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application he reby a cknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources
- WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

RECEIVED
Office of Oil and Gas

AUG 1 5 2019

WV Department of Environmental Protection

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be ac quired from the appr opriate aut hority before the affected activity is initiated.

> Diane White Well Operator: HG Energy, LLC By:Its: Diane White, Agent

Form	WW-2A(1)
(10/10	0)

Operator's Well No.	E J May 148	
Operators well no.	E J Iviay 140	

## INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6, Section 8(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that --

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
E J May	Penzoil Company	1/8	35/154

Merger and Conveyance dated July 3, 1963, from South Penn Oil Company to Penzoil Company, Kanawha County, Book 153, Page 35,

Assignment, Conveyance and Bill of Sale dated December 28, 1998, from Pennzoil Company to Pennz Energy Exploration and Production, Wetzel County, Book 12, Page 177.

Certificate of Merger filed with the WV Secretary of State, December 31, 1999, whereby Pennz Energy Exploration and Production, successor in interest to; to Penzoil Company, merged with Devon Energy Production Company, LP, Wetzel County, Book 12, Page 278.

Deed, Assignment and Bill of Sale dated June 1, 2000, from Devon Energy Production Company, LP to East Resources, Inc., recorded in Wetzel County, Book 370, Page 580.

Assignment, Conveyance and Bill of Sale, dated January 1, 2011, from East Resources, Inc., to HG Energy, LLC, Wetzel County, Book 118A, Page 253.

Upon information and belief, Operator's lease and/or other real property rights permit it to conduct drilling operations for the subject well in the location shown on the plat, including the use of access roads, pipelines and utilities.

### Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby ackowledges the possibility of the need for permits and/or approvals from local, state or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

RECEIVED
Office of Oil and Gas

AUG 1 5 2019

WV Department of Environmental Protection

WV Division of Water and Waste Management WV Division of Natural Resources WV Division of Highways U.S. Army Corps of Engineers US Fish and Wildlife Service County Floodplain Coordinator

Well Operator: HG Energy, LLC

By: Diane C. White Diane White

Its: Accountant

WW-2	2B1
(5-12	2)

Well No.	E J May 148	

### West Virginia Department of Environmental Protection Office of Oil and Gas

### NOTICE TO SURFACE OWNERS

The well operator named below is preparing to file for a permit from the state to drill a new well. Before a well work permit can be filed with the Chief of the Office of Oil and Gas, the well operator is required to have given notice of the right to request water well or spring analytical testing. This notice shall be given to the owners or occupants of land which have a water well or spring being utilized for human consumption, domestic animals, or other general use and which is located within 1000 feet of the proposed well site.

With this form, the operator is giving you notice of your right to request analytical testing. The operator is required to sample and analyze the water wells or springs of all owners or occupants who request it. Therefore, if you wish to have your water well or spring tested, contact the operator named below.

All sampling shall be completed prior to drilling. Within thirty (30) days of the receipt of such sample analyses the operator shall submit the results to the Chief of the Office of Oil and Gas and to the owners or occupants who may have requested them.

Be advised, you have the right to sample and analyze any water supply at your own expense.

Listed below is the laboratory chosen by operator to perform analysis, and contactor chosen to collect sample.

Certified Laboratory Name Sampling Contractor		Sturm Environmental Lab	
		Sturm Environmental Lab	
. •			RECEIVED Office of Oil and Gas
Well Operator	HG Energy, LL	3	AUG 1 5 2019
Address	5260 Dupont R	oad	MA/ Department of
	Parkersburg, W	V 26101	WV Department of Environmental Protection
Telephone	304-420-1119		

FOR OPERATOR'S USE ONLY: Below, or on an attached page, list those persons which were given this notice. Place an asterisk beside the one(s) that contacted you and requested sampling and analyses. If there were no requests made, indicate by underling which one you have selected to sample and analyze. If there are no water wells or springs within 1000 feet of the proposed site, the Chief may require the operator to test wells up to 2000 feet from the proposed site.

\* No water sources identified for testing

WW-9 (5/16)

API Number	47 -	043	_ 03590
Operator's W			

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name_HG Energy, LLC	OP Code 494497948
Watershed (HUC 10)_Bear Fork	Quadrangle Griffithsville 7.5'
Do you anticipate using more than 5,000 bbls of water to o	complete the proposed well work? Yes No
Will a pit be used? Yes No	
If so, please describe anticipated pit waste:	
Will a synthetic liner be used in the pit? Yes	No <b>✓</b> If so, what ml.?
Proposed Disposal Method For Treated Pit Waste	
Land Application (if selected pr	rovide a completed form WW-9-GPP)
	Permit Number)
Reuse (at API Number Off Site Disposal (Supply form	WW-9 for disposal location)
Other (Explain No pit will be use	ed, this is a conversion of an existing well
No.	
Drilling medium anticipated for this well (vertical and hor	izontal)? Air, freshwater, oil based, etc. NA
-If oil based, what type? Synthetic, petroleum, et	c
Additives to be used in drilling medium? NA	
Drill cuttings disposal method? Leave in pit, landfill, remo	oved offsite, etcNA
-If left in pit and plan to solidify what medium wi	ill be used? (cement, lime, sawdust)
-Landfill or offsite name/permit number? NA	
West Virginia solid waste facility. The notice shall be prov	and Gas of any load of drill cuttings or associated waste rejected at any vided within 24 hours of rejection and the permittee shall also disclose
on April 1, 2016, by the Office of Oil and Gas of the West provisions of the permit are enforceable by law. Violations or regulation can lead to enforcement action.  I certify under penalty of law that I have person application form and all attachments thereto and that, base the information, I believe that the information is true, ac submitting false information, including the possibility of fi	Office of Oil and Gas
Company Official Signature Diane White	AUG 1 5 79.9
Company Official (Typed Name) Diane White	
Company Official Title Accountant	WV Department of Environmental Protection
Subscribed and sworn before me this 25th day	of_July
Corsaid, A Bead	Notary Public Tur OFFICIAL SEAL
My commission expires 7/31/2022	STATE OF WEST VIRGINIA NOTARY PUBLIC CASSIDY A. BOARDMAN 5301 13th Ave Vienna, WV 26105 My Commission Expires July 31. 2023

Form WW-9 Operator's Well No. EJ May 148 Proposed Revegetation Treatment: Acres Disturbed .05 acre Preveg etation pH \_\_\_\_\_ 3 Tons/acre or to correct to pH 6.5 10-20-20 Fertilizer type  $\oplus$ 500 lbs/acre Fertilizer amount Straw 2 Tons/acre Mulch **Seed Mixtures** Temporary Permanent Seed Type lbs/acre Seed Type lbs/acre Tall Fescue 40 Tall Fescue 40 Ladino Clover 5 Ladino Clover 5 \*\*Sediment Control Will Be Maintained At All Times\*\* Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, D) of the pit, and dimensions (L, W), and area in acres, of the land application area. Photocopied section of involved 7.5' topographic sheet. sediment control to be removed prior RECEIVED Office of Oil and Gas AUG 15 2019 WV Department of Environmental Protection

Date: 07/25/2019

Oil & Bas Inspector

Field Reviewed?

N/A

WW-9- GPP Rev. 5/16

	Page	l	of Z	
API Number 47	- 043	-	03590	
Operator's Well 1	No. EJ Ma	ay 148		

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS GROUNDWATER PROTECTION PLAN

atershed (HUC 10): Bear Fork		Quad: Griffithsville 7.5'	
arm Name: E J May			
List the procedures used for the groundwater.	treatment and discharge of flui	ds. Include a list of all operations tha	t could contaminate the
NA			
Describe procedures and equipm	ent used to protect groundwate	rquality from the list of potential con	taminant sources above.
NA			
List the closest water body, dis- discharge area.	tance to closest water body, a	nd distance from closest Well Head	Protection Area to the
NA			
			RECEIVED Office of Oil and Gas
			Office of Oil and Gas
			AUG 15 2019
Summarize all activities at your	facility that are already regulate	ed for groundwater protection.	WV Department of Environmental Protection
NA	5		

5. Discuss any existing groundwater quality data for your facility or an adjacent property.

WW-9- GPP Rev. 5/16

N/A

Page \_\_\_\_\_\_ of \_\_\_\_ 2
API Number 47 - 043 \_\_\_\_ 03590
Operator's Well No. EJ May 148

NA	
Provide a statement that no waste material will be used for deicing or fi	ill material on the property.
A	
Describe the groundwater protection instruction and training to be provide direction on how to prevent groundwater contamination.	rovided to the employees. Job procedures shall
A	
Provide provisions and frequency for inspections of all GPP elements a	ınd equipment.
A	RECEIVED Office of Oil at .
	AUG 15
	WV Depa environmental Pro
gnature: Diane White	
D	
ate: 07/25/2019	


### **Reclamation Plan For:** E.J. May No. 147 Rev. E.J. May No. 148 Rev. (47-043-03590) E.J. May No.226 Rev. (47-043-03591) 0.5 Mi. to WV SR 3. See Page 2 for Waterflood Road Detail 250' of 22% Grade Begin New Road Construction **Nathaniel** Mason Lease E.J. May Justin White - Surface Lease 250' of 15% Grade Judy Smith - Surface RECEIVED Office of Oil and Gas AUG 15 2019 WV Department of Environmental Protection 150' of 8-10% Grade NOTE: THIS WELL WAS DRILLED IN 2019 AS PER PERMIT No.47-043-03590. RECLAMATION WAS COMPLETED AND ALL E&S STRUCTURES ARE IN PLACE. Enoch NO PIT WILL BE REQUIRED FOR Tackett PERMITTED WELL WORK Lease Justin White Surface EXISTING LOCATION ⊕⊕<mark>⊕148 R</mark> 226 R 147 R Existing Vegetative Filter Strip Location Size ~80'x175' (0.3 Ac.)


### Notes:

- REQUESTED PERMIT IS FOR CONVERSION OF EXISTING WELL.
- ALL ACCESS ROADS ARE EXISTING AND WILL BE MAINTAINED TO WVDEP STANDARDS.
- ANY DISTURBED AREAS WILL BE RE-VEGETATED AS OUTLINED ON FORM WW-9.
- MAINTAIN SEDIMENT BARRIERS AND DRAINAGE STRUCTURES.
   DRAWING NOT TO SCALE.

### NOTE

REFER TO THE WVDEP
EROSION AND SEDIMENT CONTROL
FIELD MANUAL VER. MAY 2012 FOR
BMPS CONTROLLING EROSION AND
SEDIMENT FROM SOIL-DISTURBING
OPERATIONS.







### GRIIFTHSVILLE WATERFLOOD


Lincoln County, W.Va.

RECLAMATION PLAN
SHOWING ROAD SYSTEMS
TO BE USED FOR 2019
DRILLING PROGRAM

July 15, 2019 Page 2

### NOTES

- 1. REFER TO THE WVDEP EROSION AND SEDIMENTATION CONTROL MANUAL (VER. MAY 20, 2013) FOR BMP'S CONTROLLING EROSION AND SEDIMENTATION FROM ALL SOIL-DISTURBING OPERATIONS.
- 2. SEE PAGE ONE OF RECLAMATION PLAN FOR DETAILS OF NEW ROAD CONSTRUCTION AND ROAD UPGRADES FROM POINT A TO DRILL SITE LOCATION.
- 3. EXISTING WATERFLOOD ACCESS ROADS WILL BE MAINTAINED IN PRESENT CONDITION. THESE ROADS WERE CONSTRUCTED UNDER CONDITIONS SET FORTH IN VARIOUS DRILLING PERMITS ISSUED BY WVDEP-OOG PRIOR TO 2015 (AS SHOWN). SEE PERMITS ON FILE FOR MORE DETAIL.



### LEGEND

EXISTING WATERFLOOD ROADS TO BE USED.

OTHER EXISTING MAIN WATERFLOOD ROADS (POSSIBLE ACCESS).

EXISTING LEASE OR FARM ROADS TO BE UPGRADED.

NEW ROADS TO BE CONSTRUCTED.

LOCATION FOR PROPOSED WELLS

POTENTIAL WATER SUPPLY SOURCE TO BE SAMPLED (SEE TOPO SHEET)

47-043-03590

