

300A

Duval District, Lincoln County, W. Va.

By Frick-Reid Supply Corporation, Drawer 2481, Tulsa, Okla.

Abandoned under permit Lin-.....-A?

On 160 acres, on Porter Fork of Mid River.

Elevation, 943' L.

Surface owned by M. A. Stickler, Yawkey, W. Va., and minerals by

Mrs. M. A. Hill and T. A. Griffith Heirs, Madison, W. Va.

Drilling commenced Oct. 26, 1909; completed, Dec. 18, 1909.

Shot Dec. 22, 1909, at 2400-2420', with 80 qts. nitroglycerine.

Salt water at 1070'.

10" wood conductor, 16'; 6⁵/₈" casing, 1734'; 2" tubing, 2420'; all left in

Oil well. Abandonment reported to Dept. of Mines April 25, 1942.

Record to RCT from Mrs. Griffith May 22, 1942. Old File No. 591.

	Top.	Bottom.
Slate	0	50
Sand	50	150
Slate and sand (430' of 10" hole)	150	430
Sand	430	600
Slate	600	675
Lime	675	725
Shells and slate	725	800
Sand	800	875
Slate	875	960
Salt Sand (salt water, 1070')	960	1610
Slate	1610	1625
Red rock	1625	1640
White slate	1640	1650
Maxton Sand	1650	1665
Black slate	1665	1685
Little Lime	1685	1720
Slate	1720	1734
Big Lime	1734	1910
Big Injun Sand	1910	1970
Slate	1970	2050
Squaw Sand	2050	2095
White slate	2095	2295
Black slate	2295	2400
Berea Sand	2400	2420
Total depth		2420

Duval District, Lincoln County, W. Va.

By United Fuel Gas Co.

Drilling commenced Oct. 26, 1909, and completed Dec. 18, 1909.

Contractor, United Fuel Drilling co.

Drillers: J. C. Smithson and Herm. Longfellow.

Elevation, 945'.

Shot Dec. 22, 1909, with 80 qts.

Examined and approved by E. B. South, Foreman.

	Top.	Bottom.	Thickness.
Slate	0	50	50
Sand	50	150	100
Slate and sand (430' of 10" hole)	150	430	260
Sand	430	600	170
Slate	600	675	75
Lime	675	725	50
Shells and slate	725	800	75
Sand	800	875	75
Slate	875	960	85
Salt Sand (water at 1070')	960	1610	650
Slate	1610	1625	15
Red rock	1625	1640	15
White slate	1640	1650	10
Maxton Sand	1650	1665	15
Black slate	1665	1685	20
Little Lime	1685	1720	35
Slate	1720	1734	14
Big Lime	1734	1910	171
Big Injun Sand	1910	1970	60
Slate	1970	2050	80
Squaw Sand	2050	2095	45
White slate	2095	2295	200
Black slate	2295	2400	105
Berea Sand (oil)	2400	2420	20

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

591

WELL RECORD

Permit No. CIN-300-A

Oil or Gas Well Oil Well
(KIND)

Company Frick/Reid Supply Corporation
Address Drawer 2481, Tulsa, Okla.
Farm T.A.A. Griffith Acres 160
Location (waters) Porter's Fork of Mud River
Well No. Twelve (12) Elev. 943
District Duval County Lincoln
The surface of tract is owned in fee by J. V. Stickler
Address Yawkey, W. Va.
Mineral rights are owned by Mrs. M.A. Hill and T.A. Griffith Heirs
Address Madison, W. Va.
Drilling commenced October 26, 1909
Drilling completed December 18, 1909
Date Shot 12-22-1909 From 2400 To 2420
With 80 lbs. Nitro-glycerine
Open Flow /10ths Water in Inch
/10ths Merc. in Inch
Volume Cu. Ft.
Rock Pressure lbs. hrs.
Oil bbls., 1st 24 hrs.
Fresh water feet feet
Salt water 1070 feet feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10 <u>Wood</u>	<u>16'</u>	<u>16'</u>	Size of
8 1/4			
6 5/8	<u>1734'</u>	<u>1734'</u>	Depth set
5 3/16			
3			Perf. top
2		<u>2420'</u>	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED SIZE No. Ft. Date
COAL WAS ENCOUNTERED AT FEET INCHES
..... FEET INCHES FEET INCHES
..... FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate			0'	50'			
Sand			50	150			
Slate & sand			150	430			430' of 10" hole
Sand			430	600			
Slate			600	675			
Lime			675	725			
Shells & slate			725	800			
Sand			800	875			
Slate			875	960			
Salt sand			960	1610	Salt water	1070	
Slate			1610	1625			
Red rock			1625	1640			
White slate			1640	1650			
Maxon sand			1650	1665			
Black slate			1665	1685			
Little lime			1685	1720			
Slate			1720	1734			
Big lime			1734	1910			
Big Injun			1910	1970			
Slate			1970	2050			
Squaw sand			2050	2095			
White slate			2095	2295			
Black slate			2295	2400			
Berea sand			2400	2420			

