



New Location
 Drill Deeper
 Abandonment

JUN 16 1942

0.23W
 2.79 Q

Company Frick-Ried Supply Corporation
 Address Sandyville, West Virginia
 Farm A. C. Hilbert
 Tract _____ Acres 9 Lease No. _____
 Well (Farm) No. Two Serial No. _____
 Elevation (Spirit Level) 935
 Quadrangle MADISON
 County Lincoln District Dural
 Engineer Art Wintfall
 Engineer's Registration No. Co. Surveyor, Ritchie, Co.
 File No. _____ Drawing No. _____
 Date May 24, 1942 Scale 1" = 20 Feet.

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. LIN-304-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

A.C. HILBERT NO. 2 - FRICK-RIED SUPPLY CORP. - LIN-304-A

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

603

WELL RECORD

304-A

Permit No. _____ Oil or Gas Well Oil Well
(KIND)

Company Frick-Reid Supply Corporation
Address Drawer 2481, Tulsa, Okla.
Farm A. C. Hilbert Acres 15
Location (waters) _____
Well No. Two Elev. 935
District Duval County Lincoln
The surface of tract is owned in fee by Guy Gillinwater
Yawkey, W. Va.
Address _____
Mineral rights are owned by _____
Address _____
Drilling commenced November 20, 1915
Drilling completed January 1, 1916
Date Shot 1-4-1916 From 2366 To 2384
With 90 Qts. Nitro-glycerine
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil Seven bbls., 1st 24 hrs.
Fresh water 140 feet 300 feet
Salt water 1075 feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10 Wood	16	16	Size of
8 1/4	455	----	
6 5/8	1689	1689	Depth set
5 3/16			
3			Perf. top
2		2384	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Alluvium			0	15			
Slate			15	130			
Sand			130	180	Water	140	Fresh
Shells			180	200			
Sand			200	380	Water	300	8 bailers
Slate			380	385			
Sand			385	475	Gas	445	
Slate			475	490			
Sand			490	580			
Slate			580	675			
Sand			675	775			
Slate			775	830			
Sand			830	845			
Slate			845	925			
Salt sand			925	1550	Water	1075	Hole full
Slate & shells			1550	1605			
Red rock			1605	1630			
Slate			1630	1655			
Lime	Black		1655	1680			
Pencil cave			1680	1685			
Lime	White		1685	1890	Gas	1800	
Injun sand	Red		1890	1950			
Shells			1950	2045			
Lime			2045	2100			
Slate & shells			2100	2344			
Shale	Brown		2344	2364			
Berea sand			2364	2384			
Total Depth			2385				Sand hard & showing oil from top in.

