


New Location
 Drill Deeper
 Abandonment



#1	1.11 W
	2.29 Q
#2	1.05 W
	2.105 Q

Company Frick-Red Supply Corporation
 Address Sandyville, West Virginia
 Farm Mordecai M'Clure
 Tract _____ Acres 38 Lease No. _____
 Well (Farm) No. 1-2 Serial No. _____
 Elevation (Spirit Level) 787 - 772
 Quadrangle Madison
 County Lincoln District Duval
 Engineer A. K. Westfall
 Engineer's Registration No. Co. Surveyor, Ritchie Co.
 File No. _____ Drawing No. _____
 Date May 22, 1942 Scale 1" = 30 Poles

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. LIN-358-A-#1
LIN-359-A-#2
 + Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

358A

Euval District, Lincoln County, W. Va.

By Frick-Reid Supply Corp., Drawer 2481, Tulsa, Okla.

On.....acres, on Porters Fork of Mud River.

Abandoned under permit Lin-.....-A?

Elevation, 787' L.

Surface and minerals owned by Mrs. Louenna McClure et al., Yawkey, W. Va.

Drilling commenced, Dec. 8, 1908; completed, no record.

Shot Jan. 30, 1909, at 2236-2246', with 60 qts. nitroglycerine.

Fresh water at 200'.

Salt water at 910'.

13" wood conductor, 16'; 8 $\frac{1}{2}$ " casing, 355' (pulled); 6 $\frac{5}{8}$ "

2" tubing, 2247'.

Oil well. Abandonment reported to Dept. of Mines July 10, 1942.

Record to RCT from Mrs. Griffith Dec. 19, 1942.

	Top.	Bottom.
Sand	0	- 190
Slate (water, 200')	190	- 320
Sand	320	- 480
Slate	480	- 570
Lime	570	- 640
Slate	640	- 910
Salt Sand (water, 910')	910	- 1210
Slate	1210	- 1215
Sand	1215	- 1375
Sand	1375	- 1395
Lime	1395	- 1420
Sand	1420	- 1430
Sand	1430	- 1514
Big Lime	1514	- 1755
Big Injun Sand	1755	- 1815
Slate	1815	- 1980
Shell lime	1980	- 2000
Slate, brown	2000	- 2100
Slate	2100	- 2214
Slate, black	2214	- 2234
Berea Sand	2234	- 2246
Total depth		2257

M. McCLURE NO. 1 WELL.

358A

Duval District, Lincoln County, West Virginia.
 By Frick-Reid Supply Corp., Drawer 2481, Tulsa, Okla.
 Elevation, 787' L.

Drilling commenced December 8, 1908; completed -
 Shot Jan. 30, 1909 from 2236 to 2246 with 60 Qts. of Nitro -
 Glycerine.

Salt water at 910'.
 Casing 10" wood 16'; 8 1/4", 355'; 6 5/8", 1514'; tubing 2", 2247'.
 Abandonment reported to Dept. of Mines July 19, 1942.
 Record to RCT from Mrs. Griffith July 13, 1943. Old File No. 606.

	Top.	Bottom.
Sand	0	190
Slate	190	320
Sand	320	480
Slate	480	570
Lime	570	640
Slate	640	910
Salt sand	910	1210
Slate	1210	1215
Sand		
Sand	1215	1375
Sand	1375	1395
Sand	1395	1420
Lime	1420	1430
Sand	1430	1514
Sand	1514	1755
Big lime	1755	1815
Injun sand	1815	1980
Slate	1980	2000
Shell lime	2000	2100
Slate, brown	2100	2214
Slate	2214	2234
Slate, black	2234	2246
Berea sand		
Total depth	2257	

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

656

WELL RECORD

Permit No. LIN-358-A


Oil or Gas Well Oil Well
(KIND)

Company Frick-Reid Supply Corporation
Address Drawer 2481, Tulsa, Okla.
Farm H. McClure Acres
Location (waters) Porter's Fl. Mud River
Well No. One Elev. 787
District Duval County Lincoln
The surface of tract is owned in fee by Mrs. Louanna McClure et al Address Yawkey, W. Va.
Mineral rights are owned by Same Address
Drilling commenced December 8, 1908
Drilling completed No record
Date Shot 1/30/1909 From 2236 To 2246
With 60 qts. Nitro-glycerine
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water 200 feet _____ feet
Salt water 910 feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13	<u>wood</u>	<u>16</u>	
10			Size of
8 1/4	<u>355</u>		
6	<u>1514</u>	<u>1514</u>	Depth set
5 3/16			
3			Perf. top
2		<u>2247</u>	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand			0	190			
Slate			190	320	Water	200	
Sand			320	480			
Slate			480	570			
Lime			570	640			
Slate			640	910			
Salt sand			910	1210	Water	910	
Slate			1210	1215			
Sand			1215	1375			
Sand			1375	1395			
Lime			1395	1420			
Sand			1420	1430			
Sand			1430	1514			
Big lime			1514	1755			
Injun sand			1755	1815			
Slate			1815	1980			
Shell lime			1980	2000			
Slate	Brown		2000	2100			
Slate			2100	2214			
Slate	Black		2214	2234			
Berea sand			2234	2246			
Total depth			2257				



JUL 13 1913

