


New Location
 Drill Deeper
 Abandonment



FEB 15 1943

| | |
|----|---------|
| #1 | 1.11 W |
| | 2.29 Q |
| #2 | 1.05 W |
| | 2.105 Q |

Company Frick-Red Supply Corporation
 Address Sandyville, West Virginia
 Farm Mordecai M'Clure
 Tract _____ Acres 38 Lease No. _____
 Well (Farm) No. 1-2 Serial No. _____
 Elevation (Spirit Level) 787 - 772
 Quadrangle Madison
 County Lincoln District Duval
 Engineer O. K. Westfall
 Engineer's Registration No. Co. Surveyor, Ritchie Co.
 File No. _____ Drawing No. _____
 Date May 22, 1942 Scale 1" = 30 Poles

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. LIN-358-A-#1
LIN-359-A-#2

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

"IMPERIAL" TRACING CLOTH
 K & E CO., N. Y.

MORDECAI M'CLURE MS. 1 & 2 - FRICK-RED SUP. CORP. - LIN-358A & 359-A

Duval District, Lincoln County, W. Va.
 By United Fuel Gas Co. (Big Creek Development Co., CWL Rpt.)
 Drilling commenced Feb. 24, 1909, and completed April 8, 1909.
 Contractor, United Fuel Drilling Co.
 Drillers, F. K. Best and H. D. Longfellow.
 Elevation, 730'. ⁷⁷²
 Shot April 10, 1909, with 90 qts.; 18', 5½" shell; top, 2' from top of/
 Examined and approved by L. M. King, Foreman.

359A

| | Top. | Bottom. | Thickness. |
|--|------|---------|------------|
| Sand | 0 | 250 | 250 |
| Slate | 250 | 600 | 350 |
| Lime | 600 | 650 | 50 |
| Slate | 650 | 870 | 220 |
| Salt Sand (salt water at 910') | 870 | 1070 | 200 |
| Slate | 1070 | 1080 | 10 |
| Sand | 1080 | 1300 | 220 |
| Slate | 1300 | 1450 | 150 |
| Sand and Little Lime | 1450 | 1475 | 25 |
| Slate, Pencil | 1475 | 1495 | 20 |
| Big Lime | 1594 | 1695 | 200 |
| Big Injun Sand | 1695 | 1760 | 65 |
| Brown slate | 1760 | 1830 | 70 |
| Lime shells S. | 1830 | 1900 | 70 |
| Brown slate | 1900 | 2198 | 298 |
| Black slate | 2198 | 2218 | 20 |
| Berea Sand (oil) (showed oil all way through; sand hard all way through) | 2218 | 2238 | 20 |
| Total depth (2' pocket) | | 2240 | |

M. McCLURE NO. 2WELL.

359A

Duval District, Lincoln County, West Virginia.

By Erick-Reid Supply Corp., Drawer 2481, Tulsa, Okla.

Elevation, 772' L.

Drilling commenced Feb. 24, 1909; completed Apr. 8, 1909.

Date Shot Apr. 10, 1909 from 2220 to 2238 with 90 Qts. of Nitro-Glycerine.

Casing Wood 13", 12'; 8 1/4", 230'; 6 5/8", 1495'; tubing 2", 2246'.

Abandonment reported to Dept. of Mines Nov. 30, 1942.

Record to RCT from Mrs. Griffith July 13, 1943. Old File No. 657.

| | Top. | Bottom. |
|----------------------------------|------|---------|
| Sand | 0 | 250 |
| Slate | 250 | 600 |
| Lime | 600 | 650 |
| Slate | 650 | 870 |
| Salt Sand (Water 910 salt water) | 870 | 1070 |
| Slate | 1070 | 1080 |
| Sand | 1080 | 1300 |
| Slate | 1300 | 1450 |
| Sand & little lime | 1450 | 1475 |
| Slate (pencil) | 1475 | 1495 |
| Big lime | 1495 | 1695 |
| Injun | 1695 | 1760 |
| Slate, brown | 1760 | 1830 |
| Lime shells & slate | 1830 | 1900 |
| Slate, brown | 1900 | 2198 |
| Slate, black | 2198 | 2218 |
| Berea | 2218 | 2238 |
| Pocket | 2246 | |

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

659

LR-359-A

WELL RECORD

Permit No.

Oil or Gas Well Oil Well
(KIND)

Company Erick-Reid Supply Corporation
Address Drawer 2481, Tulsa, Okla.
Farm M. McClure Acres
Location (waters) Porter's Fork, Mud River
Well No. Two Elev. 772
District Duval County Lincoln
The surface of tract is owned in fee by Mrs. Louenna McClure et al Address Yawkey, W. Va.

| Casing and Tubing | Used in Drilling | Left in Well | Packers |
|-------------------|------------------|--------------|----------------|
| Size | | | |
| 16 | | | Kind of Packer |
| 13 <u>Wood</u> | <u>12'</u> | <u>12'</u> | |
| 10 | | | Size of |
| 8 1/4 | <u>230</u> | <u>230</u> | |
| 6 5/8 | <u>1495</u> | <u>1495</u> | Depth set |
| 5 3/16 | | | |
| 3 | | | Perf. top |
| 2 | | <u>2246</u> | Perf. bottom |
| Liners Used | | | Perf. top |
| | | | Perf. bottom |

Mineral rights are owned by Same Address
Drilling commenced Feb. 24, 1909
Drilling completed April 8, 1909
Date Shot 4-10-1909 From 2220 To 2238
With 90 Qts. Nitro-glycerine
Open Flow /10ths Water in Inch
/10ths Merc. in Inch
Volume Cu. Ft.
Rock Pressure lbs. hrs.
Oil bbls., 1st 24 hrs.
Fresh water No record feet feet
Salt water No record feet feet

CASING CEMENTED SIZE No. Ft. Date
COAL WAS ENCOUNTERED AT FEET INCHES
..... FEET INCHES FEET INCHES
..... FEET INCHES FEET INCHES

| Formation | Color | Hard or Soft | Top | Bottom | Oil, Gas or Water | Depth Found | Remarks |
|---------------------|-------|--------------|------|--------|-------------------|-------------|------------|
| Sand | | | 0 | 250 | | | |
| Slate | | | 250 | 600 | | | |
| Lime | | | 600 | 650 | | | |
| Slate | | | 650 | 870 | | | |
| Salt Sand | | | 870 | 1070 | | | |
| Slate | | | 1070 | 1080 | Water | 910 | Salt water |
| Sand | | | 1080 | 1300 | | | |
| Slate | | | 1300 | 1450 | | | |
| Sand & little lime | | | 1450 | 1475 | | | |
| Slate (pencil) | | | 1475 | 1495 | | | |
| Big lime | | | 1495 | 1695 | | | |
| Injun | | | 1695 | 1760 | | | |
| Slate | Brown | | 1760 | 1830 | | | |
| Lime shells & slate | | | 1830 | 1900 | | | |
| Slate | Brown | | 1900 | 2198 | | | |
| Slate | Black | | 2198 | 2218 | | | |
| Berea | | | 2218 | 2238 | | | |
| Pocket | | | 2246 | | | | |

