

No. 202 O.F.-Lincoln No. L-70 CWL p.....

Duval District, Lincoln County, W. Va.

By United Fuel Gas Co. (Ohio Fuel Oil Co., CWL Rpt.)

Elevation, 930'.

Drilling commenced May 14, 1909; completed, July 7, 1909.

Contractor, United Fuel Drilling Co.

Drillers: O. A. Maple and Claud Bowman.

505' of 10" hole. Enough water to drill with at 45'.

Shot June 17, 1909, with 85 qts.

Shot July 7, 1909, with 90 qts.

Examined and approved by E. B. South, Foreman.

	Top. Bottom.	Thickness.
	2000 2000000	2112 01111 010
Black slate	915 - 935	50
Sand	935 - 950	15
Black slate	950 - 955	5
Sand	955 - 980	25
Slate	980 - 1020	<i>j</i> 10
Dark lime	1020 - 1060	710
Salt Sand (hole full of water, 1110')	1060 - 1650	590
Dark lime	1650 - 1670	20
Slate	1670 - 1680	10
Lime	1680 - 1905	225
Big Injun Sand (red)	1905 - 1985	80
Slate and shells	1985 - 2145	160
Slate	2145 - 2325	180
Lime shells	2325 - 2385	60
Shale	2385 - 2408	23
Berea Sand (oil)	2408 - 2430	22





STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION

-A

WELL RECORD

(8/8)

Oil or Gas Well Permit No. South Penn Natural Gas Co. Left in Well Company_ Used in Drilling Casing and Tubing Packers Parkersburg, W. Wa Address_ W. S. May Farm_ Acres Size Location (waters) Kind of Packer_ 16_ Well No. Duval Size of_ 10_ The surface of tract is owned in fee by_ 81/4_ Address. 1727 Depth set_ 6%_ Mineral rights are owned by_ 5 3/16_ May 14th, 1909 Perf. top_ Drilling commenced_ 2430 July 7, 1909 Perf. bottom_ Drilling completed_ Perf. top_ Liners Used. Date Shot__ Perf. bottom_ With_ /10ths Water in_ Inch Open Flow CASING CEMENTED_ SIZE No. Ft. _/10ths Merc. in_ Inch Cu. Ft. Volume___ _lbs._ hrs. Rock Pressure_ COAL WAS ENCOUNTERED AT____ FEET_ INCHES _bbls., 1st 24 hrs.

	Fresh water		feet	feet	FEE	TINCH	ESFEE	rINCHES
	Salt water		feet	feet	FEE′	TINCH	esfee	TINCHES
	Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
To the	Black Slate			915	975	The state of the s		-
	Sand			975	950	77 years 19		
83	lack Slate	6 W		950	955	decima discribed	BakenSt	
	Sand			955	980	(\bigcirc)		trai
	Slate			980	1020			
Da	ark Lime			1020	1060			
Se	altssand			1060	1650	Hole Full Water		
De	ark Lime			1650	1670	W & C C C		
	Slate			1670	1680			
	Lime		1. 4	1680	1905			
R	ed Injun			1905	1985		TE'S	
S	late &			2.00	03.65	123	156789	
	Shell			1985	2145	Se la	DEC 1948	
	Slate		A	2145	2325	6282JZ	ST VINCINA 3	
L	ime Shell			2325	2385	123	WIN WES S	
	Shale			2385	2408	TO W	68/123	
	Berea			2408	2430	F 2 1 1/2 3		
				and he				
				- Copt				
	Farmation	Solor	Mard of Soft	day 1	Hottogs	Oil Cas or Water	Popul	Remarks