

K & E CU., N. Y.

Duval District, Lincoln County, W. Va.

By West Virginia Pipe Project, Box 2452, Tulsa, Okla.

Abandoned under permit Lin-...-A?

On 11,327 acres.

Elevation, 985' L.

Drilling completed Aug. 17, 1916.

Shot Aug. 23, 1916, at 2359-2371', with 60 qts.

65" casing, 1686'; 2" UE tubing, 2377'; 5" liner, 328', set at top,2011'.

Oil well. Record to Dept. of Mines dated July 22, 1949.

Record to RCT from Mrs. Griffith September 14, 1949. Old File No. 1024.

	Top. Bottom.
Soil	0 - 466
Coal	466 - 471
Slate	471 - 930
Salt Sand	930 - 1520
Red rock	1520 - 1613
Maxton Sand	1613 - 1633
Slate	1633 - 1643
Little Lime	1643 - 1673
Pencil Cave	1673 - 1678
Big Lime	1678 - 1868
Big Injun Sand	1868 - 1933
Slate	1933 - 2338
Brown shale	2338 - 2357
Berea Sand	2357 - 2377
Total depth	2377

f.msm)



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES

OIL AND GAS DIVISION

WELL RECORD

Cons

Oil or Gas Well 011

	Box 2452. Tules Oklahoma				Used in Drilling	Left in Well	Packers
FarmHors	se Creek Tr	act	Acres 11,327	G:			-54 25 A C C C C C C C C C C C C C C C C C C
Location (waters	5)			Size	4		Kind of Packer
Well No.	56		Elev. 985 *	16		in the	Cave
District Du	m1	_CountyLi	ncoln	13	a ta area	AND THE PERSON	And the said
The surface of tr	cact is owned in	fee by		10	Device of Artificial		Size of 7
				81/4		3,000	ELECTRIC CONTROL OF THE STATE O
Mineral rights an	re owned by	<u> </u>		6 %		1686	Depth set
		Address					
Drilling commen	ced				An Contract of the	2377 UE	Perf. top
Drilling complete	ed Augus	t 17, 1916			5 ^{tt}	328	Perf. bottom
			2371	Liners Used		000	Perf. top
				Set at to	o SOTT.		Perf. bottom
			Inch				
			Inch	CASING CEME	ENTED	SIZE	No. FtDate
			Cu. Ft.	District Color	5564 234 24		
			hrs.	COAL WAS ER	NCOUNTERED	AT	FEETINCHES
			_bbls., 1st 24 hrs.				
			feet	FEET			
Salt water		feet	feet	FEET	INC	HES	FEETINCHES
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Soil			0	466			
Slate Salt Sand Red Rock Maxon Slate Little Lime Pencil Cave Big Lime Big Injun Slate Brown Shale Berea			466 471 930 1520 1613 1633 1643 1673 1678 1868 1933 2338 2357	471 930 1520 1613 1633 1643 1673 1678 1868 1933 2338 2357 2377	0		
		CONTROL STORY OF STOR	UL 1949 SI WIEMA BEIL OF MIES 81991649		Of Alberta	Total and Total	

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
			**				
						144	
		6 6					
				217760 5097			
		7					
		n de la composition de la composition La composition de la					
	an grafinite in	e et	115607				
	4:0		nod ·				
	1						
			2000	2227		. 5	5
in injen ince			1000	1015		1000	Time of the second
chell Cave			1675 1678	1670			
Mate 1 04	0-19		1600 1643	1675	119	Y S	
	areats.		1230 1230	1818 1838 + F. (
mit mad			500	000 1000 1010			
011. C01			0	₹1.7 ₹60			
		- 47			and a second		
	Const	Horst er	Joh	Department.	PLANES.	Acres Subtri	ganvara
		Sec.	[64]	3,100	D MACH	IN ARM	TORCH SE
			THE PERSON	after a few	Eaco	in the second	Property of the second
y Morganiana en Colonia en como		190	D par	e (6	Sk Oliversian		BACARR
	Cont. Mos.	g-man-		000	MALID Y	DE	Date
	Serves Serves		1550 1550 1cla	1010			Printerior
Suggest State part	0-70	5200	2233	TONE WOOD SO	Ca Ca	258	100
* Pagent to them.	tracas	S IV, 1916	1676	1070		2577 78 1-	pharma ex-
	BACM BY			1000 m s 1200 2000 m s			
		region -	The Control	8807		rece	× V
	7	Approx. 114	CEOUS TO HE				
	20		9851	4		20	FOR PROPERTY AND ADDRESS OF THE PARTY OF THE
	E CLESS IN	*	11,877	918			
		tan, Calibor		Caster and Tebes	Describing	Tell in	Keslora
							14040
Print No.			AETT	RECOR		THI or Gen TI	er cal
			nu tribunan				

MATHEWS PRINTING AND LITHOGRAPHING CO

Date July 22, 1949 , 19

West Virginia Pipe Project , Owner

By Ben Novak (Title)