



New Location  
 Drill Deeper  
 Abandonment

4.2 W  
 Y.3 Q

FEB 11 1953

Company L.G. Jackson  
 Address Hamlin, W. Va.  
 Farm V.J. Hodue  
 Tract \_\_\_\_\_ Acres 109 Lease No. \_\_\_\_\_  
 Well (Farm) No. 2 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 625  
 Quadrangle Madison  
 County Lincoln District Utah  
 Engineer Basil S. Burgess  
 Engineer's Registration No. 469  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 1-24-51 Scale 1" = 1320'

STATE OF ~~KENTUCKY~~ W. Va.  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 LEXINGTON  
West Virginia

WELL LOCATION MAP

FILE NO. LIN-1021-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

IMPERIAL TRACING CLOTH K & E CO., N.Y.  
N. V. HODGE No. 2 L. G. JACKSON LIN-1021-A

NANCY HODGE NO. 2 WELL.

1021A

Union District, Lincoln County, W. Va.

By Jackson Gas Co., Hamlin, W. Va.

Abandoned under permit Lin-.....-A?

On 109 acres.

Elevation, .....' L.

Drilling commenced Oct. 25, 1925; completed Jan. 4, 1926.

Shot Jan. 7, 1926, with 60 qts.

Volume, 355,000 cu. ft.

8 $\frac{1}{4}$ " casing, 550' (pulled); 6 $\frac{5}{8}$ " , 1707'; 2" tubing, 2431'.

Gas well. Record to Dept. of Mines not dated or stamped.

Record to RCT from Mrs. Griffith July 9, 1952. Ol. F. No. 1317.

	Top.	Bottom.
1st Salt Sand	1000	- 1200
2nd Salt Sand	1220	- 1490
Maxton Sand	1523	- 1613
Big Lime (gas, 1855-1860')	1697	- 1902
Big Injun Sand	1902	- 1950
Berea Sand (gas, 2394-2407')	2393	- 2422
Total depth		2424



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1317

WELL RECORD

Permit No. LN-1021-A

Oil or Gas Well \_\_\_\_\_  
(KIND)

Company Jackson Gas Company  
 Address Hamlin, W. Va.  
 Farm Nancy Hodge Acres 109  
 Location (waters) \_\_\_\_\_  
 Well No. 2 Elev. \_\_\_\_\_  
 District Union County Lincoln  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced October 25, 1925  
 Drilling completed January 4, 1926  
 Date Shot 1-7-26 From \_\_\_\_\_ To \_\_\_\_\_  
 With 60 qts  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume 355,000 Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4	550'	Pulled	
6 5/8	1707'	1707'	Depth set
5 3/16			
3			Perf. top
2	2431'	2431'	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Salt sand - 1st			1000	1200			
Salt sand - 2d			1220	1490			
Marion sand			1523	1613			
B. lime			1697	1902	Gas	1855-1860	
Injun sand			1902	1950			
Berea sand			2393	2422	Gas	2394-2407	
Total depth				2424			