



Company HAL PACK & Co.  
 Address HAMLIN, W. VA.  
 Farm OCTAVIA HAGER  
 Tract \_\_\_\_\_ Acres 173 Lease No. \_\_\_\_\_  
 Well (Farm) No. 7 & 9 Serial No. F-2400  
 Elevation (Spirit Level) # 7 - 834.36 ; # 9 - 835.93  
 Quadrangle MADISON  
 County LINCOLN District DUVAL  
 Engineer PAUL E. JOACHIM  
 Engineer's Registration No. 669  
 File No. 42-51 Drawing No. \_\_\_\_\_  
 Date MAY 6, 1951 Scale 1"=400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. LIN-1026-A-#7  
LIN-1027-A-#9

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

OCTAVIA HAGER MS. 7 & 9 - HAL PACK & Co. - LIN-1026-1077-A

OCTAVIA HAGER NO. 7 WELL.

Duval District, Lincoln County, W. Va.

By Hal Pack & Co., Hamlin, W. Va.

Abandoned under permit Lin-.....-A?

1026A

On 153 acres.

Elevation, 834.86' L.

Drilling completed March 20, 1913.

6 $\frac{5}{8}$ " casing, 1627'; 5 $\frac{3}{8}$ " tubing, 2323'; rods, 2290'.

Oil well. Record to Dept. of Mines stamped Aug. 17, 1951.

Record to RCT from Mrs. Griffith Aug 17, 1951. Old File No. 1212.

	Top.	Bottom.
Salt Sand	975	- 1585
Little Lime	1587	- 1617
Pencil Cave	1617	- 1620
Big Lime	1620	- 1810
Big Injun Sand	1810	- 1870
Berea Sand	2311	- 2331
Total depth		2331



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1212

WELL RECORD

Permit No. LIN-1026-A Oil or Gas Well X (KIND)

Company Hai Paek & Company  
Address Hemlin, West Virginia  
Farm Octavia Manor Acres 155  
Location (waters) \_\_\_\_\_  
Well No. 7 Elev. 854.00'  
District Duval County Lincoln  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_  
Drilling commenced \_\_\_\_\_  
Drilling completed March 20, 1913  
Date Shot From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4			
6 5/8	<u>1627'</u>	<u>1627'</u>	Depth set
5 3/16	<u>1761'</u>	<u>1761'</u>	
3			Perf. top
2	<u>2323'</u>	<u>2323'</u>	Perf. bottom
Liners Used <u>3000'</u>			Perf. top
			Perf. bottom

Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Salt Sand			975	1585			
Little Lime			1587	1617			
Pencil Cave			1617	1620			
Big Lime			1620	1810			
Big Injun			1810	1870			
Berea			2311	2331			
Total Depth			2331'				

