

Company G. S. & H. SUPPLY CO.  
 Address TULSA, OKLA.  
 Farm ROBT. FOWLER  
 Tract \_\_\_\_\_ Acres 69 Lease No. \_\_\_\_\_  
 Well (Farm) No. 4-6-7-8 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) SEE ABOVE  
 Quadrangle MADISON  
 County LINCOLN District DUVAL  
 Engineer L. F. Dye  
 Engineer's Registration No. 809  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 2-5-49 Scale 1" = 500'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP

FILE NO. 043-1035-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

ROBERT FOWLER NO. 8 WELL.

Duval District, Lincoln County, W. Va. 10467  
(see plot 1035A)  
By G. S. & H. Supply Co., Griffithsville, W. Va.  
Abandoned under permit Lin-.....-A?  
On 69 acres, on Porter Fork.  
Elevation, 864.67' L.  
Date of completion, etc., not given.  
6 $\frac{5}{8}$ " casing, 1657'; 5 $\frac{3}{16}$ " , 1670'; 2" tubing, 2343'; all left in.  
Oil well. Record to Dept. of Mines stamped Aug. 2, 1951.  
Record to RCT from Mrs. Griffith Jan. 16, 1952. Old File No. 1249.

	Top.	Bottom.
Coal	270	- 274
Coal	515	- 518
Salt Sand	980	- 1560
Little Lime	1615	- 1645
Big Lime	1650	- 1830
Big Injun Sand	1830	- 1895
Berea Sand	2334	- 2353
Total depth		2353



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1249

Permit No. LN-1046-A *on plat 1035-A*

WELL RECORD

Oil or Gas Well X (KIND)


Company G. S. & H. Supply Company  
 Address Griffithsville, W. Va.  
 Farm Robert Fowler Acres 69  
 Location (waters) Porter Fork  
 Well No. 8 Elev. 864.67'  
 District Duval County Lincoln  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced \*\*\*  
 Drilling completed \*\*\*  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer _____
13			
10			Size of _____
8 1/4			
6 5/8	<u>1657'</u>	<u>1657'</u>	Depth set _____
5 3/16	<u>1670'</u>	<u>1670'</u>	
3			Perf. top _____
2	<u>2343'</u>	<u>2343'</u>	Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Coal			279	274			
Coal			515	518			
Salt Sand			980	1560			
Little Lime			1615	1645			
Big Lime			1650	1830			
Big Injun			1830	1895			
Berea Sand			2334	2353			
Total Depth				2353'			



(Over) JAN 16 1952