



FEB 11 1953

New Location   
 Drill Deeper   
 Abandonment

Company G. S. & H. SUPPLY CO.  
 Address TULSA, OKLA.  
 Farm EPHRIAM GRIFFITH  
 Tract \_\_\_\_\_ Acres 42 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1-4-3 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) SEE ABOVE  
 Quadrangle MADISON  
 County LINCOLN District DUVAL  
 Engineer R. F. Dye  
 Engineer's Registration No. 804  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 2-2-49 Scale 1" = 500'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP

FILE NO. 1050-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

Duval District, Lincoln County, W. Va.  
Big Creek Development Co.  
3/4 mile N. of Amy.  
Elevation, 795'.

Old File No. 1229  
1051A

	Top.	Bottom.	Thickness.
Sand and lime (hole full water, 280')	16	- 490	474
Coal	490	- 492	2
Slate and shells	492	- 625	133
Sand and lime	625	- 900	275
Slate	900	- 925	25
Salt Sand (hole full water, 960')	925	- 1540	615
Slate	1540	- 1546	6
Little Lime	1546	- 1585	39
Pencil	1585	- 1590	5
Big Lime	1590	- 1780	190
Big Injun Sand	1780	- 1850	70
Slate and shell	1850	- 2255	405
Brown shale	2255	- 2264	9
Berea Sand (oil)	2263	- 2281	18
Slate	2281	- 2283	2



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1229

WELL RECORD

Permit No. CIN-1051-A

Oil or Gas Well X  
(KIND)

Company G. S. & H. Supply Company  
 Address 2nd St. Charleston, W. Va.  
 Farm Spivey Griffith Acres 42  
 Location (waters) Porter Park  
 Well No. 4 Elev. 792.58'  
 District Duval County Lincoln  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced \_\_\_\_\_  
 Drilling completed \_\_\_\_\_  
 Date Shot From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow /10ths Water in \_\_\_\_\_ Inch  
 /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4		500'	40'
6 1/2	1805	1805	Depth set
5 3/16	1400	1400	
3			Perf. top
2	2071	2071	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Salt Sand			890	1060			
Little Lino			1060	1200			
Wangi L. Cove			1200	1300			
Big Lino			1300	1700			
Big Lino			1700	1970			
Brown Shale			1970	2064			
Barren Sand			2064	2201			
Total Depth				2201			

