

New Location..☐
Drill Deeper.....☐
Abandonment.....☒

APR. 13 1958

1.37W
3.11

Company OLEY YEAGER
Address HAMLIN, W.VA.
Farm EMMA KESSINGER
Tract _____ Acres 50 Lease No. _____
Well (Farm) No. 1 Serial No. _____
Elevation (Spirit Level) 705
Quadrangle MIDKIFF
County LINCOLN District UNION
Engineer G. C. Ewing
Engineer's Registration No. 309
File No. _____ Drawing No. _____
Date 12-13-55 Scale 1" = 400'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP

FILE NO. LIN-1225-A

✚ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

— Denotes one inch spaces on border line of original tracing.

EMMA KESSINGER NO. 1 — OLEY YEAGER — LIN-1225-A

OG-10

1507

Multi/ft Pard
No 1999A

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Permit No. ..... Oil or Gas Well Gas, (KIND)

Company Roy & McComas,
Address Huntington, W. Va.
Farm E. Kessinger, Acres 50
Location (waters) Mud River,
Well No. 1 Elev. 630
District Union County Lincoln
The surface of tract is owned in fee by E. Kessinger,
Address Myra, W. Va.
Mineral rights are owned by E. Kessinger,
Address Myra, W. Va.
Drilling commenced Oct. 1, 1921
Drilling completed Dec. 6, 1921.
Date Shot Dec. 6, 1921 From 1980 To 2000
With 30 qt. nitroglycering,
Open Flow /10ths Water in ..... Inch
/10ths Merc. in ..... Inch
Volume 450,000 from Injun and Berea, Cu. Ft.
Rock Pressure ..... lbs. ..... hrs.
Oil ..... bbls., 1st 24 hrs.
Fresh water ..... feet ..... feet
Salt water 630 feet ..... feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10			Size of
8¼			
6⅝		1266'	Depth set
5 3/16			
3			Perf. top
2 tubing,		2028'	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED ..... SIZE ..... No. Ft. ..... Date

COAL WAS ENCOUNTERED AT ..... FEET ..... INCHES
..... FEET ..... INCHES ..... FEET ..... INCHES
..... FEET ..... INCHES ..... FEET ..... INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Mud,			0	10 ft.			
Sand,			10	30			
Mud,			30	50			
Sand,			50	250.			
Slate,			250	300			
Sand,			300	350			
Slate, black,			350	630			
~~Sald~~ Salt Sand,			630	870			
Slate,			870	900			
Sand,			900	1060			
Slate,			1060	1160			
Red Rock,			1160	1175			
Slate,			1175	1200			
Maxton Sand,			1200	1220			
Slate,			1220	1235			
Little Lime,			1235	1250			
Pencil Cave,			1250	1260			
Big Lime,			1260	1460			
Red Rock,			1460	1465			
Injun Sand,			1465	1490			
Slate,			1490	1600			
Shells,			1600	1700			
Slate,			1700	1960			
Brown Shale,			1960	1980			
Berea Sand,			1980	2000			
Bottom of hole, (Sand)			2028 ft.				

MAR 1956 RECEIVED WEST VIRGINIA DEPT. OF MINES

OCT. 26 1956

(Over)

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks

Date Feb. 16, 1956., 194

APPROVED R. & McComas, Owner

By Oley Yeager
(Title)