

New Location   
 Drill Deeper   
 Abandonment

Double Beech  $\rightarrow$   
 OCT 26 1959

18 W  
 207  $\rightarrow$

Company UNITED FUEL GAS CO.  
 Address CHARLESTON, W.VA.  
 Farm BEVERLY ROY, EST.  
 Tract \_\_\_\_\_ Acres 76 Lease No. 24661  
 Well (Farm) No. \_\_\_\_\_ Serial No. 2146  
 Elevation (Spirit Level) 637.0'  
 Quadrangle MIDKIFF  
 County LINCOLN District SHERIDAN  
 Engineer Sybert R. Shnell  
 Engineer's Registration No. 669  
 File No. 30-49 Drawing No. \_\_\_\_\_  
 Date 9-24-59 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. LIN-1265-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.



1551

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle Midkiff

Permit No. -1205-A

WELL RECORD

Oil or Gas Well Gas  
(KIND)

Company United Fuel Gas Co.  
Address P.O. Box 1273; Charleston 25, W. Va.  
Farm C. B. Roy *(Barady State Acres 76)*  
Location (waters) Luster's Branch of Guyandotte River  
Well No. 2146 Elev. 637.0 Bar  
District Sheridan County Lincoln  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by Lula McComas, et al  
2505 First Avenue Address Huntington, W. Va.


Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			<u>Anchor</u>
13		<u>16'</u>	
10		<u>40</u>	Size of
8 1/4		<u>204</u>	
6 5/8		<u>1060</u>	Depth set <u>1204'</u>
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Drilling commenced \_\_\_\_\_  
Drilling completed Dec. 10, 1909  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume 2,797,200 Cu. Ft.  
Rock Pressure 470 lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
WELL ACIDIZED \_\_\_\_\_  
WELL FRACTURED \_\_\_\_\_

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 66 FEET 4 INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

RESULT AFTER TREATMENT \_\_\_\_\_  
ROCK PRESSURE AFTER TREATMENT \_\_\_\_\_  
Fresh Water \_\_\_\_\_ Feet \_\_\_\_\_ Salt Water \_\_\_\_\_ Feet \_\_\_\_\_

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Slate			0	66			
Coal			66	70			
Slate			70	130			
Sandstone			130	171			
Slate			171	185			
S.S.			185	228			
Slate, Shelly			228	510			
S.S.			510	674			S.W. flooded at 550'
Slate			674	725			
S.S.			725	870			
Slate & Shells			870	972			
Red Rock, Slate & Shells			972	1060			
Limestone			1060	1270			Little gas at 1190'
Red Rock			1270	1291			
Big Injun			1291	1322			Drilled 31' into sand
Total Depth				1322'			



JUN 29 1909

