

west virainia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Wednesday, October 15, 2025 WELL WORK PLUGGING PERMIT Vertical Plugging

GREYLOCK CONVENTIONAL, LLC 500 CORPORATE LANDING

CHARLESTON, WV 25311

Re: Permit approval for ECA/YAWKEY 98

47-045-01815-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

H. Jason Harmon Acting Chief

Operator's Well Number:

Farm Name: STOLLINGS, JIMMY RAY

U.S. WELL NUMBER: 47-045-01815-00-00

Vertical Plugging
Date Issued: 10/15/2025

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

work can commence.

Work order approved by inspector

1) Date September 30	, 20 25
2)Operator's	
Well No. YAWKEY FF	REEMAN 98
3) API Well No. 47	- 045 - 01815

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

Location:	Elevation 1038		tary of Gore Fork of Garretts For
	District Guyan	County Logan	Quadrangle Henlawson 7.5
Well Oper	ator Greylock Conventional, LLC.	7)Designated <i>1</i>	Agent Brock Reesberg
Add	charleston, WV 25311	Add	Charleston, WV 25311
Oil and G	as Inspector to be notified		
	ariction Dortor		
	nristian Porter		R & R Well Services
Addres	P.O. Box 1207 Clendenin, WV 25045 r: The work order for the man	Address	42 Lynch Ridge Road Walton, WV 25286
Addres	P.O. Box 1207 Clendenin, WV 25045 r: The work order for the man	Address	42 Lynch Ridge Road Walton, WV 25286

10/24/2025



500 Corporate Landing Charleston WV 25311

ECA Yawkey 98 P&A Procedure:

	C	Casing Details	S	
OD (in)	Weight & Grade	Depth (ft)	Hole Size	Cement (ft ³)
9-5/8"	NA	267	NA	145
7"	NA	1328	NA	165
4-1/2"	NA	4234	NA	195

	Plug Table	9		
Plug#	To Cover	Тор	Bottom	Plug Height
1	Perfs	3914	4145	234'
2	Berea	1951	2051	100
3	Big Injun Sand	1400	1500	100
4	Casing cut (50' in 50' out)	?	?	100
5	7" casing shoe	1278	1378	100
6	Elevation	988	1088	100
7	Water zone	711	811	100
8	Coal	530	635	105
9	Water zone	375	475	100
10	Casing cut (50' in 50' out)	988	1088	100
11	9-5/8" casing shoe and surface	Surface	317	317
	If free pipe ex	kists		

RECEIVED
Office of OB and Ga

OCT 03 2025

WV Department of

Environmental Protect

- 1. Notify the inspector at least 24 hours prior to conducting abandonment operations.
- 2. Blow down well
- 3. POOH with Tubing, RIH and confirm TD and fill depth.
- 4. Prep for cement. NOTIFY INSPECTOR OF TAG DEPTH.
- 5. Lead 6% with gel spacer on all cement plugs.
 - a. Note: Class A or Class L can be used for cement plugs.
- 6. **Plug 1:** Set cement plug from <u>3914~4145</u> to cover perfs (4188'-4034).
- 7. Plug 2: Set 100' cement plug from 2 95 1-205 to cover Berea (2071').
- 8. Plug 3: Set 100' cement plug from 1400-1500/to cover Big Injun (1520').
- 9. If free pipe exists, free point 4.5" casing, rip and pull pipe. If not, proceed to plug 5.
- 10. Plug 4: If necessary, set 100' cement plug across casing cut (50' inside, 50' on top).
- 11. Plug 5: Set 100' cement plug from 1378'-1278' to cover 7" casing shoe (1328').
- 12. Plug 6: Set 100' cement plug from 1088'-988' to cover elevation (1038').

AF

10/24/2025



500 Corporate Landing Charleston WV 25311

- 13. Plug 7: Set 100' cement plug from 811'-711' to cover salt water zone (761'). Expandable (cmm 14. Plug 8: Set 105' cement plug from 635'-530' to cover coal (585'-580').
- 15. **Plug 9:** Set 100' cement plug from <u>475'-375'</u> to cover sait water zone (425').
- 16. If free pipe exists, free point 7" casing, rip and pull pipe. If not, proceed to plug 11.
- 17. Plug 10: If necessary, set 100' cement plug across casing cut (50' inside, 50' on top).
- 18. **Plug 11:** Set 317' cement plug from <u>317'-Surface'</u> to cover 9-5/8" casing shoe (267') and water zones (160' and 50').
 - a. NOTE: Confirm ZERO annular gas migration before pumping surface plug.

19. Set monument 30" above ground with Well Name, API and plug date.

The DEP Shales API

BECEIVED

OCT 0 3 2025

WV Department of Environmental Protection

		Greylock Energy	
		ECA Yawkey #98	
GREYLOCK		API #:47-045-01815	
ENERGY		Casing and Cementing Details	
		Logan Co., WV	
Casing Size	Ho	e Size Detailed Description	
Water at 150' and 50'		Plug 11: 317' Plug from 317'-surface' to cover 9-5/8" casing shoe (267') and water zones (160' an	d 50')
9-5/8" set at 267"			
		Plug 10: 100' Across casing cut (50' inside 50' on top) (If free pipe exists)	
Coal at 580'-585' Salt Water at 761' and 425'		Plug 9: 100' Plug from 475'-375' to cover salt water (425') Plug 8: 105' Plug from 635'-530' to cover coal (585'-580')	
78-24-24-2000		Ptug 7: 100' Plug from 811'-711' to cover salt water zone (761') Ptug 6: 100' Plug from 1088'-988' to cover elevation (1038')	
7" set at 1328'		Plug 5: 100' Plug from 1378'-1278' to cover 7" casing shoe (1328')	
Perfs: 4188'-4034' 4-1/2"" set at 4234'	000	Plug 4: 100' Across casing cut (50' inside 50' on top) (if free pipe exists) // 00 - (500)k Plug 3: 100' Plug from 1570' 1470' to cover Big Injun (1520') // 1951 - 2051 K Plug 2: 100' Plug from 3121' 2021' to cover Berea (2071') 23 4 3914 - 4145 K Plug 1: 265' Plug from 4249-3984' to cover perfs (4188'-4034')	
TD: 4249'		Legend -Exisiting Cement -Planned Plugging Cement	

RECEIVED
Office of On and Gree

OCT 0 3 2025

WV Department of Environmental Protection

FORMATION COLOR, HARD OR SOFT	TOP FEET	BOTTOM FEET
Sub	0	10
Sand	10	45
Sand & Shale	45	305
Salt Sand	305	580
- Coal	580	585
Salt Sand	585	934
Shale & Red Rock	934	1090
Middle Maxton	1090	1135
Shale	1135	1245
Lower Maxton	1245	1265
Little Lime	1265	1278
Big Lime	1278	1520
Big Injun	1520	1560
Pocono	1560	2040
Sunbury	2040	2071
Berea	2071	2094
Upper Huron	2094	3210
Lower Huron	3210	3590
Upper Java	3590	3970
Rhinestreet	3970	4165
Marcellus	4165	4193
Onondaga	4193	4249
TD	4249	

REMARKS
Including indication of all fresh & salt
water, coal, oil & gas
Hole damp @ 50'
1" Stream @ 160'
Damp @ 425'
1" Stream @ 761'
Gas Checks:
1600 '- N/S
2090'- N/S
3150'- N/S
3600'- N/S
TD'- 15 Mcfd

State of West Virginia Division of Environmental Protection Section of Oil and Gas Well Operator's Report of Well Work

API # 47 - 04501815

Farm	name
------	------

Jimmy Stollings

Operator Well No.: ECA/Yawkey 98

LOCATION:

Quadrangle: Henlawson 7.5'

District: Guyan

County: Logan

Latitude: 37° 95' 219 "

EASTERN AMERICAN ENERGY CORPORATION

501 56th Street

Charleston, WV 25328

Agent: John Paletti

Inspector: Ralph Triplett

Permit Issued: 12/12/05

Well work commenced: 3/1/06

Well work completed:

Verbal plugging

Permission granted on:

Rotary X Cable Rig

Total Depth (feet): 4249

Fresh water depths (ft): 50', 160'

Salt-water depths (ft): 425, 761'

Is coal being mined in area? (Y/N)

Coal Depths (ft): 580-585

Used Left Cement Casing in in Fill Up Tubing Well Well Cu. Ft. 13-3/8" 35" 35' 9-5/8" 267 267' 145 sks 7" 1328' 1328 165 sks 4-1/2" 4234 4234 195 sks

Open Flow Data

Gas: Initial open flow MCF/d Oil: Initial open flow Bbl/d Final open flow 500 MCF/d Final open flow Bbl/d Time of open flow between initial and final tests Day (surface pressure) after 24 Hours

Static rock pressure 600 psi 1st Producing Formation

Devonian Shale Devonian Shale

Pay zone depth (ft) Pay zone depth (ft)

4034'-Pay zone depth (ft)

4130 Pay zone depth (ft)

4188'-

4165

NOTE: ON BACK OF THIS FORM PUT THE FOLLOWING: 1) DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2) THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE.

> John Paletti EASTERN AMERICAN ENERGY CORPORATION

Designated Agent

10/24/202

RECEIVED

Office of Oil and Gas

OCT 9 3 2025

Elevation: 1038'

Company:

Longitude: 81° 93' 139 "

2nd Producing Formation 3rd Producing Formation

4th Producing Formation

Date: 3 April 2006

ECA/Yawkey 98 WR35

STAGE ONE:

Devonian Shale

42 Shots 4170'-4188'

90-80Q Foam Frac

64,758 lbs sand. 2174 Mcf N2 349 bbls fluid

STAGE TWO:

Devonian Shale

26 Shots 4034'-4130'

90-85Q Foam Frac

34,084 lbs sand. 1302 Mcf N2 200 bbl fluid

STAGE THREE:

Shots

lbs sand

STAGE FOUR:


Shots

Bbl

RECEIVED
Office of Oil and Gas

OCT 0 3 2025

Environmento e apprison





west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM)		
LEGISLATIVE RULE 35CSR4)	ORDER NO.	2022-13
SECTION 14.1. AND LEGISLATIVE RULE)		
35CSR8 SECTION 20.1,)		
RELATING TO THE CEMENTING)		
OF OIL AND GAS WELLS)		

REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

FINDINGS OF FACT

- 1. On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
- 2. Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- 3. Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in place of API Class A cement, relating to the plugging of horizontal wells.

 On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

ORDER

It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

IN THE NAME OF THE STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THE STATE OF WEST VIRGINIA

James Martin, Chief Office of Oil and Gas

Date: September 30,2025
 Operator's Well Number

YAWKEE FREEMAN # 98

3) API Well No.: 47 -

045-

01815

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL


(a) Name Address		0) (a) Coal Operato	r	
Address	rner(s) to be served: Stollings Family Irrevoca				
	P.O. Box 82		Address		
(b) Name					
			(b) Coal Ov	wner(s) with Declaration	
Address	2		Name	Boone East Development Co., I	LLC.
	1		- Address	300 Running Right Way	
	×			Julian, WV 25529	
(c) Name			Name		
Address	0		- Address		
	(=		_		
6) Inspector	Christiona Porter		(c) Coal Le	ssee with Declaration	
Address	P.O. Box 181		Name		
	Holden, WV 25625		- Address		
Telephone					
Take notice accompany Protection, the Applica	you are not required to take a e that under Chapter 22-6 of ring documents for a permit with respect to the well at t	iny action at all. The West Virginia Code to plug and abandon a w he location described on mailed by registered	e, the undersigned well well with the Chief of the the attached Application or certified mail or de	operator proposes to file or has file the Office of Oil and Gas, West Virgion and depicted on the attached For elivered by hand to the person(s) n	ed this Notice and Application and inia Department of Environmental orm WW-6. Copies of this Notice.
		au) or maning or denive	ry to the Chief.		amed above (or by publication in
			ry to the Chief.		
				al II C	
		Well Operator	Greylock Conventiona	al, LLC.	office of Oil and Gas
		Well Operator By:	Greylock Conventiona	5-WM	
		Well Operator By: Its:	Greylock Conventiona Gavin M. Reed Asset Development M	S-`WW Manager	
		Well Operator By:	Greylock Conventiona Gavin M. Reed Asset Development M 500 Corporate Landin	G-WW Manager	Office of Oil and Gas OCT 0 3 2025
		Well Operator By: Its:	Greylock Conventiona Gavin M. Reed Asset Development M	G-WW Manager	

The Office of Oil and Gas processes your personal information, such as name, address and phone MCGTTSISCE ENTRY IN TO 2000.

regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.







REYL(DCK

Soo Corporate Landing
Charleston, WV 25311

10/24/2025

RECEIVED
Office of Oil and O

OCT 03

SECTION	COMPLETE THIS SECTION ON DELIVERY
Complete items 1, 2, and 3.	
	☐ Agent
 Attach this card to the back of the mailpiece, or on the front if space permits. 	C. D
and Trust	D. Is delivery address different from item 1? ☐ Yes If YES, enter delivery address below: ☐ No
Clocy which con the control of the c	
tedemills, W 25547	
THE PARTY OF	>
0688	cted Delivery Restricted Delivery
PS Form 3811, July 2020 PSN 7530-02-000-9053	

RECEIVED
Office of Oil and Gas

OCT 0 3 2025

Er ar a ergal an

)EIPT	at www.usps.com*.	Postmark Here	rakble This POBOK 82 UV 28547 See Reverse for Instructions
U.S. Postal Service" CERTIFIED MAIL® RECEIPT	For delivery information, visit our website at www.usps.com* Certified Mail Fee	\$ Extra Services & Fees (check box, add fee as appropriate) Return Receipt (hardcopy)	Sept 70 Sheazan Hotel Ma, O Fo Berry 17 Sheazan Hotel Man 18 PS Form 3800, January 2023 PSN 7850-02-200-00-047

RECEIVED
Office of Oil and Gas

OCT 03 2025

WV Department of Environmental Protection









GEEYLGEK

500 Corporate Landing

Charleston, WV 25311

RECEIVED
Office of Oil and Gas

OCT 03 2025

WV Department of Environmental Protection

ERY	☐ Addressee C. Date of Delivery	n 19	Driority Mail Express® D Registered Mail** D Registered Mail Restricted Delivery Signature Confirmation* D Signature Confirmation Restricted Delivery	Domestic Return Receipt
COMPLETE THIS SECTION ON DELIVERY A. Signature	X B. Received by (Printed Name)	D. Is delivery address different from item 17 If YES, enter delivery address below:	ce Type dignature Restricted Delivery of Maili Pelivery Delivery Restricted Delivery Delivery Restricted Delivery Mail Mail Mail Mail Mail Mail Mail Mail	(200)
SECTION	 Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you. 	9.7	3. Serving 8. Serving 8. Serving 9590 9402 8423 3156 9387 16 9590 9402 8423 9420 9402 8423 9420 9402 8423 9420 9402 8423 9420 9402 8423 9420 9402 8423 9420 9402 8423 9420 9402 8423 9420 9402 8423 9420 9402 8423 9420 9402 9420 9420 9420 9420 9420 9420	456 1 2020 PSN 7530-02-000-9053

RECEIVE Office of		
OCT 03	20	(25
WV Depart Environmental	Pro	otection



Office of

OCT 0 3 2025

WV Departn + Environmental Protection

API Number	47 -	045	_ 01815
Operator's We	ell No).	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Greylock Conventional, LLC. OP Code 494521205
Watershed (HUC 10) Tributary of Gore Fork of Garrett's Fork Quadrangle Henlawon 7.5
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No
Will a pit be used? Yes No 🗸
If so, please describe anticipated pit waste:
Will a synthetic liner be used in the pit? Yes ☐ No ✓ If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:
Land Application (if selected provide a completed form WW-9-GPP)
Underground Injection (UIC Permit Number)
Reuse (at API Number) Off Site Disposal (Supply form WW-9 for disposal location)
Other (Explain_
Will closed loop systembe used? If so, describe: Yes, tank returns at tanks
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. Freshwater
-If oil based, what type? Synthetic, petroleum, etc. n/a
Additives to be used in drilling medium?
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. No cuttngs expected
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust)
-Landfill or offsite name/permit number?
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for o btaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility offine or imprisonment. Company Official Signature Company Official Title Asset Development Manager
pepartment of
Subscribed and sworn before me this 30th day of September , 20 25 Environmental Protection
OFFICIAL SEAL OFFICIAL SEAL STATE OF WEST VIRGINIA
My commission expires Not as a little of the commission of the co

Field Reviewed?

Proposed Revegetation Treatment: Acres Disturbed 1.0		Preveg etation pH	
Lime 3To	Lime 3 Tons/acre or to correct to pH 6.5		
Fertilizer type 10-10-20		···	
Fertilizer amount 500		lbs/acre	
Mulch Hay Bales		Tons/acre	
		Seed Mixtures	
Temporary	,	Permanent	
• •	os/acre	Seed Type	lbs/acre
ORCHARD GRASS	12	ORCHARD GRASS	12
	3	LANDING OLOVED	3
LANDINO CLOVER	<u>_</u>	LANDINO CLOVER	<u> </u>
TIMOTHY Attach: Maps(s) of road, location, pit and proprovided). If water from the pit will be	10 posed area for land be land applied, prov	TIMOTHY application (unless engineered plans including a vide water volume, include dimensions (L, W, E	10
Attach: Maps(s) of road, location, pit and proprovided). If water from the pit will be (L, W), and area in acres, of the land Photocopied section of involved 7.5'	posed area for land pe land application area.	TIMOTHY application (unless engineered plans including the state of th	10
Attach: Maps(s) of road, location, pit and proprovided). If water from the pit will be (L, W), and area in acres, of the land Photocopied section of involved 7.5'	posed area for land pe land applied, provapplication area.	TIMOTHY application (unless engineered plans including a vide water volume, include dimensions (L, W, E	his info have been o) of the pit, and di
Attach: Maps(s) of road, location, pit and proprovided). If water from the pit will be (L, W), and area in acres, of the land Photocopied section of involved 7.5' Plan Approved by:	posed area for land pe land applied, provapplication area.	application (unless engineered plans including to vide water volume, include dimensions (L, W, E	his info have been o) of the pit, and di
Attach: Maps(s) of road, location, pit and proprovided). If water from the pit will be (L, W), and area in acres, of the land Photocopied section of involved 7.5' Plan Approved by:	posed area for land pe land applied, provapplication area. topographic sheet.	TIMOTHY application (unless engineered plans including a vide water volume, include dimensions (L, W, E	this info have been o) of the pit, and di
Attach: Maps(s) of road, location, pit and proprovided). If water from the pit will be (L, W), and area in acres, of the land Photocopied section of involved 7.5' Plan Approved by:	posed area for land pe land applied, provapplication area. topographic sheet.	application (unless engineered plans including to vide water volume, include dimensions (L, W, E	this info have been of the pit, and di
Attach: Maps(s) of road, location, pit and proprovided). If water from the pit will be (L, W), and area in acres, of the land Photocopied section of involved 7.5' Plan Approved by:	posed area for land pe land applied, provapplication area. topographic sheet.	application (unless engineered plans including to vide water volume, include dimensions (L, W, E	this info have been of of the pit, and di
Attach: Maps(s) of road, location, pit and proprovided). If water from the pit will be (L, W), and area in acres, of the land Photocopied section of involved 7.5' Plan Approved by:	posed area for land pe land applied, provapplication area. topographic sheet.	application (unless engineered plans including to vide water volume, include dimensions (L, W, E	this info have been o) of the pit, and di

W W -9- GPP Rev. 5/16

	Page	of	
API Number 47	- 045	- 01815	
Operator's Well	No.		

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

GROUNDWATER PROTECTION PLAN


Operator Name: Greylock Conventional, LLC.	
Watershed (HUC 10): Tributary of Gore Fork of Garret's Fork	Quad: Henlawson 7.5
Farm Name:	
 List the procedures used for the treatment and discharge of fluids. Include groundwater. 	a list of all operations that could contaminate the
N/A - no discharge of fluids	
Describe procedures and equipment used to protect groundwater quality from	om the list of potential contaminant sources above.
Closed loop system, all returns will be taken in tanks and h	nauled to WVDEP approved facility.
 List the closest water body, distance to closest water body, and distance discharge area. 	e from closest Well Head Protection Area to the
N/A	
	RECEIVED
	Office of Oil and G
	OCT 0 3 202
	Wy Department
4. Summarize all activities at your facility that are already regulated for groun	ndwater protection.
N/A	
IN/A	


5. Discuss any existing groundwater quality data for your facility or an adjacent property.

WW-9- GPP Rev. 5/16	Page of
N/A	
Provide a statement that no waste material w	vill be used for deicing or fill material on the property.
Greylock will not use any waste ma	terial for deicing or fill material on property
Describe the groundwater protection instru- provide direction on how to prevent ground	ction and training to be provided to the employees. Job procedures shall water contamination.
N/A SEE SECTION 2	
	Office of the General Control of the General
	OCT 0 3 2025
	WV Deptermelt, of Environmental Protec
Provide provisions and frequency for inspec	
Daily inspections of equipment will be	
,postario oi oquipinoni iiii k	p. S. S. S. T. S.

Signature:

Date:







West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

WEEL LO	CATION FORM. GIS	
_{API:} 47-045-01815	WELL NO.: 9	8
FARM NAME:		
RESPONSIBLE PARTY NAME:	Greylock Convention	nal, LLC
COUNTY: Logan	district: Gu	yan
COUNTY: Logan QUADRANGLE: Henlawson	n	
SURFACE OWNER:		
ROYALTY OWNER:		
UTM GPS NORTHING: 42009	26.657	
UTM GPS EASTING: 418294	.655 GPS ELEVATI	_{ION:} 1062 ft.
The Responsible Party named above preparing a new well location plat for above well. The Office of Oil and Gathe following requirements: 1. Datum: NAD 1983, Zone: height above mean sea lev 2. Accuracy to Datum – 3.05 3. Data Collection Method: Survey grade GPS: Post Pro-	r a plugging permit or assigned Ass will not accept GPS coordinates: 17 North, Coordinate Units: medel (MSL) – meters.	API number on the s that do not meet
Real-Ti	me Differential	OCT 0 3 2025
Mapping Grade GPS X: Post	272	twee of
	-Time Differential X	Environmental
I the undersigned, hereby certify this belief and shows all the information r prescribed by the Office of Oil and G	required by law and the regulation	knowledge and
D: M)	Asset Development Manager	9/30/25
Signature	Title	Date

API No.	47-045-01815		
Farm Name			
Well No.	YAWKEY FREEMAN #98		

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER	
The undersigned coal operator has examined this proposed plugging we done at this location, provided, the we Virginia Code and the governing regular	ork order. The undersigned has neell operator has complied with all	/ of the coal under this well location o objection to the work proposed to be applicable requirements of the West
Date:	By:	promotion, not
	Its	oct 0 3 2025
		WV Department of Environmental Protection

SURFACE OWNER WAIVER

Operator's Well Number

47-045-01815

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

mments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds: OCT 0 3 2025

- The proposed well work will constitute a hazard to the safety of persons.
- The soil erosion and sediment control plan is not adequate or effective;
- Damage would occur to publicly owned lands or resources;
- The proposed well work fails to protect fresh water sources or supplies;
- The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to a permit being issued on t FOR EXECUTION BY A NATURAL I ETC.	hose materials.	e planned work	described in these materials, and I have no FOR EXECUTION BY A CORPORATION,
Signature	Date	Name By Its	Date

Signature

to seeming of

PLUGGING PERMIT CHECKLIST

Plugging Permit	
✓ ww-4B	
WW-4B signed by inspector	
WW-4A	
SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY MAIL	REGISTERED OR CERITFIED
COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS OF PROOF THAT BY REGISTERED OR CERTIFIED MAIL	T APPLICATION WAS SENT
WW-9 PAGE 1 (NOTARIZED)	
WW-9 PAGE 2 with attached drawing of road, location, pit and propose	ed area for land application
WW-9 GPP PAGE 1 and 2 if well effluent will be land applied	,,
RECENT MYLAR PLAT OR WW-7	
WELL RECORDS/COMPLETION REPORT	
TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED	
MUST HAVE VALID BOND IN OPERATOR'S NAME	THEO GOE
CHECK FOR \$100 IF PIT IS USED	OCT 0 3 2025
	Environmental Protection



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permits issued for 4704501029 4704501815 resending

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Fri, Oct 17, 2025 at 5:55 AM

To: "Knuckles, Melissa" <mknuckles@greylockenergy.com>, Alvis C Porter <alvis.c.porter@wv.gov>, gadkins@wvassessor.com, "Cremeans, Joey" <jcremeans@greylockenergy.com>

To whom it may concern, plugging permits have been issued for 4704501029 4704501815. I had to resend this email.

--

James Kennedy

Environmental Resource Specialist III / Permitting

WVDEP Office of Oil and Gas

601 57th Street, SE

Charleston, WV 25304

304-926-0499 ext. 45025

james.p.kennedy@wv.gov

2 attachments



4704501029.pdf 3143K



4704501815.pdf