

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Wednesday, August 13, 2025 WELL WORK PLUGGING PERMIT Vertical Plugging

DIVERSIFIED PRODUCTION LLC 101 MCQUISTON DRIVE

JACKSON CENTER, PA 16133

Re:

Permit approval for 5152 47-049-00393-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number:

Farm Name: ROBEY, H.

U.S. WELL NUMBER: 47-049-00393-00-00

Vertical Plugging Date Issued: 8/13/2025

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

WW-4B Rev. 2/01

1) Date July 10	, 20 25
2)Operator's	
Well No. ROBEY W-5	152
3) API Well No. 47-04	49 - 00393

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

OFFICE OF	OIL AND GAS
APPLICATION FOR A PERM	TIT TO PLUG AND ABANDON
4) Well Type: Oil/ Gas/ Liquid (If "Gas, Production/ or Und	d injection/ Waste disposal/ derground storage) Deep/ Shallow/
	
5) Location: Elevation 1254.88'	Watershed Teverbaugh Creek
District Mannington	County Marion Quadrangle Shinnston 7.5
Dispersified Denduction 11.0	The Section of America Chair Manager
6) Well Operator Diversified Production, LLC Address 414 Summers Street	7) Designated Agent Chris Veazey Address 414 Summers Street
Charleston, WW 25301	Charleston, WV 25301
	<u> </u>
8) Oil and Gas Inspector to be notified Name Jeff Propst	9) Plugging Contractor Name Next LVL Energy (Diversified Owned)
Address 4936 Little Sand Run Rd	Address 104 Helliport Loop Rd
Buckhannon, WV 26201	Bridgeport, WV 25330
See Attached	RECEIVED Office of Oil and Gas
	JUL 1 6 2025
	WV Department of
	Environmental Protection
Notification must be given to the district of work can commence.	l and gas inspector 24 hours before permitted
Work order approved by inspector	Propet Date 7-11-2025

Plugging Prognosis

API #: 47-049-00393

West Virginia, Marion County Lat/Long – 39.491093, -80.311873

Nearest ER: United Hospital Center Emergency Room - 327 Medical Park Dr, Bridgeport, WV 26330

Casing Schedule

10" @ 591' - Cementing and/or Packer Information Unknown - Listed as cemented, no data

8-1/4" @ 1520' – Cementing and/or Packer Information Unknown 6-5/8" @ 1878' – Cementing and/or Packer Information Unknown 5-3/16" @ 2696' - Cementing and/or Packer Information Unknown 2" tbg @ 2970' – Cementing and/or Packer Information Unknown TD @ 2970'

RECEIVED
Office of Oil and Gas

Completion: Shot from 2922'-2929'

JUL 1 6 2025

WV Department of Environmental Protection

Fresh Water: None Reported

Salt Water: 1468'

Gas Shows: 1973'-1978', 2015', 2469', 2920'

Oil Shows: None Reported

Coal: 145'-148', 252'-257', 415'-420', 534'-540'

Open Mine: None Reported

Elevation: 1194'

- 1. Notify Inspector Jeff Propst @ 681-990-2569, 48 hrs prior to commencing operations.
- Check and record pressures on csg/tbg.
- TOOH w/ 2" tbg.
- 4. Check TD w/ sandline/tbg.
- 5. Pump 6% Bentonite Gel between each plug.
- 6. Can attempt to pull casing strings prior to cementing in casing shoes.
- Due to unknown depths of completions, free points, etc. can combine plugs as operationally feasible/necessary.
- 8. TOOH w/ any production tbg, laying down.
- 9. If packer will not unset, shoot off 2" tbg just above packer.
- 10. TIH w/ tbg to 2960'. Kill well as needed with 6% bentonite gel and fill rat hole with gel. Pump at least 20 bbls gel.
- 11. Pump 100' Class L/Class A cement plug from **2960' to 2860' (Gas Show & Completion Plug)**. Approximately 19 sks @ 1.14 yield using 6-1/4" hole. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed.
- 12. If unable to be pulled, free point 5-3/16" csg. Cut & TOOH. Set 100' Class L/Class A cement plug, 50' above/below csg shoe. Approximately 19 sks @ 1.14 yield using 6-1/4" hole. Do not omit any plugs listed below. Perforate as needed.
- 13. Set 100' Class L/Class A cement plug across csg cut. 50' in/out of cut. TOOH w/ tbg t/ top of plug. Approximately 19 sks @ 1.14 yield using 6-1/4" hole. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed.

- 14. TOOH w/ tbg to 2519'. Pump 100' Class L/Class A cement plug from 2519' to 2419' (Gas Show plug). Approximately 19 sks @ 1.14 yield using 6-1/4" hole. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed.
- 15. TOOH w/ tbg to 2065'. Pump 142' Class L/Class A cement plug from 2065' to 1923' (Gas Show plug). Approximately 27 sks @ 1.14 yield using 6-1/4" hole. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed.
- If unable to be pulled, free point 6-5/8" csg. Cut & TOOH. Set 100' Class L/Class A cement plug, 50' above/below csg shoe. Approximately 30 sks @ 1.14 yield using 7-7/8" hole. Do not omit any plugs listed below. Perforate as needed.
- Set 100' Class L/Class A cement plug across csg cut. 50' in/out of cut. TOOH w/ tbg t/ top of plug. Approximately 30 sks @ 1.14 yield using 7-7/8" hole. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed.
- 18. If unable to be pulled, free point 8-1/4" csg. Cut & TOOH. Set 100' Class L/Class A cement plug, 50' above/below csg shoe. Approximately 43 sks @ 1.14 yield using 9-1/2" hole. Do not omit any plugs listed below. Perforate as needed. Ensure @ least 50' above & below saltwater show @ 1468'.
- 19. Set 100' Class L/Class A cement plug across csg cut. 50' in/out of cut. TOOH w/ tbg t/ top of plug. Approximately 43 sks @ 1.14 yield using 9-1/2" hole. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed. Ensure @ least 50' above & below saltwater show @ 1468'.
- 20. TOOH w/ tbg to 1244'. Pump 100' Class L/Class A cement plug from 1244' to 1144' (Elevation plug). Approximately 43 sks @ 1.14 yield using 9-1/2" hole. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed.
- 21. If unable to be pulled, free point 10" csg. Cut & TOOH.
- 22. TIH w/ tbg to 641'. Pump 641' Expanding Class L/Class A cement plug from 641' to Surface (Coal & Surface plug). Approximately 460 sks @ 1.14 yield using 12-1/4" hole. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed.
- 23. Reclaim location and well road to WV DEP specifications and erect P&A well monument.


7-11-2025


RECEIVED
Office of Oil and Gas

Jeff A Propert

JUL 16 2025

WV Department of Environmental Protection





ell No. 5	152	UI / / .	,-,	14m			innington	. 31 W 1
istrict	Line	oln		Pub e	Ma	rion	State W.Ve	
cation Mad	Fel	11, 1	1918		First Work		Tch 3, 1918	
g Comment	46) / / a / mences / /	19 / L	1918		Rig Complete Drilling Com	na	il: 16, 1918 ugust 13,1918 de Drg. Dept	37
ig Contracto	H.N.	b.Co	#16 ge		Drilling - Con H S. S. S. So. Tools.	tractor //go	L. Fordvee	9-71/20
ool Dressers	0.7	10	<i>ns</i>					
PROMATION.	POP	воттом	Steel Line Recognise	Water Femal Depth	Of Found Dopth	Ban Pennel Beylli	REMARKS	
re Coal burgh Coal	352	257	32.				Mapletown Con	415-422
o Dunkard Dunkard	902	917	0.15					
Sand	1240	1290	37.	3				
i Salt and Halt	1312	1380	132.	1468			2 Builers per	Hr.
ion le Lume	1833	1841	\$2. \$2.					
di Cave	184/6	1846	81. 81.					HECEIVED
Lime Injus	1901	,2003	S.L.			1973-19	78 3.L.	Office of Oil and G
ew ee	2095	2033	32		3			JUL 1 6 2025
r Foot	2327	2556	18.7°		7	2469	8.4	WV Department of Environmental Protect
sty Foot	2570	2592	3 84					
don Stray	2695	274	is Z.					· · · · · · · · · · · · · · · · · · ·
erthi	276	2781	73.7			2120	Saul 2794-	3814 34
ard.					. simul		-	
al Depth		2970	1		Tought			
17:E	feet In.	Put in Well feet In.	Public det	Late 12 Well	h. Post	ha' fool	M Bost Man two of Boston Bosto	tion of making any left to
137 Cog.	66/	597 1		597	计二	69	5 _	
× " /6	17 9	1536 5	1 _ 1	1536	5 -	7/	24	
((1)	369 7	27/7 8	1 -1.	2717	8 2692	2 75	99	
2 The 7	70 -	770 -	770			77	0 -	
					KER RECOL	uno 🐪		
8122	ELNI		Amount Batter			11:-	REMARKS	
814/1	I Fla	Shoc	. ,	4520	Vice	l line)	Yea sure ment of	Houlder
630		Stroe .		1878		di Name		
		81	OOTING R	ECORD (H 4				
DATE '	and a second		Name :	Seed	ast Belore She Light &	t To product Banding	10 After Shet Test Telem After Shet See Sheet	by them that
3-14-18	15 292	2.2929	3/2/	71th 24/	Water	1" /4/10	Wat 2" 30 frs	M. 7 Co.
		7.00			TING REC	Ab	O40-0	393
Date Cement Lop Pittsbur		12,19		e Cemented	390	-	ading Comented / Q	
Bottom Pitle	burgh Coal	540 Belch	Hottos	n Convenience.	591		mount Sand Used. 2000 mpany on ground when coal wa	companied .
Remarks :	Depth	7900		19:2			fartate of betsone mpo cement mbent on factors when cort as	d well
		16 Book	<u> </u>	<u> </u>	SZ	Last.	aylon Gd X	erke.
<u> </u>	7 3 2	Map (1)	1718 4.	6. 6		1 1/2		
\mathcal{A} :	Bho Bho	cto Aug	3 1 1918 B.B	<u></u>	Approved by	Y	a Larrenor,	08/15/2025
			<u> </u>					****

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

JUL 16 2025

Wy Department of Environmental Protection

AFFIDAVIT OF PLUGGING AND FILLING WELL

Rochester & Piti	ERATOR OR OWNER	Girl .	NODE - N	NAME OF WELL O		
Indiaana, Penna.	Append Co. Co.	N	المراجعة المراجعة	t Main St. Cla	rkaburg, W. Va.	- ,
		100 J. V.			19	V 1,
COAL OF	SAATON OR OWNER		7.70	WELL AND LO	CATION	
•	Appense	<u> </u>	Lincolı		Distric	t - 111 -
***	and the second	7.50	Marion	armini	Count	
LEASE OF	PROPERTY OWNER /			1	Constitution of C	
	ADDRESS (1) 11 (4) 512	<u> 1884 a Alegar</u> Linguagas a A	Well No	2122		-
			H.T.Rol	2 0√	Fare	
						•
STATE INSPECTOR S	upervising plug	GING.	Me days	Sales and Sales		_
		AFFIC	AVIT	为数据数据		•
STATE OF WEST		1.5	经价价		·	•
County of Mari	<u> </u>	J				• • •
Geor	n P. Freeland		ınd	Willie Snid	er .	
being first duly swo					enced in the work o	f ·
plugging and filling well operator, and p	oil and gas wells at articipated in the t	id were em work of plu	ployed by	filling the above	well that said worl	
					the well was plugged	
was commenced on and filled in the foll	owing manner:				ine wen was brugger	
SAND OR ZONE RECORD	FILLIN	Q MATERIAL		PLUGS USED	CABING	-
, FORMATION	_CONTENT	. PROM	70	STAR & RIND	Con 1 con	
re Coal 252-257	Clay	2970	2098		10-3/6"	
Goel 554-540	Coment	(1)	2005		= 597	
o Dunkskad 902-917	72 h.					<u> </u>
unkard 992-1140	\$ 12/ T	-		÷ , 4	8-5/8*	
and 1240-1200	• 16.		1 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		- 1556	<u> </u>
Salt 1312-1590		 				
e lim · 1855-1841			1000		- 1987	 -
1 Cere 1841-1846						
dme 1846-1901			4.35		5-1/2"	11
<u> 1901–2003</u>			* *		2057	
2014-2055 2095-2156		 				
2527-2545		11/87930	31/723.		3-3/8*	
Foot 2457-2556	A	`	9		8001 =	 .
T FOOTCOAL 227 QUESTOS	<u> </u>	SEP	San Ch	DESCRIPTION	ON OF MONUMENT	=
n Strey 2695-2715	8	10	C MERC	Mena		<u> </u>
(HAME) 2718-2741 (HAME) 2765-2761	<u> </u>		4			
(NAME) 2018-2037		2				<u></u>
Depth 2970		158	16798A		* .	.,
and that the work of	of plugging and fl	lling said v	rell was co	mpleted on the_	. 23 rd day of	
And further dep			Gin	in O. Fr	lind:	1
12 1100			This	lie Don	ider	
1 mar 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	herrihad hafara m	this 110		ha . IL	1,40	
Sworn to and su						
Sworn to and su	News:			11.1.1	.X	` . .
Sworn to and su	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			A Comp	Notary Public.	

WW-4A Revised 6-07 RECEIVED
Office of Oil and Gas

JUL 16 2025

WV Department of Environmental Protection

1) Date:	7/10/2025
Date:	

2) Operator's Well Number ROBEY W-5152

3) API Well No.: 47 -

049 - 00393

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE 0F APPLICATION TO PLUG AND ABANDON A WELL

	er(s) to be served:	5)	(a) Coal Operator	
(a) Name	Jackie E. & Holly	R. Martin	Name	Not Currently Operated
Address	119 Stoney Bank Rd.		Address	·
	Four States, WV 26572			
(b) Name				vner(s) with Declaration
Address	-		Name	See Attached
			Address	
100 1 202			272	
(c) Name	,		Name	
Address			Address	
6) Inspector	Jeff Propst		(c) Coal Less	see with Declaration
Address	4936 Little Sand Run Rd		Name	None Reported
	Buckhannon, WV 26201		Address	
Telephone	681-990-2569			
well it (2) The pl The reason y However, yo Take notice accompanyir Protection, y the Applicat certain circu	s and the plugging worl at (surveyor's map) sho you received these document u are not required to take at that under Chapter 22-6 of the good documents for a permit to with respect to the well at the	k order; and wing the well location into its is that you have rightly action at all. the West Virginia Code to plug and abandon a relection described on mailed by registered day of mailing or deliver Well Operator By:	the, the undersigned well of well with the Chief of the nother attached Application or certified mail or delivery to the Chief. Diversified Production	Calm
	OF WEST VIRGINIA	Its:	Director of Admi	inistration
Jan S	effrey Bush	Address	414 Summers St	treet
	007 Henry St iswood, WV 26164		Charleston, WV	25301
	n Expires September 28, 2028	Telephone	304-590-7707	
Subscribed and s	worn before me thi	s 10 ⁺¹ d	ptube 28, 20	Notary Public
	/	No.	1	

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

47-049-00393

Royalty Owners

RECEIVED
Office of Oil and Gas

JUL 1 6 2025

WV Department of Environmental Protections

WV Minerals, Inc. Thelma Martin

Nancy J. English Nesbeth Smith

Roberta A. Hawkins Janet L. Lieving

Chaterine Wilt Linda Whitehouse

Betty L. Young Elinor Bell

Valerie Brown Sandra L. Jennings

Devon T. Raddish Doris A. Hupp

Mildred Miller Neil F. Jennings

Herbert Hupp Evelyn Davis

Barbara Krakowski Lyle W. Davis

James H. Hupp Minalee Ice

Susie Shivley Marilyn Raddish, Agent

Virginia Parsons Virginia Chepiga

Adonis K. Raddish Cora Horvat

David Ayers Raymond Robinson

Susan Lilavois Gail Hawkins

Rondell M. Raddish Francis Hupp

47-049-00393 Coal Owners

RECEIVED
Office of Oil and Gas

JUL 1 6 2025

WV Department of Environmental Protection

Marion County Coal Resources, Inc. 46226 National Rd.

c/o Land St. Clairsville, OH 43950

Jacob B. Ford 115 Oak Terrace

Staunton, VA 24401

Robert F. Horner 153 Haywood Rd.

Shinnston, WV 26431

Adonis K. Raddish 566 St. Frances Way
Devon T. Raddish Bridgeport, WV 26330

Ronell M. Raddish

c/o First National Trust Co.

Janet L. Lieving 199 Broadview Ave.

Fairmont, WV 26554

Valerie Brown 77 Levin Rd.

Rockland, MA 02370

Piney Holdings, Inc. 63 Mountain Park Dr.

Fairmont, WV 26554

RECEIVED
Office of Oil and Gas

JUL 1 6 2025

WV Department of Environmental Protection

easypost 0901000010757 US POSTAGE PAID IMI

2025-07-11 25301

5.0 OZFLAT C4000004 Retail

USPS CERTIFIED MAIL TH

JACKIE E & HOLLY R MARTIN 119 STONEY BANK RD FOUR STATES WV 26572

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301

RECEIVED
Office of Oil and Gas

JUL 1 6 2025

WV Department of Environmental Protection

edsypost 📚 0901000010757 US POSTAGE PAID IMI 4.0 OZFLAT 2025-07-11 C4000004 Retail 25301

46226 NATIONAL RD C/O LAND

MARION COUNTY COAL RESOURCES INC SAINT CLAIRSVILLE OH 43950-8742

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND, FLOOR CHARLESTON WV 25301

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301

edsypost

US POSTAGE PAID IMI

2025-07-11

25301

0901000010770

4.0 OZFLAT

C400004 Retail

JACOB B FORD 115 OAK TER STAUNTON VA 24401-2352 Office of Oil and Gae

JUL 1 6 2025

WV Department of Environmental Protection



RECEIVED
Office of Oil and Gas

JUL 16 2025

WV Department of Environmental Protection

USPS CERTIFIED MAIL THE BOAT 1362 0855 1280 4444 07

Մուրեր Արժում գրերին դուրեր ինդուրի դուրերի հայերում

ROBERT F HORNER 153 HAYWOOD RD SHINNSTON WV 26431-7038

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301




edsypost

US POSTAGE PAID IMI

2025-07-11

25301

0901000010770



Infliritififitification of the second of the

RECEIVED
Office of Oil and Gas

JUL 16 2025

wv Department of Environmental Protection

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301

easypost 📚

US POSTAGE PAID IMI

2025-07-11

C4000004 Retail

25301

0901000010757

հետկրդուդիրերկիրկուդիրկորիուդիր JANET L LIEVING 199 BROADVIEW AVE FAIRMONT WV 26554-1421 Office of Oil and Gas

JUL 16 2025

WV Department of Environmental Protection

Diversified Gas & Oil Corporation
Permitting Department
414 SUMMERS STREET
2ND. FLOOR
CHARLESTON WV 25301

edsypost

US POSTAGE PAID IMI

2025-07-11

25301 C4000004

Retail

0901000010757

USPS CERTIFIED MAIL TM

9407 1362 0855 1280 4443 39

RECEIVED
Office of Oil and Gas

JUL 16 2025

WV Department of Environmental Protection

PINEY HOLDINGS INC 63 MOUNTAIN PARK DR FAIRMONT WV 26554-8993

RECEIVED
Office of Oil and Gas

JUL 16 2025

WV Department of Environmental Protection

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301 WW-9 (5/16) RECEIVED Office of Oil and Gas

JUL 1 6 2025

API Number 47 - 049 - 00393 Operator's Well No. ROBEY W-5152

WV Department of Environmental Protection

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name: Diversified Production, LLC	OP Code	494524121
Watershed (HUC 10) Teverbaugh Creek	QuadrangleShinnston 7.5'	
Do you anticipate using more than 5,000 bbls of water to c	omplete the proposed well work?	Yes No V
	Will a pit be used?	Yes No V
If so, please describe anticipated pit waste: Product	tion fluid and cement returns.	
Will a synthetic liner be used in the pit? Yes	No If so, what ml.?	20
Proposed Disposal Method For Treated Pit Wastes:		
Land Application (if selected provide whether the Land Application (UIC Permit * Underground Injection (UIC PERMIT * UNDERGROUND)
Reuse (at API Number Off Site Disposal (Supply form W)	W-0 for disposal location))
Other (Explain_	w -9 for disposariocation)	
Will closed loop systembe used? If so, describe: N/A		
Drilling medium anticipated for this well (vertical and horizon	tal)? Air, freshwater, oil based,	etc. N/A
-If oil based, what type? Synthetic, petroleum, etc. N	/A	
Additives to be used in drilling medium? N/A		
Drill cuttings disposal method? Leave in pit, landfill, removed	offsite, etc. N/A	
-If left in pit and plan to solidify what medium will be	e used? (cement, lime, sawdust)	N/A
-Landfill or offsite name/permit number? N/A		
Permittee shall provide written notice to the Office of Oil and O	Gas of any load of drill cuttings	or associated waste rejected at any
West Virginia solid waste facility. The notice shall be provided where it was properly disposed.		
I certify that I understand and agree to the terms and on April 1, 2016, by the Office of Oil and Cas of the West Vin provisions of the permit are enforceable by law. Violations of or regulation can lead to enforcement action. I certify under penalty of law that I have personally application form and all attachments thereto and that, based on	ginia Department of Environme any term or condition of the gene y examined and am familiar wi	ntal Protection. I understand that the eral permit and/or other applicable law the the information submitted on this
the information, I believe that the information is true, accura	te, and complete. I am aware t	hat there are significant penalties for
submitting false information, including the possibility of fine o	r imprisonment.	OFFICIAL SEAL
Company Official Signature		NOTARY PUBLIC STATE OF WEST VIRGINIA
Company Official (Typed Name) Chris Veazey		Jeffrey Bush 1007 Henry St
Company Official Title <u>Director of Administration</u>		Ravenswood, WV 28164 My Commission Expires September 28, 2028
Subscribed and swom before me this day of	July , 2	2025
Cells Bust	Nota	ry Public
My commission expires September 25	8505.8	<u>*</u>

Operator's	Well	No.	ROBEY	W-5152
------------	------	-----	-------	--------

-	atment: Acres Disturbed +/- 1 a		· · · · · · · · · · · · · · · · · · ·	
	Tons/acre or to correct to	pH6.5		
	0-20-20 or Equivalent			RECEIV Office of Oil
Fertilizer amount		lbs/acre		JUL 16
Mulch 2		ons/acre		WV Donner
		Seed Mixtures		Environmental P
•	Femporary		Perman	ent
Seed Type	lbs/acre	Se	ed Type	lbs/acre
Red Fescue	40	Red Fescue	-	15
Nsike	5	Alside Clover		5
Annual Rye	15	-		
Iaps(s) of road, location, rovided). If water from the W), and area in acres, o	pit and proposed area for land and end will be land applied, provide fithe land application area. olved 7.5' topographic sheet.	oplication (unless engine le water volume, include	ered plans includ dimensions (L, V	ing this info have been W, D) of the pit, and di
rovided). If water from the W, and area in acres, of hotocopied section of inv	e pit will be land applied, provident of the land application area. olved 7.5' topographic sheet.	le water volume, include	ered plans includ dimensions (L, V	W, D) of the pit, and di
Maps(s) of road, location, rovided). If water from the water from	e pit will be land applied, provident of the land application area. olved 7.5' topographic sheet.	le water volume, include	dimensions (L,	W, D) of the pit, and di
Iaps(s) of road, location, rovided). If water from the water from	e pit will be land applied, provident of the land application area. olved 7.5' topographic sheet.	le water volume, include	dimensions (L,	W, D) of the pit, and di
aps(s) of road, location, rovided). If water from the water from t	e pit will be land applied, provident of the land application area. olved 7.5' topographic sheet.	le water volume, include	dimensions (L,	W, D) of the pit, and di
laps(s) of road, location, rovided). If water from the water from	e pit will be land applied, provident of the land application area. olved 7.5' topographic sheet.	le water volume, include	dimensions (L,	W, D) of the pit, and di
Iaps(s) of road, location, rovided). If water from the water from	e pit will be land applied, provident of the land application area. olved 7.5' topographic sheet.	le water volume, include	dimensions (L,	W, D) of the pit, and di
Iaps(s) of road, location, rovided). If water from the W, who area in acres, of the throughout the transfer of	e pit will be land applied, provident of the land application area. olved 7.5' topographic sheet.	le water volume, include	dimensions (L,	W, D) of the pit, and di
Maps(s) of road, location, rovided). If water from the L. W), and area in acres, the hotocopied section of invested the Approved by:	e pit will be land applied, provident of the land application area. olved 7.5' topographic sheet.	le water volume, include	dimensions (L,	W, D) of the pit, and di
Maps(s) of road, location, rovided). If water from the water from	e pit will be land applied, provident of the land application area. olved 7.5' topographic sheet.	le water volume, include	dimensions (L,	W, D) of the pit, and di
Maps(s) of road, location, rovided). If water from the L. W), and area in acres, the hotocopied section of invested the Approved by:	e pit will be land applied, provident the land application area. The land application area.	le water volume, include	dimensions (L,	W, D) of the pit, and di



Date: 7/10/2025

James Martin Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 (304)926-0450 Office of Oil and Gas

JUL 1 6 2025

WV Department of Environmental Protection

Mr. Martin,

Due to our cement provider, LaFarge Holcem, discontinuing the manufacturing of Class A cement, DGOC will be utilizing Class L cement to plug the following well:


API Number 4704900393

Well Name ROBEY W-5152

Attached is the approved variance order for use of Class L cement.

Sincerely,

Diversified Energy Permitting Department





JUL 1 6 2025

WV Department of Environmental Protection

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM)	
LEGISLATIVE RULE 35CSR4)	ORDER NO. 2022-13
SECTION 14.1. AND LEGISLATIVE RULE)	
35CSR8 SECTION 20.1,)	
RELATING TO THE CEMENTING)	
OF OIL AND GAS WELLS)	

REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

FINDINGS OF FACT

- On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
- Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- 3. Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in place of API Class A cement, relating to the plugging of horizontal wells.

Promoting a healthy environment.

On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of
public comments on the variance consideration. During the 20-day public comment
period, no comments were received.

CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

ORDER

It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

IN THE NAME OF THE STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS

DEPARTMENT OF ENVIRONMENTAL PROTECTION

OF THE STATE OF WEST VIRGINIA

JUL 1 6 2025


WV Department of Environmental Protection

RECEIVED
Office of Oil and Gas

James Martin, Chief

Office of Oil and Gas





WW-7 8-30-06



JUL 16 2025

WV Department of Environmental Protection

West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

API: 4704900393	WELL NO.: ROBEY W-5152
FARM NAME: H.T. Robey	
RESPONSIBLE PARTY NAME: Diversi	fied Production, LLC
COUNTY: Marion	DISTRICT: Mannington
QUADRANGLE: Shinnston 7.5'	
SURFACE OWNER: Jackie E. & Holly	R. Martin
ROYALTY OWNER: See Attached	
UTM GPS NORTHING: 4371509.07	
UTM GPS EASTING: 559188.81	GPS ELEVATION:1254.88'
The Responsible Party named above has chos preparing a new well location plat for a plugg above well. The Office of Oil and Gas will not the following requirements:	ging permit or assigned API number on the
 Datum: NAD 1983, Zone: 17 Nor height above mean sea level (MSI 2. Accuracy to Datum – 3.05 meters Data Collection Method: Survey grade GPS: Post Processed I 	
Real-Time Diff	
Mapping Grade GPS <u>X</u> : Post Processe	ed Differential X
Real-Time D	Differential
I the undersigned, hereby certify this data is of belief and shows all the information required prescribed by the Office of Oil and Gas.	by law and the regulations issued and
Signature Chris Vea:	Title Date

WW-4B

RECEIVED Office of Oil and Gas

JUL 1 6 2025

WV Department of Environmental Protection

API No.	4704900393	
Farm Name	H.T. Robey	
Well No.	ROBEY W-5152	

INSTRUCTIONS TO COAL OPERATORS **OWNERS AND LESSEE**

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

WAIVER			
has examined this proposed plugging work orde	owner/ lessee/ of the coal under this well location er. The undersigned has no objection to the work proposed to be tor has complied with all applicable requirements of the West		
Date:			
	By:		
	Its		

RECEIVED
Office of Oil and Gas

SURFACE OWNER WAIVER

JUL 16 2025

WV Department of Environmental Protection Operator's Well Number

ROBEY W-5152

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.
WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to a permit being issued on those FOR EXECUTION BY A NATURAL PERSETC.	materials.	ined work	rk described in these materials, and I have no FOR EXECUTION BY A CORPORATION,
Signature	Date	Name _ By _ Its _	Date

Signature Dat

11/10/2016

PLUGGING PERMIT CHECKLIST 4704900393

RECEIVED Office of Oil and Gas

JUL 1 6 2025

WV Department of Environmental Protection

Plug	ging Permit
	_ WW-4B
	_ WW-4B signed by inspector
	_ WW-4A
	SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERITFIED MAIL
	COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APPLICATION WAS SENT
\vdash	BY REGISTERED OR CERTIFIED MAIL
\sqcup	_ WW-9 PAGE 1 (NOTARIZED)
	_ WW-9 PAGE 2 with attached drawing of road, location, pit and proposed area for land application
\sqcup	WW-9 GPP PAGE 1 and 2 if well effluent will be land applied
	_ RECENT MYLAR PLAT OR WW-7
\sqcup	WELL RECORDS/COMPLETION REPORT
	TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED
	MUST HAVE VALID BOND IN OPERATOR'S NAME
	CHECK FOR \$100 IF PIT IS USED



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permits issued for 4704900879 00870 00393 00215

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Wed, Aug 13, 2025 at 8:50 AM

To: Nicholas Bumgardner <nbumgardner@dgoc.com>, Jeff A Propst <jeff.a.propst@wv.gov>, Stephen E McCoy <stephen.e.mccoy@wv.gov>, mtrach@wvassessor.com

To whom it may concern, plugging permits have been issued for 4704900879 00870 00393 00215.

--

James Kennedy

Environmental Resource Specialist III / Permitting

WVDEP Office of Oil and Gas


601 57th Street, SE

Charleston, WV 25304

304-926-0499 ext. 45025

james.p.kennedy@wv.gov

4 attachments





4704900215.pdf 2600K

4704900393.pdf 2962K