

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Wednesday, August 13, 2025
WELL WORK PLUGGING PERMIT
Vertical Plugging

DIVERSIFIED PRODUCTION LLC 101 MCQUISTON DRIVE

JACKSON CENTER, PA 16133

Re: Permit approval for 24 47-049-00879-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number:

Farm Name: HAYES, J. L. - HEIRS

U.S. WELL NUMBER: 47-049-00879-00-00

Vertical Plugging
Date Issued: 8/13/2025

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

WW-4B Rev. 2/01

1) Date July 17,	20 25
2)Operator's	
Well No. HAYES JL 24	
3) APT Well No. 47-049	- 00879

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR	A PERMIT TO PLUG AND ABANDON
4) Well Type: Oil/ Gas/	Liquid injection/ Waste disposal/ or Underground storage) Deep/ Shallow/
5) Location: Elevation 1388.66'	Watershed Dents Run/Buffalo Creek
District Mannington	County Marion Quadrangle Glover Gap 7.5
6) Well Operator Diversified Production, LLC	7) Designated Agent Chris Veazey
Address 414 Summers Street	Address 414 Summers Street
Charleston, WV 25301	Charleston, WV 25301
Oil and Gas Inspector to be notified Name Jeff Propsi	9) Plugging Contractor Name Next LVL Energy (Diversified Owned)
Address 4936 Little Sand Run Rd	Address 104 Helliport Loop Rd
Buckhannon, WV 26202	Bridgeport, WV 25330
O) Work Order: The work order for the See Attached	ne manner of plugging this well is as follows:
_	neceWED
	RECEIVED Office of Oil and Gas JUL 25 2025
See Attached Outification must be given to the distr	RECEIVED Office of Oil and Gas JUL 25 2025
See Attached	RECEIVED Office of Oil and Gas JUL 25 2025 An include the first protection grade protection

Plugging Prognosis

API #: 47-049-00879

West Virginia, Marion County

Lat/Long - 39.572831, -80.42247

Nearest ER: United Hospital Center Emergency Room – 327 Medical Park Dr, Bridgeport, WV 26330

No well files able to be found for this well. Procedure written using offset well (47-049-00880) information.

Casing Schedule

Conductor @ 16' – Cementing and/or Packer Information Unknown

10" @ 249' – Cementing and/or Packer Information Unknown

8-1/4" @ 1615' – Pulled 741' leaving 874' in well – Cementing and/or Packer Information Unknown

6-5/8" @ 2118' – Cementing and/or Packer Information Unknown

5-3/16" @ 2578' – Cementing Information Unknown

4-1/2", 11.6 ppf Liner @ 2512'-3163' – 651' in length, 66' up in 5-3/16" csg

2" tbg – 158 jts – Cementing and/or Packer Information Unknown

TD @ 3048' – Should be correct for this well

Completion: Shot 11 different times between 12/30/1916 & 10/20/1930 using anywhere from 10 &

110 qts - No Depths Given

Fresh Water: 210', 240'
Salt Water: None Reported
Gas Shows: 1810'-1930', 3120'
Oil Shows: 2508', 3154'-3163'
Coal: 1030'-1035', 1135'-1144'
Open Mine: None Reported

Elevation: 1300'

RECEIVED
Office of Oil and Gas

JUL 25 2025

NV Department of Environmental Protection

- 1. Notify Inspector Jeff Propst @ 681-990-2569, 48 hrs prior to commencing operations.
- 2. Check and record pressures on csg/tbg.
- 3. TOOH w/ rods and 2" tbg.
- 4. Check TD w/ sandline/tbg.
- Pump 6% Bentonite Gel between each plug.
- Can attempt to pull casing strings prior to cementing in casing shoes.
- Due to unknown depths of completions, free points, etc. can combine plugs as
 operationally feasible/necessary.
- 8. TIH w/tbg to 3157', 10' above TD. Kill well as needed with 6% bentonite gel and fill rat hole with gel. Pump at least 50 bbls gel.
- Pump 892' Class L/Class A cement plug from 3157' to 2265' (Completion, 4-1/2" Liner, Gas & Oil Shows, & 5-3/16" Csg Shoe plug). Approximately 240 sks @ 1.14 yield using 7-1/2" hole. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed.
- 10. If unable to be pulled, free point 5-3/16" csg / 4-1/2" Liner. Cut & TOOH. Set 100' Class L/Class A cement plug across csg cut. 50' in/out of cut. TOOH w/ tbg t/ top of plug.

- Approximately 27 sks @ 1.14 yield using 7-1/2" hole. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed.
- TOOH w/ tbg to 2168'. Pump 408' Class L/Class A cement plug from 2168' to 1760' (6-5/8" Csg Shoe & Gas Show plug). Approximately 110 sks @ 1.14 yield using 7-1/2". Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed.
- 12. If unable to be pulled, free point 6-5/8" csg. Cut and TOOH. Set 100' Class L/Class A cement plug across csg cut. 50' in/out of cut. TOOH w/ tbg to top of plug. Approximately 27 sks @ 1.14 yield using 7-1/2" hole. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed.
- TOOH w/ tbg to 1350'. Pump 100' Class L/Class A cement plug from 1350' to 1250'
 (Elevation plug). Approximately 41 sks @ 1.14 yield using 9-1/4" hole. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed.
- 14. TOOH w/ tbg to 1194'. Pump 370' Expanding Class L/Class A cement plug from 1194' to 824' (Coal & 8-1/4" Csg Shoe plug). Approximately 152 sks @ 1.14 yield using 9-1/4" hole. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed.
- 15. If unable to be pulled, free point 8-1/4" csg. Cut and TOOH. Set 100' Class L/Class A cement plug across csg cut. 50' in/out of cut. TOOH w/ tbg to top of plug. Approximately 41 sks @ 1.14 yield using 9-1/4" hole. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed.
- 16. If 10" csg can't be pulled, free point 10" csg. Cut & TOOH.

Jeff A Propost

- 17. TIH w/tbg to 299'. Pump 299' Class L/Class A cement plug from 299' to Surface. (10" Csg Shoe, 10" Csg Cut, Freshwater, & Surface plug). Approximately 199 sks @ 1.14 yield using 9-1/4" & 12-1/4" hole. Tag TOC. Top off as needed. Perforate as needed.
- 18. Reclaim location and well road to WV DEP specifications and erect P&A well monument.

7-21-2025

RECEIVED
Office of Oil and Gas

JUL 2 5 2025

Source Simple Simplement




1191716 02/23/2021 09:04:00AM

Liquid Level

838 ft MD

Fluid Above Tubing *.* ft TVD
Gas Free Above Tubing *.* ft TVD



Acoustic Velocity

Acoustic Velocity

Joints Per Sec.


Joints To Liquid

Gas Gravity

1200 ft/s

18.93 Jts/sec
26.44 Jts
0.7886 Air = 1

Entered From Known Acoustic Velocity



Comments and Recommendations

3" 3rd - Acoustic Test

Echometer Company 5001 Ditto Lane Wichita Falls, TX 76302 (940) 767-4334 info@echometer.com WW-4A Revised 6-07

1) Date: 7/17/20	025			
2) Operator's Well Num	ber HAYES JL	24		
3) API Well No.: 47 -	049	_	00879	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4)	Surface Owne	er(s) to be served:	5) (a) Coal Operator	N . C O
•	(a) Name	Patricia Ann Carman	Name	Not Currently Operated
	Address	1898 Dents Run Rd.	Address	
		Mannington, WV 26582		
	(b) Name		(b) Coal Own	ner(s) with Declaration
	Address		Name	Consolidation Coal Company
			Address	1000 Horizon Vue Dr. STE 400
				Canonsburg, PA 15317
	(c) Name		Name	Patricia Ann Carman
	Address		Address	1898 Dents Run Rd.
				Mannington, WV 26582
6)	Inspector	Jeff Propst	(c) Coal Less	see with Declaration
	Address	4936 Little Sand Run Rd	Name	None Reported
		Buckhannon, WV 26202	Address	Same and the second
	Telephone	681-990-2570		The second secon

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

OF THE REAL PROPERTY.	OFFICIAL SEAL	Well Operator	Diversified Production, LLC	
0 3	NOTARY PUBLIC STATE OF WEST VIRGINIA	By:	Chris Veazey	PECEIVED
目的可以	Rehecca Wanstreet	Its:	Director of Administration	Office of Oil and
3	104 Heliport Loop Road Bridgeport, WV 26330	Address	414 Summers Street	Ollico
A STATE OF THE PARTY OF THE PAR	My Commission Expires July 26, 2029		Charleston, WV 25301	111 2 5 702
	and the state of the state of	Telephone	304-590-7707	JUL P
				M fiel satisfies

Subscribed and sworn before me this	day of	July	0005	Environnierita
Subscribed and sworn before me this		1	Notary Public	
My Commission Expires 7 - 200 - 29				

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301

PATRICIA ANN CARMAN 1898 DENTS RUN RD MANNINGTON WV 26582-5126

Office of Oil and Gar

JUL 25 2025

MA Debaumen o, Environmental Protection

US POSTAGE PAID IMI 2025-07-21 25301 C4000004 Retail 4.0 OZFLAT **⊚e**asypost 0901000010745

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR

CHARLESTON WV 25301

1000 HORIZON VUE DR STE 400

CANONSBURG PA 15317-6523

RECEIVED GREEN CONTROL OF CONTROL JUL 25 2025 WV Department of Environmental Protection

25301 C4000004 Retail 4.0 OZFLAT US POSTAGE PAID IMI 2025-07-21 **easypost** 0901000010758

08/15/2025

API Number	47 - 049	_ (00879	
	ell No. HAYES			

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Thomas correspond	
Operator Name: Diversified Production, LLC	OP Code 494524121
Watershed (HUC 10)Dents Run/Buffalo Creek	QuadrangleGlover Gap 7.5'
Do you anticipate using more than 5,000 bbls of water to complete	the proposed well work? Yes No
* * *	Will a pit be used? Yes No
If so, please describe anticipated pit waste:	d and cement returns.
Will a synthetic liner be used in the pit? Yes No _	If so, what ml.? 20
Proposed Disposal Method For Treated Pit Wastes:	
Land Application (if selected provide a con	
* Underground Injection (UIC Permit Number	
Reuse (at API NumberOff Site Disposal (Supply form WW-9 for	
Will closed loop systembe used? If so, describe: N/A	
Drilling medium anticipated for this well (vertical and horizontal)? A	ir, freshwater, oil based, etc. N/A
-If oil based, what type? Synthetic, petroleum, etc. N/A	
Additives to be used in drilling medium? N/A	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite	, etc. <u>N/A</u>
-If left in pit and plan to solidify what medium will be used?	(cement, lime, sawdust)N/A
-Landfill or offsite name/permit number? N/A	
Permittee shall provide written notice to the Office of Oil and Gas of West Virginia solid waste facility. The notice shall be provided within where it was properly disposed.	any load of drill cuttings or associated waste rejected at any 24 hours of rejection and the permittee shall also disclose
on April 1, 2016, by the Office of Oil and Gas of the West Virginia provisions of the permit are enforceable by law. Violations of any ten or regulation can lead to enforcement action.	m or condition of the general permit and/or other applicable law ined and am familiar with the information submitted on this quiry of those individuals immediately responsible for obtaining complete. I am aware that there are significant penalties for sonment.
Company Official Signature	RECEIVED Office of Oil and Gas
Company Official (Typed Name) Chris Veazey	Office of Car
Company Official Title Director of Administration	JUL 25 MA
Management of the second secon	
Subscribed and sworn before me this day of day of	y , 20 05 p enia. Protectio
Deliecea Warrotect	Notary Public
My commission expires 7-06-09	OFFICIAL SEAL
	NOTARY PUBLIC STATE OF WEST VIRGINIA Rebecca Wanstreet 10 July 15/20/25 My Commission Expires July 26, 2029

Operator's Well No.	HAYES JL 24
---------------------	-------------

Proposed Revegetation Treat	tment: Acres Disturbed +/- 1 ac.	Preveg etation pH	NA
Lime 3	Tons/acre or to correct to pH _	6.5	
Fertilizer type 10-	-20-20 or Equivalent		
Fertilizer amount		lbs/acre	
Mulch2	Tons/ac	сте	
	Seed	<u>Mixtures</u>	
Т	emporary	Perma	ment
Seed Type	lbs/acre	Seed Type	lbs/acre
Red Fescue	40	Red Fescue	15
Alsike	5	Alside Clover	5
Annual Rye	15		
Attach: Maps(s) of road, location, p provided). If water from the L, W), and area in acres, of	it and proposed area for land applica pit will be land applied, provide wat f the land application area.	tion (unless engineered plans incluter volume, include dimensions (L	iding this info have been, W, D) of the pit, and dimensions
Attach: Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of	it and proposed area for land applicate pit will be land applied, provide wat f the land application area. Silved 7.5' topographic sheet.	tion (unless engineered plans incluter volume, include dimensions (L	iding this info have been, W, D) of the pit, and dimensions
provided). If water from the L, W), and area in acres, of	it and proposed area for land applicate pit will be land applied, provide wat f the land application area. Silved 7.5' topographic sheet.	ter volume, include dimensions (L	iding this info have been, W, D) of the pit, and dimensions
Attach: Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of Photocopied section of involved by:	it and proposed area for land applicate pit will be land applied, provide wat f the land application area. Silved 7.5' topographic sheet.	ter volume, include dimensions (L	iding this info have been, W, D) of the pit, and dimensions
Attach: Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of the Photocopied section of involved by:	it and proposed area for land applicate pit will be land applied, provide wat f the land application area. Silved 7.5' topographic sheet.	ter volume, include dimensions (L	, W, D) of the pit, and dimensions
Attach: Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of	it and proposed area for land applicate pit will be land applied, provide wat f the land application area. Silved 7.5' topographic sheet.	ter volume, include dimensions (L	RECEIVED
Attach: Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of Photocopied section of involved by:	it and proposed area for land applicate pit will be land applied, provide wat f the land application area. Silved 7.5' topographic sheet.	ter volume, include dimensions (L	, W, D) of the pit, and dimensions
Attach: Maps(s) of road, location, porovided). If water from the L, W), and area in acres, of Photocopied section of involved by:	it and proposed area for land applicate pit will be land applied, provide wat f the land application area. Silved 7.5' topographic sheet.	ter volume, include dimensions (L	RECEIVED



Date: 7/17/2025

James Martin Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 (304)926-0450

Mr. Martin,

Due to our cement provider, LaFarge Holcem, discontinuing the manufacturing of Class A cement, DGOC will be utilizing Class L cement to plug the following well:

API Number 4704900879

Well Name HAYES JL 24

Attached is the approved variance order for use of Class L cement.

Sincerely,

Diversified Energy Permitting Department

Office of Oil and Gas

JUL 25 2025

WV Department of Environmental Protection



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

WEED OF A VADIANCE FROM

LEGISLATIVE RULE 35CSR4	ORDER NO. 2022-13
SECTION 14.1. AND LEGISLATIVE RULE)	
35CSR8 SECTION 20.1,	RECEIVED Office of Oil and Gas
RELATING TO THE CEMENTING)	Office of Oil and take
OF OIL AND GAS WELLS	JUL 25 2025
	wy Jepartmeni ot Environmentai Protectio

REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

FINDINGS OF FACT

- On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
- Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a
 variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in
 place of API Class A cement, relating to the plugging of horizontal wells.

Promoting a healthy environment.

 On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

ORDER

It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

IN THE NAME OF THE STATE OF WEST VIRGINIA


OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THE STATE OF WEST VIRGINIA


James Martin, Chief Office of Oil and Gas


Office of Oil and God

Environne des Protection











West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

api: 4704900879	well no.: <u>H</u>	AYES JL 24
FARM NAME: JL Hayes		
RESPONSIBLE PARTY NAME:	Diversified Production, LLC	
COUNTY: Marion	DISTRICT: Manr	nington
QUADRANGLE: Glover Gap 7	7.5'	
SURFACE OWNER: Patricia Ar	nn Carman	
ROYALTY OWNER: ET Blue G	rass, LLC	
UTM GPS NORTHING: 438058		
UTM GPS EASTING: 549508.52		N:_ 1388.66'
2. Accuracy to Datum – 3.0 3. Data Collection Method: Survey grade GPS: Post Pro	er a plugging permit or assigned Ass will not accept GPS coordinates: 17 North, Coordinate Units: me vel (MSL) – meters. 5 meters occessed Differential	API number on the s that do not meet
	ime Differential	
Mapping Grade GPS X: Post		
	l-Time Differential	Il leastion
4. Letter size copy of the to I the undersigned, hereby certify this belief and shows all the information prescribed by the Office of Oil and O	required by law and the regulation	knowledge and
Signature Signature	Chris Veazey - Director of Administration Title	7/21/2025 Date

SURFACE OWNER WAIVER

Operator's Well Number

|--|

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

BY COMMENTS OF THE COMMENTS OF THE PROPERTY OF THE

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

JUL 25 2025

WV Department of Environmental Protection

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I h objection to a permit being issue FOR EXECUTION BY A NATUETC.	d on those materials.	e planned wor		aterials, and I have no
	Date	Name		
Signature		By		Date
		Its		Date
			Signature	Date

API No.	4704900879	
Farm Name	JL Hayes	
Well No.	HAYES JL 24	

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER	ł	
The undersigned coal operator/ has examined this proposed plugging work ord done at this location, provided, the well open Virginia Code and the governing regulations.	der. The under	rsigned has no obje	ction to the work proposed to be
Date:			
	Ву:		
	Its		
			HECEIVED Office of Oil and Gas
			JUL 25 2025
			Comments Probable

11/10/2016

PLUGGING PERMIT CHECKLIST 4704900879

Pluggin	ng Permit
Ħ.	WW-4B WW-4B signed by inspector WW-4A
1	SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERITFIED MAIL
1 1	COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APPLICATION WAS SENT
1	BY REGISTERED OR CERTIFIED MAIL WW-9 PAGE 1 (NOTARIZED)
	WW-9 PAGE 2 with attached drawing of road, location, pit and proposed area for land application
	WW-9 GPP PAGE 1 and 2 if well effluent will be land applied
\Box	RECENT MYLAR PLAT OR WW-7
	WELL RECORDS/COMPLETION REPORT
블	TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED
\blacksquare	MUST HAVE VALID BOND IN OPERATOR'S NAME
\sqcup	CHECK FOR \$100 IF PIT IS USED

RECEIVED
Office of Oil and GRY

JUL 25 2025

WV Department of Environmental Protection



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permits issued for 4704900879 00870 00393 00215

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Wed, Aug 13, 2025 at 8:50 AM

To: Nicholas Bumgardner <nbumgardner@dgoc.com>, Jeff A Propst <jeff.a.propst@wv.gov>, Stephen E McCoy <stephen.e.mccoy@wv.gov>, mtrach@wvassessor.com

To whom it may concern, plugging permits have been issued for 4704900879 00870 00393 00215.

--

James Kennedy

Environmental Resource Specialist III / Permitting

WVDEP Office of Oil and Gas


601 57th Street, SE

Charleston, WV 25304

304-926-0499 ext. 45025

james.p.kennedy@wv.gov

4 attachments





4704900215.pdf 2600K

4704900393.pdf 2962K