

B.R. MARTIN NO, 1- SOUTH PENN NAT, GAS CO, - MAR-318-H

Latitude 52 2 08 3 N 56° 30'E B. R. MARTIN 281/2 Ac. 04 O No. I PERRY S. HALL Elev. = 1325 W 65° 30 post in sence lin at edge of old roa , 1881 M 08.88 N 04 FIELDEN E KELLER N. D. HUNTER 0,80 2.96 NOTE :-Present owner of surface is Benj. R. Martin's Heirs, Tract shown is one of 281/2 ac, which was conveyed Smithfield, West Va. Present owner of coal is Harry Shaw, Atty. at Law, unto B.R. Martin by A.C. Martin, et ux, by deed dated January 1, 1886, and recorded in the office of the Clerk of the County Court of Marion County, in Deed Book No. 39 at page 413. Fairmont, West Va. Combined with two other tracts with a total of 60 acres, lease for oil and gas was made to the South Penn Oil Co. New Location. by lease dated Sept. 1, 1897, and recorded in Deed Book No. 87, at page 348. Goal sold to C.A. Snodgrass, et al, by deed Drill Deeper..... Abandonment 💢 dated March 12, 1900, recorded in D.B. No. 93, page 422. Company SAM BEREN STATE OF WEST VIRGINIA Address Marietta, Ohio DEPARTMENT OF MINES OIL AND GAS DIVISION B.R.Martin CHARLESTON Acres 61 (1995) Lease No. WELL LOCATION MAP Well (Farm) No. One Serial No. FILE NO. MAR - 596-A Elevation (Spirit Level) 1325 Quadrangle Clarksburg + Denotes location of well on United States County Marion District Mannington Topographic Maps, scale 1 to 62,500, lat-Engineer MANGER itude and longitude lines being represented by border lines as shown. Engineer's Registration No. / 1227 Denotes one inch spaces on border line. File No.____ __Drawing No. of original tracing. Date November, 1948 Scale 1" - 500'

K & E CO., N. Y.

STATE OF WEST VIRGINIA DEPARTMENT OF MINES

WELL RECORD

OIL AND GAS DIVISION

Oil or Gas Well.

Address Union Trust Bldg, Parkersburg, W. Va.	Casing and Used in Tubing Drilling	Left in Well	Packers
Location (waters) Bingamon Creek Well No. 1 Elev. 1341.18 16	Size		Kind of Packer
The symfograft tractic award in fee by Ralph Martin et al 10	570 1754	570 1754	Size of
Mineral rights are owned by Hugh B. Martin, et al 6 Rte #2 Box 95 Address Mannington, W. Va. 5	2510 3/16 3167		
Drilling completed July 12, 1918 2	3		Perf. top
Open Flow /10ths Water in Inch	iners Used	1	Perf. top Perf. bottom
/ LUCIIS DICIC. III	ASING CEMENTED		lo. FtDate
Oil 5 bbls., 1st 24 hrs. CC Fresh water feet feet	OAL WAS ENCOUNTEREI	AT	
Salt water 2605 feet feet			

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sluff San Pittsburg Little Du Big Dunka Bas Sand Salt Sand Little Li Pencil Ca Big Lime	h Coal nkard rd me ve		815 1230 1665 1755 1890 2058 2450 2457 2464	840 1238 1685 1785 1912 2184 2457 2464 2514			
3ig Injun			2514	2624	Gas Show Oil Show Water	2595 2601 2605	
50 Foot S 50 Foot S Soulder Fordon St	and		3138 3185 3225 3255	3151 3213 3240 3322	043	2200	
Gordon Sa Fourth Sa	nđ nđ Shells		3332	3369 33 75	Oil	3309	•
Total Dep	th			3391			
							•
:							
			#	(8,0)944	100 10	gat var g Gat var g Skriverer k	





DEPARTMENT OF MINES OIL AND GAS DIVISION

Massin		-		DECORE			
Permit No.	<u> </u>	7 1398	VV E. L.	RECORE		Oil or G	as Well (KIND)
				Casing and	Used in Drilling	Left in Well	Packers
· ·	·	ĺn		Size			
		LFall Run		16			Kind of Packer
Well No.			Elev. 1325	13			
	_	_County_Marie			570	None	Size of
The surface of tr			<u>Martin Hei</u> nfield.W.Vs	*	1754	Wone	Diac vi
Minoral rights or			Atty of La	v w	2510	2510	Depth set
			mont. W.Va.	* · · · · · · · · · · · · · · · · · · ·	3167	3167	
				3			Perf. top
.				2			Perf. bottom
)	Liners Used			Perf. top
With							Perf. bottom
Open Flow	/10ths Water	in	Inch				
	/10ths Merc.	in	Inch	CASING CEM	ENTEDS	IZE	No. FtDate
			Cu. Ft.				
-			hrs.	COAL WAS E	NCOUNTERED .	AT 1230	FEETINCHES
			_bbls., 1st 24 hrs.		rINCH	es .	FEETINCHES
			feet		rINCH		
Formation	Color	Hard or	Тор	Bottom	Oil, Gas	Depth	Remarks
rormation	Color	Soft	Tob	Dottom	or Water	Found	AVAILUA ASS
Pists.Coa			1230	1238			/
Little Du	nkard		16 65	1685			
B i g Dunka	rd		175 5	1785			
Salt Sand		,	2058	2184			
Little Li	m e		2450	2457		Katalan Caran	
Pencil Ca	ve		2457	2464		Ì	
Big Lime			2464	2514			

185

55

3**7**5

Big Injun

50' Sand

Boulder Sand

Gordon Stray

Gordon Sand

TOTAL DEFTH

Fourth Sand Shell

STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY OIL AND GAS WELLS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Consolidation Coal Co.
Coal Operator or Owner
PO Box 100, Osage, WV 26543
Address

Coal Operator or Owner

Address

Joseph & Linda D. Martin

Lease or Property Owner

RR. 3 Box 120, Salem, WV 26426

Address

Consolidation Coal Co.
Name of Well Operator
PO Box 100, Osage, WV 26543

Complete Address
<u>Wallace</u>
Well Location

Mannington District

Marion County 6416

Well No.

Joseph & Linda Martin

Farm

10

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA, County of Marion ss:

Kevin Wright and Byron L. Musselman being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 5th day of March 2002 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Plugs Used	Casing Pulled	Casing Left In		
Formation	Filling Material	Size & Kind	runeu	LGIL III		
Cleaned hole with 12.2 9 7/8". Cleaned 9 7/8 Reduce hole to 6 ¼". cement plug 1180' to 7" casing in hole 170 1360'. Cleaned 7 7/8 thru Pittsburgh Coal 12 to surface. Cemented 1138' to surface usin	4" bit from surface to 395'. Reduce hole to (8" hole from 395' – 669' top of 7" casing. Cleaned 6 1/4" hole 669' to 1781'. Drilled 1277'. Pulled 7" casing 669' to 1764'. Left 64' to 1781'. Cleaned 9 7/8" hole 669' to "hole 1360' to 1764'. Cleaned 9 7/8" hole 238' – 1245'. Cement hole solid from 1781' hole up as follows: from 1781' to 1445' and g 424 sks high yield lite and from 1445' to using 126 sks thixatropic.		7" – 1096.77'	17'		
Coal Seams		Description of Monument				
(Name)	Pittsburgh Coal 1238' – 1245'	7" well marker 77" long with Consol Coal Co.,				
(Name)		Permit number, well number, date and solid plug				
(Name)		Stated on 7" casing. Well marker will be attached				
(Name)		To cement plug at ground level.				


And further deponents saith not.

SEP 2 4 2004

Sworn to and subscribed before me this 15th day of March 2002

My commission expires:

2/11/2010



Notary Public & CEIVED
Office of Oil & Gas
Office of Chief

Permit No.

47-49-1358P

SEP 1 4 2004

WV Department of Environmental Protection MAR