

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL COMPANY  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL COMPANY  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL COMPANY  
Lease or Property Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address

CONSOLIDATION COAL CO.  
Name of Well Operator  
1 BRIDGE STREET MONONGAH, WV 26554  
Complete Address  
GLOVER GAP 7.5'  
Well Location  
MANNINGTON  
District  
MARION  
County  
5098  
Well No.  
CONSOLIDATION COAL COMPANY  
Farm

STATE INSPECTOR SUPERVISING PLUGGING *Bill Haddock* 7-16-15

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

MICHAEL MITCHELL and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 19<sup>th</sup> day of May, 2015 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Cleaned 12 1/4" hole from Surface to 268'. Reduced hole to 9 7/8".		16"	0'	18'
Cleaned 9 7/8" hole from 268' to 1007'. Tagged top of 8 5/8" casing at 1007'. Reduced hole to 7 7/8".		8 5/8"	0'	184'
Cleaned 7 7/8" hole from 1007' to 1205'. Reduced hole to 6 1/4". Tagged solid plug at 1205'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 753' to 759'. Left 184' of 8 5/8" casing in the hole from 1007' to 1191'. Left 18' of 16" conductor casing in the hole from Surface to 18'.				
<u>Cemented hole from 1205' back to the Surface as follows:</u> From 1205' to 1120' with 20 sacks of Expandable Cement. From 1120' to 959' with 50 sacks of Expandable Cement with Gas Blocker additive. From 959' to 637' with 200 sacks of Thixotropic Cement with dye. From 637' to 412' with 85 sacks of Expandable Cement. From 412' to 292' with 50 sacks of Expandable Cement with Gas Blocker additive. From 292' back to the Surface with 265 sacks of Expandable Cement. Cement did circulate at the Surface.				
Coal Seams		Description of Monument		
<u>Pittsburgh</u>	<u>(753' - 759')</u>	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

Received  
JUL 23 2015  
Office of Oil and Gas  
WV Dept. of Environmental Protection

... and that the work of plugging and filling said well was completed on the 29<sup>th</sup> day of May, 2015.

And further deponents saith not.


*Michael P. Mitchell*  
Michael Mitchell  
*Kevin S. Wright*  
Kevin S. Wright

07/24/2015

Sworn to and subscribed before me this 6<sup>th</sup> day of July 2015

*Kara Beth Forst*  
Notary Public

My commission expires: 11/4/23



Permit No. 47-049-02395-P  
Well No. 5098