

Lincoln District, Marion County, W. Va.

575A

By W. H. Coray, Uniontown, Pa.

Abandoned under permit No.-17

On 1 3/4 acres, on Plum Run.

Elevation, 1032' L.

Drilling commenced May 16, 1911; completed Aug. 22, 1911.

Spit water at 1310'.

10" casing, 430'; 8", 1369'; 6", 1733'; 5", 2510'; 2" tubing, 2853'
(pulled);

10" casing is cemented.

Coal was encountered at 367-376'.

Gas well. Record to Dept. of Mines stamped Sept. 23, 1918.

Record to RRT from Mrs. Griffith Jan. 22, 1919. Oil File No. 638.

	Top.	Bottom.
Pittsburgh Coal	367	376
Richard Sand	725	870
Spit Sand (water, 1310')	1180	1395
Big Injun Sand (gas, 1627-43')	1719	1880
Squaw Sand	1953	1992
Center Sand	2258	2270
Fifty-foot Sand	2297	2353
Thirty-foot Sand	2380	2405
Stray Sand	2554	2561
Gordon Stray Sand	2580	2605
Fourth Sand	2621	2635
Fifth Sand (gas, 2755')	2754	2785
Total depth		2839



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

638

WELL RECORD


Permit No. 553-A Oil or Gas Well Gas (KIND)

Company W. R. Correy
Address Uniontown, Pa.
Farm J. E. & Maria Jolliffe Acres 134
Location (waters) Alum Run
Well No. 1 Elev. 1032
District Lincoln County Marion
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by _____
Address _____
Drilling commenced May 18, 1911
Drilling completed Aug. 22, 1911
Date Shot _____ From _____ To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water 1310 feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	430	430	Size of
8 1/4	1369	1369	
6 3/8	1733	1733	Depth set
5 3/16	2580	250	
3			Perf. top
2	2853	Pulled	Perf. bottom
Liners Used			Perf. top
10" casing is cemented			Perf. bottom


CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT 367 FEET 108 INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pittsburgh Coal			367	376			
Dunkard Sand			725	870			
Salt Sand			1180	1395	Water	1310	
Injun Sand			1719	1880	Gas	1827-43	
Squaw Sand			1953	1992			
Ganta Sand			2258	2270	Gas	2262	
Fifty Foot			2297	2353			
Thirty Foot			2380	2405			
Stray Sand			2554	2561			
Gordon Stray			2580	2605			
Fourth Sand			2621	2635			
Fifth Sand			2754	2785	Gas	2755	
Byard Sand							
Total Depth				2839			



LATITUDE 39 32 30

LONGITUDE 80 15



7'5 OGIS topo location

7.5' loc _____ 15' loc _____
 _____ (calc.) _____

Company _____ 2242

Farm J E JOLLIFFE

Quad MANNINGTON

County MARION

District LINCOLN

WELL LOCATION MAP

File No. 70116

Lincoln District, Marion County, W. Va.
 By Hope Natural Gas Co.
 Completed Aug. 22, 1911.

	Top.	Bottom.
Little Dunkard Sand	725	746
Big Dunkard Sand	850	870
Gas Sand	990	1015
First Salt Sand	1180	1225
Second Salt Sand (water at 1310 and 1330')	1280	1395
Little Lime	1640	1650
Pencil Cave	1650	1656
Big Lime	1656	1719
Big Injun Sand (gas at 1827' and 1843')	1719	1880
Squaw Sand	1953	1992
Gantz Sand (gas at 2262')	2258	2270
Fifty-foot Sand	2297	2353
Thirty-foot Sand	2380	2405
Gordon Stray Sand	2554	2561
Gordon Sand	2580	2605
Fourth Sand	2621	2635
Fifth Sand (gas at 2755' and 2773')	2754	2785
Total depth		2839