



Mannington District, Marion County, W. Va.  
 By The Tri-State Pipe Co., Bellairs, Ohio.  
 Abandoned under permit No. ....-41

On 92 acres.

Elevation, 1329' L.

Surface owned by Homer Kennan, R. F. D. No. 1, Glover Gap, W. Va.,  
 and minerals by Mrs. Thomas M. Haldreth, R. F. D. No. 3,  
 Mannington, W. Va.

Drilling completed Dec. 15, 1913.

6" casing, 2381'; 5" casing, 3130'; 2" tubing, 3205'; all left in.

Casing not cemented.

Coal was encountered at 1153-1160'.

Oil well. Abandonment reported to Dept. of Mines Dec. 7, 1948.

Record to 807 from Mrs. Griffith Feb. 17, 1949. Old File No. 656.

	Top.	Bottom.
Conductor	0	16
Pittsburgh Coal	1153	1160
Murphy Sand	1235	1275
Big Buckard Sand	1633	1675
1st Gas Sand	1997	1935
2nd Gas Sand	1945	1994
Salt Sand	2003	2033
Little Lime	2345	2360
Big Lime	2365	2435
Big Injun Sand	2435	2605
Fifty-foot Sand	3086	3135
Thirty-foot Sand (oil show, 3172-3180')	3161	3182
Total depth		3205



656

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Ab 590-A

Oil or Gas Well \_\_\_\_\_ (KIND)

Permit No. \_\_\_\_\_  
Company The Tri-State Pipe Company  
Address Bellaire, Ohio  
Farm L. A. Keenan Acres 92  
Location (waters) \_\_\_\_\_  
Well No. 2 Elev. 1323.00  
District Mannington County Marion  
The surface of tract is owned in fee by Homer Keenan  
R. F. D. #1 Address Glover's Gap,  
Mineral rights are owned by Mrs. Thelma W. Feldreth  
R. F. D. #3 Address Mannington, W. Va.  
Drilling commenced \_\_\_\_\_  
Drilling completed December 15, 1913  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer _____
13			
10			Size of _____
8 1/4			
6 5/8	<u>2381'</u>	<u>2381'</u>	Depth set _____
5 3/16	<u>3130'</u>	<u>3130'</u>	
3			Perf. top _____
2	<u>3205'</u>	<u>3205'</u>	Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____

Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

CASING CEMENTED No SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 1160 FEET 84 INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Conductor				16'			
Pittsburgh Coal			1153	1160			
Murphy			1235	1275			
Big Dunkard			1633	1675			
1st. Gas Sand			1897	1935			
2nd Gas Sand			1945	1994			
Salt Sand			2003	2033			
Little Lime			2345	2360			
Big Lime			2365	2435			
Big Injun			2435	2605			
Fifty Foot			3086	3135			
Thirty Foot			3161	3182			
Oil Show			3172	3180	Oil		
Total Depth				3205			



