







721

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Permit No. 655-A Oil or Gas Well Oil  
(KIND)

Company The Interstate Pipe & Supply Company  
Address P. O. Box 611, Marietta, Ohio  
Farm C. W. Starkey Acres 70  
Location (waters) Starkey Run  
Well No. 1 Elev 1303.47  
District Mannington County Marion  
The surface of tract is owned in fee by J. Darl Starkey  
R. F. D. #1 Address Mannington, W. Va.  
Mineral rights are owned by Isaac Van Voorhis, et al.  
Maidsville, W. Va. Address

Drilling commenced 8/27/13  
Drilling completed 10/9/13  
Date Shot 1914-1924 From 2468 To 2467  
With

Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

| Casing and Tubing | Used in Drilling | Left in Well  | Packers        |
|-------------------|------------------|---------------|----------------|
| Size              |                  |               | Kind of Packer |
| 16                |                  |               |                |
| 13                |                  |               |                |
| 10                | 216              | none          | Size of        |
| 8 1/4             | 1605             | 1605          | Depth set      |
| 6 5/8             | 2128             | 2128          |                |
| 5 3/16            |                  |               |                |
| 3                 |                  |               | Perf. top      |
| 2                 |                  |               | Perf. bottom   |
| Liners Used       | <u>5 1/2" 6"</u> | <u>169'5"</u> | Perf. top      |
|                   |                  |               | Perf. bottom   |

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 1014 FEET 48 INCHES  
1100 FEET 84 INCHES FEET INCHES  
FEET INCHES FEET INCHES

| Formation     | Color | Hard or Soft | Top   | Bottom | Oil, Gas or Water | Depth Found | Remarks |
|---------------|-------|--------------|-------|--------|-------------------|-------------|---------|
| Conductor     |       |              | 16    | 16     |                   |             |         |
| Coal Mapleton |       |              | 1014  | 1018   |                   |             |         |
| Coal Pitts    |       |              | 1100  | 1107   |                   |             |         |
| Dunkard Sand  |       |              | 11600 | 1620   |                   |             |         |
| Gas Sand      |       |              | 1770  | 1785   |                   |             |         |
| Salt Sand     |       |              | 1990  | 2175   |                   |             |         |
| Water         |       |              | 2012  |        |                   |             |         |
| Gas           |       |              | 2134  |        |                   |             |         |
| Maxon Sand    |       |              | 2240  | 2272   |                   |             |         |
| Big Lime      |       |              | 2307  | 2390   |                   |             |         |
| Big Injun     |       |              | 2390  |        |                   |             |         |
| 1st Pay Oil   |       |              | 2468  |        |                   |             |         |
| Total Depth   |       |              |       | 2478   |                   |             |         |

March 1914 Put in 169'5" of 5X5 1/2" liner on Larkin Wall Packer set at 2315'





