



Surface: State of West Virginia.  
 Coal: Jamison Coal & Coke Co.; Engineers Office, Farmington W.Va.

2.318 S 2.32  
 0.65W W 0.65  
 N 7 E 16

New Location   
 Drill Deeper   
 Abandonment

On 400Map # 2758

Company Russell L. Furbee.  
 Address Benoni Ave. Fairmont W.Va.  
 Farm Jno. Shanks  
 Tract Acres 47 1/2 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) Floor = 1040.47  
Ground = 1039.17  
 Quadrangle MANNINGTON  
 County Marion District Mannington  
 Engineer Ernest C. Tabler  
 Engineer's Registration No. 2005  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date Oct. 6<sup>th</sup> 1948 Scale 1" = 400 Feet.

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. MAR-675-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

Mannington District, Marion County, W. Va.  
By Hartman Oil Co.  
Near Mannington.  
Completed in 1898.

675A

	Top.	Bottom.
Bluff Sand	250	325
Mapletown (Sewickley) Coal	445	
Pittsburgh Coal	549	
Gas Sand	1210	
Salt Sand	1445	1580
Big Injun Sand (gas at 1862')	1856	1995
30-Ft. Sand	2370	2395
Gantz Sand	2480	2490
50-Ft. Sand	2495	2355
Gordon Sand (oil at 2734')	2772 $\frac{1}{2}$	



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

759

Permit No. Man-675-82

WELL RECORD

Oil or Gas Well \_\_\_\_\_  
(KIND)

Company John V. Lewis  
Address 201 Jefferson Street  
Mannington, W. Va.  
Farm John Shanks Acres \_\_\_\_\_  
Location (waters) \_\_\_\_\_  
Well No. 1 Elev. \_\_\_\_\_  
District Mannington, County Marion  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_

Drilling commenced \_\_\_\_\_  
Drilling completed \_\_\_\_\_  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_

Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 3/4	1123'		Depth set
6 5/8	1555'		
5 3/16	2020'		
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
4 x 4 1/2	780'		Perf. bottom

CASING CEMENTED	SIZE	No. Ft.	Date
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES			
_____ FEET _____ INCHES _____ FEET _____ INCHES			
_____ FEET _____ INCHES _____ FEET _____ INCHES			

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pittsburg	Coal		549				
Salt Sand			1445	1580			
Big Line			1615	-----			
Big Injun			1850	1995	Gas	1868	
Gantz			2480	2490			
Thirty Foot			2370	2395			
Gordon Stray			2772	2784			
Gordon			2785	2799 1/2			

