


Company VALLEY STEEL PRODUCTS CO.
 Address St. Louis, Missouri.
 Farm Ash Heirs
 Town _____
 County _____
 State _____

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

LATITUDE 39 37 30



LONGITUDE 80 22 30

7'5 OGIS topo location

7.5' loc _____ 15' loc _____
 (calc.) _____

Company _____

Farm ASH HEIRS 2

Quad GLOVER GAP

County MORRISON

District MINNINGTON

WELL LOCATION MAP

File No. 30713

Hamington District, Marion County, W. Va.
 By Valley Steel Products Co., St. Louis, Mo.
 Abandoned under permit No.
 On 35 acres, on Campbell's Run.
 Elevation, 1140' L.

Surface owned by Robertson L. Ash, Sets, W. Va., and minerals by
 Little Kanawha Syndicate, Bernard Simpson, Fairmont, W. Va.
 Shot Aug. 10, 1918, with 15 lbs.
 6" casing, 8319'; 5", 2874'; 4 x 4" liner, 174'; all left in.
 Coal was encountered at 803-810 and 903-913'.
 Oil well. Record to Dept. of Mines stamped May 1, 1951.
 Record to 807 from Mrs. Griffith June 28, 1951. Old file No. 788.

	Top.	Bottom.
Hamington (Kewickley) Coal	803	- 810
Pittsburgh Coal	903	- 913
Little Tucker Sand	1225	- 1260
Big Tucker Sand	1400	- 1524
Salt Sand	1675	- 1800
Little Line	2097	- 2105
Big Line	2125	- 2195
Big Injun Sand	2195	- 2280
50' Sand	2852	- 2903
20' Sand	2935	- 2955
Total Depth		3084



770

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Permit No. MAR-713-A

Oil or Gas Well X (KIND)


Company Valley Steel Products Company
Address Saint Louis, Mo.
Farm Ash Heirs Acres 35
Location (waters) Campbells Run
Well No. 2 Elev. 1140'
District Mannington County Marion
The surface of tract is owned in fee by Socrates L. Ash
Address Metz, W. Va.
Mineral rights are owned by Little Kanawha Syndicate
Mr. Bernard Sampson Address Fairmont, W. Va.
Drilling commenced No Record available
Drilling completed "
Date Shot 5-10-18 From To
With 15 qts.

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10			Size of
8 1/4			
6 5/8	2319'	2319'	Depth set
5 3/16	2874'	2874'	
3			Perf. top
2			Perf. bottom
Liners Used	4"x4 1/2"	174'	Perf. top
			Perf. bottom

Open Flow /10ths Water in Inch
/10ths Merc. in Inch
Volume Cu. Ft.
Rock Pressure lbs. hrs.
Oil bbls., 1st 24 hrs.
Fresh water feet feet
Salt water feet feet

CASING CEMENTED SIZE No. Ft. Date
COAL WAS ENCOUNTERED AT 803 FEET INCHES
903 FEET INCHES FEET INCHES
 FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Mapletown	Coal		803'	810'			
Pittsburgh	Coal		903'	913'			
Lt. Dunkard			1225'	1260'			
Big Dunkard			1400'	1524'			
Salt Sand			1675'	1800'			
Lt. Lime			2093'	2105'			
Big Lime			2125'	2195'			
Big Injun			2195'	2380'			
50' Sand			2852'	2903'			
30' Sand			2935'	2955'			
TOTAL DEPTH				3094'			



JUN 28 1951