



New Location   
 Drill Deeper   
 Abandonment

MAP SHEET NY 520 RD 1016 A 25-27

Company	Hope Natural Gas Co
Address	CLARKSBURG, W.VA.
Farm	Ida R. Keener
Treat	Acres 54 Les No. 61055

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP

LATITUDE 39 35

LONGITUDE 80 15

2.135  
28W

7'5 OGIS topo location

7.5' loc \_\_\_\_\_ 15' loc \_\_\_\_\_  
(calc.) \_\_\_\_\_

Company \_\_\_\_\_

Farm IDA R. REENER

Quad MANNINGTON

County MARION

District LINCOLN

WELL LOCATION MAP

File No. 30735

Lincoln District, Marion County, W. Va.

By Hope Natural Gas Co., 445 W. Main St., Clarksburg, W. Va.

Abandoned under permit No. ....-A7

On 54 acres.

Elevation, 1144' L.

Drilling completed October 1916.

No water recorded.

10" casing, 512'; 8" casing, 1500' (pulled); 6" casing, 1777'; 5" casing, 2681'; 2" tubing, 2867'.

Casing cemented; 10", 512', in 1916.

Coal was encountered at 342-347 and 462-471'.

Gas well. Record to Dept. of Mines stamped July 26, 1951.

Record to ROT from Mrs. Griffith Nov. 28, 1951. Old File No. 614.

	Top.	Bottom.
Hapletown (Sewickley) Coal	342	- 347
Pittsburgh Coal	462	- 471
Little Dunkard Sand	822	- 830
First Salt Sand	1270	- 1314
Second Salt Sand	1365	- 1490
Maxton Sand	1600	- 1640
Little Lime	1685	- 1705
Pencil Cave	1705	- 1706
Big Lime	1709	- 1772
Big Injun Sand	1772	- 1902
Gantz Sand	2308	- 2335
Fifty-foot Sand	2358	- 2430
Thirty-foot Sand	2440	- 2470
Gordon Stray Sand	2630	- 2645
Gordon Sand	2650	- 2700
Fourth Sand	2710	- 2742
Fifth Sand (gas, 2840-52')	2838	- 2860
Total depth		2867



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

814

WELL RECORD

Permit No. MAR-735-A

~~Oil or~~ Gas Well (KIND)

Company Hope Natural Gas Company.  
Address 445 West Main St. Clarksburg, W. Va.  
Farm Ida R. Keener, Acres 54  
Location (waters) \_\_\_\_\_  
Well No. 9532 M.P. 76 Elev. 1144  
District Lincoln County Marion  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_  
Drilling commenced \_\_\_\_\_  
Drilling completed Oct. 1916  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	512	512	Size of
8 1/2	1500	Pulled	
6 5/8	1777	1777	Depth set
5 3/16	2681	2681	
3			Perf. top
2	2867	2867	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water none recorded feet \_\_\_\_\_ feet  
Salt water none recorded feet \_\_\_\_\_ feet

CASING CEMENTED 10 SIZE 512 No. Ft. 1916 Date  
COAL WAS ENCOUNTERED AT 342 FEET 60 INCHES  
462 FEET 108 INCHES FEET INCHES  
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Mapletown Coal			342	347			
Pittsburgh Coal			462	471			
Little Dunkard			822	830			
First Salt			1270	1314			
Second Salt			1365	1490			
Maxon			1600	1640			
Little Line			1685	1705			
Pencil cave			1705	1706			
Big Line			1709	1772			
Big Injun			1772	1902	<del>gas</del>		
Gantz			2308	2335			
Fifty feet			2358	2430			
Thirty feet			2440	2470			
Gordon stray			2630	2645			
Gordon			2650	2700			
Fourth			2710	2742			
Fifth			2838	2860	gas	2840 52	
Total depth				2867			

