



- New Location
- Drill Deeper
- Abandonment

Company Quaker State Oil Co.
 Address Parkersburg, W. Va.
 Farm Joshua Looman
 Tract _____ Acres 150 Lease No. _____

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

LATITUDE 39 30

LONGITUDE 80 27 30

2,025
090W

7'5 OGIS topo location

7.5' loc _____ 15' loc _____
(calc.) _____

Company _____

Farm JOSHUA LOOMMAN 3

Quad WALLACE

County MARION

District MANNINGTON

WELL LOCATION MAP

File No. 30766

JOSHUA LOOMAH NO. 3 WELL.

Mannington District, Marion County, W. Va.

By Guaker State Oil Refining Corp., Box 1789, Parkersburg, W. Va.

Abandoned under permit Mar-.....-A?

On 15-1/8 acres, on Guaker Fork.

Elevation, 1125' L.

Minerals owned by W. Guy Tetrick, Clarksburg, W. Va.

Drilling commenced May 9, 1903; completed July 9, 1903.

Shot July 9, 1903.

10" casing, 221' (pulled); 8 1/2", 1425' (pulled); 6 3/8", 1766'; 5 1/2", 2347';
2" tubing, 3060'.

Coal was encountered at 950'.

Oil well. Record to Dept. of Mines stamped May 20, 1952.

Record to ROT from Mrs. Griffith July 9, 1952. O. P. No. 841.

	Top.	Bottom.
Pittsburgh Coal	950 -	...
Big Injun Sand	2180 -	2395
Fifty-foot Sand (gas, 2792')	2790 -	2805
Stray Sand	2990 -	2995
Shale	2995 -	3005
Gordon Sand (gas and oil, 3039')	3005 -	3045
Total depth		3060



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

841

WELL RECORD

Permit No. MAR-766-A

Oil or Gas Well Oil
(KIND)

Company Quaker State Oil Refining Corp.,
Address Box 1789 Parkersburg, W. Va.
Farm Joshua Looman Acres 15-1/8
Location (waters) Quaker Fork
Well No. 3 Elev. 1,125
District Mannington County Marion
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by W. Guy Tetrick
Address Clarksburg, W. Va.
Drilling commenced May 9, 1903
Drilling completed July 9, 1903
Date Shot 7/9/03 From _____ To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil X _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	221	-----	Size of
8 1/2	1425	-----	
6 5/8	1766	1766	Depth set
5 3/16	2347	2347	
3			Perf. top
2	3060	3060	Perf. bottom
Liners Used	None	None	Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT 950 FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
<u>Pittsburgh Coal</u>			950				
<u>Sand-Big Injun</u>			2180	2295			
<u>Sand-Fifty Ft.</u>			2790	2805	Gas	2792	
<u>Sand-Stray</u>			2990	2995			
<u>Shale</u>			2995	3005			
<u>Sand-Gordon</u>			3005	3045	Gas & Oil	3039	
<u>Total Depth</u>				3060			

