



Surface owned by Cyrus Snyder.  
 Address: Mrs. Pauline Snyder, Glover Gap, W. Va.  
 Coal owned by The Charleston National Bank, Trustee.  
 Address: Bernard G. Sampson, Engr., P.O. Box 368, Fairmont, W. Va.

New Location   
 Drill Deeper   
 Abandonment  On 800' Map N 60E Sqs. N 12 E 12.

Company	South Penn Natural Gas Co.
Address	Parkersburg, W. Va.
Farm	H.C. Snyder (Fisher)
Tract	Acres 143 3/4 Lease No.
Well (Farm) No.	2. Serial No.
Elevation (Spirit Level)	Floor - 1230.46 Ground - 1227.76
Quadrangle	Mannington
County	Marion District Mannington
Engineer	Elsworth Haines
Engineer's Registration No.	2221.
File No.	Drawing No.
Date	Jan. 27th, 1953. Scale 1" = 400 Feet

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. MAR-789-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

873

WELL RECORD

Permit No. 16 789-A Oil or Gas Well Oil  
(KIND)

Company SOUTH PENN NATURAL GAS COMPANY  
 Address P.O. Box 1280, Parkersburg, West Virginia  
 Farm H. C. Snyder (Fisher) Acres 143.75  
 Location (waters) \_\_\_\_\_  
 Well No. 2 Elev. 1227.76  
 District Mannington County Marion  
 The surface of tract is owned in fee by Cyrus Snyder, c/o Pauline Snyder Address Glovers Gap, W. Va.  
 Mineral rights are owned by Charleston National Bank  
 address: Bernard G. Sampson address Box 368, Fairmont, W. Va.  
 Drilling commenced No record  
 Drilling completed May 3, 1910  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing Size	Used in Drilling	Left in Well	Packers
16			Kind of Packer _____
13			
10	No record	None	Size of _____
8 1/4	No record	None	
6 5/8	2465	2465	Depth set _____
5 3/16	2512	2512	
3			Perf. top _____
2	3075	3075	Perf. bottom _____

Liners Used \_\_\_\_\_  
 CASING CEMENTED No SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT 1028 FEET 72 INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pittsburgh Coal			1028	1034			
Second Salt Sand			1845	1915			
Big Lime			2260	2338			
Big Injun			2338	2490			
Fifty Foot			3002	3024			
Thirty Foot			3056	3075			
					Pay	3063	
TOTAL DEPTH				3075			



