

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL COMPANY- OHIO VALLEY OPERATIONS
Coal Operator or Owner
RD 4 BOX 425 MOUNDSVILLE, WV 26041
Address

CONSOLIDATION COAL COMPANY- OHIO VALLEY OPERATIONS
Name of Well Operator
RD 4 BOX 425 MOUNDSVILLE, WV 26041

CONSOLIDATION COAL COMPANY- OHIO VALLEY OPERATIONS
Coal Operator or Owner
RD 4 BOX 425 MOUNDSVILLE, WV 26041
Address

Complete Address
MAJORSVILLE, WV 7.5

THOMAS H. & ROSALIE ELLIOT
Lease or Property Owner
RR 4 BOX 267 CAMERON, WV 26033
Address

Well Location
WEBSTER
District
MARSHALL
County
SGW-93
Well No.
ELLIOT, THOMAS H. & ROSALIE
Farm

RAYMOND RIGGLE
Lease or Property Owner
RR 4 BOX 267 CAMERON, WV 26033
Address

STATE INSPECTOR SUPERVISING PLUGGING _____

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

ROBERT STEEL and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 4th day of June, 2012 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Plugs Used Size & Kind	Casing Pulled	Casing Left In
Removed all 4 1/2" casing from the surface to 1360'. Cleaned 7 7/8" hole through existing 8 5/8" from the surface to 1360'. Cut 8 5/8" casing at 1050', 900' and 850'. Cemented Bottom Hole from 1360' to 900' with 105 sacks of Expandable Cement with a Gas Blocker additive. Removed 775' of 8 5/8" casing from the surface to 775'. Left 387' of 8 5/8" casing in the hole from 775' to 1162'. Removed 10 1/2" casing from the surface to 573'. Left 28' of 10 1/2" casing in the hole from 573' to 601'. Cleaned 12 1/2" hole through Pittsburgh Coal (562' - 568'). Cleaned 7 7/8" hole from 573' to top of bottom hole plug at 900'. Left 20' of 16" conductor pipe in the hole from 20' to surface.		16" Conductor	0'	20'
		10 1/2" Casing	573'	28'
		8 5/8" Casing	775'	387'
		4 1/2" Casing	1360'	0'
Cemented hole from 1360' to surface as follows: From 1360' to 900' with 105 sacks of Expandable Cement with a Gas Blocker additive. From 900' to 768' with Expandable Cement. From 768' to 462' with 240 sacks of Thixotropic Cement with green dye. From 462' to surface with Expandable Cement. A total of 625 sacks of cement were used to fill the hole from 1360' to surface.				
Coal Seams		Description of Monument		
<u>PITTSBURGH</u>	562' to 568'	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
(Name)		cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 15th day of June 2012

And further deponents saith not.


Sworn to and subscribed before me this 26th day of June, 2012

Robert Steel
Robert Steel

Kevin S. Wright
Kevin S. Wright

Jacqueline L. Shriver
Notary Public

My commission expires:
March 18, 2020



Permit No. 47-051-00196-P
Well No. SGW-93

RECEIVED
Office of Oil & Gas
JUL 16 2012
WV Department of Environmental Protection