

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

March 17, 2015

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-5100475, issued to CONSOLIDATION COAL COMPANY, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: L-4693

Farm Name: CROW, JOHN

API Well Number: 47-5100475

Permit Type: Plugging

Date Issued: 03/17/2015

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

FORM WW-4(B)	
Rev. 2/01	

1.) Date:	Fe	bruary -	4, 2	2015		
2.) Opera	tor's We	II No.	S	GW-1	62	
3.) API V	Vell No.	47		51		00475.
		State		Cour	ity	Permit

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION OFFICE OF OIL & GAS APPLICATION FOR A PERMIT TO PLUG & ABANDON

OFFICE OF OIL & GAS APPLICATION FOR A PERMIT TO PLUG & ABANDON				
4.) WELL TYPE:	Oil/ Gas/ (IF "Gas", Production/	Liquid injection Underground storage	_/ Waste disposal// Deep	/ / ShallowX
5.) LOCATION:	Elevation: 1147.72	Watershed:Unn	amed Tributary To Dunkard	Fork .
±-	District: Webster	County: Marshall	Quadrangle: Majo	rsville, WV-PA 7.5'
6.) WELL OPERA	FOR Consolidation Coal Company	_	7.) DESIGNATED AC	ENT_Ronnie Harsh
Address	6126 Energy Road		Address	1 Bridge Street
	Moundsville, WV 26041		-	Monongah, WV 26554
8.) OIL & GAS INS	PECTOR TO BE NOTIFIED		9.) PLUGGING COM	TRACTOR
Name	James Nicholson		Name	F
Address	PO BOX 44		Address	
	Moundsville, WV 26041		=	*
		SEE EXHIBIT NO. 1		
	given to the district oil and gas insp	ector 24 hours before permi	tted work can commence.	RECEIVED Office of Oil and Gas
Van				Office of Children of Co.
Work order approve	d by inspector		Date	WV Department of Environmental Protection

EXEUBIT NO. 1

From the experience and technology developed since 1970 in plugging oil and gas wells for mining through, Consolidation Coal's Northern West Virginia Operations will utilize one of the following two methods to plug all future wells.

45 VENT PIPE METHOD

- (a) If active well: clean out to total depth and plug back according to state regulations to a minimum of 200 feet below lowest minable coal seam.
- (b) If abandoned well: clean out to first plug 200 feet below lowest minable seam.
- (c) Run 4½ casing from surface to minimum 200 feet below lowest minable seam and circulate 50/50 poz mix cement followed by expanding cement to surface. The expanding cement shall extend from minimum 200 feet below minable coal seam to a point 100 feet above.

The $4\frac{1}{2}$ will remain open from surface to a minimum of 80 feet below that minable coal seam.

SOLID PLUG METHOD

- (a) If active well: clean out to total depth and plug back according to state regulations to a minimum of 200 feet below lowest minable coal seam.
- (b) If an abandoned well: clean out to first plug 200 feet below lowest minable coal seam.
- (c) Circulate through tubing or drill steel an expanding cement plug from a minimum of 200 feet below minable coal seam to a point 100 feet above minable coal.

Circulate through tubing or drill steel 50/50 poz mix from 100 feet above coal seam to surface.

A monument will be installed with API No. and stating "solid plug".

A4/EMGR/EXHIBITI.RED

RECEIVED
Office of Oil and Gas

Office of Oil and Gas

Example 10 & 2015

WV Department of Environmental Protection

03/20/2015

FORM WW-4(A) Revised 6-07

4) SURFACE OWNER(S) TO BE SERVED

1) Date: ____February 4, 2015

2) Operator's Well No. SGW-162

3) API Well No. 47 - 51 - 00475 P State County Permit

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

5)a) COAL OPERATOR

(a) Name Charles Albert Witsberger II Address 250 Dry Ridge Rd	Name CONSOLIDATION COAL CO. Address 6126 Energy Road
Cameron, WV 26033	Moundsville, WV 26041
(b) NameAddress	(b) COAL OWNER(S) WITH DECLARATION:
Address	NameAddress
(c) Name Address	
(6) INSPECTOR Lawre Wishelm	(c) COAL LESSEE WITH DECLARATION:
(6) INSPECTORJames Nicholson Address PO BOX 44	Name
Moundsville, WV 26041	Address
Telephone (304) 552-3874	
(1) The Application to Plug and Abandon a V	es the well and its location and the plugging
WHICH ARE SUMMARIZED IN THE "INSTRUCTION	TS IS THAT YOU HAVE RIGHTS REGARDING THE APPLICATION NS" ON THE REVERSE SIDE OF THE COPY OF THE APPLICATION EVER, YOU ARE NOT REQUIRED TO TAKE ANY ACTION AT ALL.
Virginia Department of Environmental Protection, with re on the attached From WW-6. Copies of this Notice, the A	it to plug and abandon a well with the Chief of the Office of Oil and Gas, West espect to the well at the location described on the attached Application and depicted application, and the plat have been mailed by registered or certified mail or delivery by ertain circumstances) on or before the day of mailing or delivery by the Chief.
	WELL OPERATOR Consolidation Coal Company
	By Ronnie Harsh Its Project Engineer / Agent
	Address 1 Bridge Street
	Monongah WV 26554
	Telephone (304) 534-4748
	Misons Carro
Subscribed and sworn before me this 4th day of Febr	nary , 20 15
Christian K. Warfield	Notary Public of West Virginia
Marshall County, State of West	Vinginia Christian K Warfield
My commission expires	6126 Energy Road Moundsville WV 26041 My Commission Expires June 10, 2024 = Environmental
Oil and Gas Privacy Notice	
personal information may be disclosed to other State agen	nation, such as name, address and phone number, as a part of our regulatory duties. Your cies or third parties in the normal course of business or as needed to comply with statutory or
regulatory requirements, including Freedom of Information	on Act requests. Our office will appropriately secure your personal information. If you have any

questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.




WW-9 Rev. 5/08

Ī	Page _		of	
API Number 47 -	051		00475	
Operator's Well No	SG	W-16	52	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name_Consolidation Coal Company	OP Code
Watershed_ Unnamed Tributary To Dunkard Fork	_ Quadrangle _Majorsville, 7.5'
Elevation1147.72' CountyMarshall	District Webster
Description of anticipated Pit Waste:N/A	
Do you anticipate using more than 5,000 bbls of water to complete the proposed we	ell work? Yes NoX
Will a synthetic liner be used in the pit? If so, what mil.	.?
Proposed Disposal Method For Treated Pit Wastes: Land Application Underground Injection (UIC Permit Number Reuse (at API Number Off Site Disposal (Supply form WW-9 for disposal locati XOther (ExplainTanks, see attached letter	ion)
Drilling medium anticipated for this well? Air, freshwater, oil based, etc If oil based, what type? Synthetic, petroleum, etc.? Additives to be used?Bentonite, Bicarbonate of Soda	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Reu -If left in pit and plan to solidify what medium will be used? Cement, lime -Landfill or offsite name/permit number?	e, sawdust
I certify that I understand and agree to the terms and conditions of the GE on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of provisions of the permit are enforceable by law. Violations of any term or conditional law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am application form and all attachments thereto and that, based on my inquiry of obtaining the information, I believe that the information is true, accurate, and of penalties for submitting false information, including the possibility of fine or imprise Company Official Signature	of Environmental Protection. I understand that the tion of the general permit and/or other applicable familiar with the information submitted on this of those individuals immediately responsible for complete. I am aware that there are significant
Company Official (Typed Name) Mason Smith	
Company Official Title Project Engineer	
Subscribed and sworn before me this 4th day of February Christian K. Warfield My commission expires June 10, 2024	Notary Public OFFICIAL SEAL STATE OF WEST VIRGINIA NOTARY PUBLIC Christian K Warfield Murray American Energy Int 6126 Energy 20042015 My Commission Expires June 10, 2024



MURRAY AMERICAN ENERGY, INC. & CONSOLIDATION COAL COMPANY

MURRAY AMERICAN ENERGY, INC. & CONSOLIDATION COAL COMPANY

46226 National Road St. Clairsville, OH 43950

phone: 304.843.3565 fax: 304.843.3546

e-mail: MasonSmith@coalsource.com

MASON SMITH Project Engineer

February 4, 2015

Department of Environmental Protection Office of Oil and Gas 601-57th Street Charleston, WV 25320

To Whom It May Concern,

As per the Division of Environmental Protection, Office of Oil and Gas request, Consolidation Coal Company submits the following procedures utilizing pit waste.

Upon submitting a well work application (without a general permit for Oil & Gas Pit Waste Discharge Application), Consolidation Coal Company will construct no pits, but instead will use mud tanks to contain all drilling muds.

Once the well is completed, that material (minus the cave material) will be trucked to the next well to be plugged or to DEP facilities number U-0033-83, O-1001-00, U-1035-91U-46-84, U-78-83, O-1044-9, or U-100-83.


Sincerely,

Mason Smith


Project Engineer

Office of Oil and Gas

WV Department of Environmental Protection



WV Department of Environmental Protection





SHOEMAKER WELL # SGW-162 MAJORSVILLE QUADRANGLE WEST VIRGINIA - PENNSYLVANIA O'

SCALE 1" = 2000 rment of 2000' W4 000 arment of 6

6000' 2000'

IGINEERING MOUN BL

