

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: John D. Cumpston Operator Well No.: MC-19P

LOCATION: Elevation: 1368' Quadrangle: Cameron WW, PA
District: Liberty County: Marshall
Latitude: _____ Feet South of 39 Deg. 48 Min. 11.09 Sec.
Longitude: _____ Feet West of -80 Deg. 32 Min. 05.67 Sec.

Well Type: OIL _____ GAS X

Company West Virginia Land Resources, Inc. Coal Operator West Virginia Land Resources, Inc.
1 Bridge Street or Owner 1 Bridge Street
Monongah, WV 26554 Monongah, WV 26554
Agent David Roddy Coal Operator _____
Permit Issued Date 09/30/2021 or Owner _____

AFFIDAVIT


STATE OF WEST VIRGINIA,
County of Monongalia ss:

Matthew A. Yearsley and Kevin S. Wright being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 31st day of May, 2023, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Thixotropic Cement	1130'	1020'	3/4" Sucker Rods - 1010'	0'
Lateral Flow Cement	1020'	920' + Laterals	2 7/8" Tubing - 1015'	0'
Expandable Cement	1020'	Surface	7" Steel Casing - 0'	983'
			7" Fiberglass Casing - 0'	60'
			7" Steel Casing - 0'	125.3'
			9 5/8" Casing - 0'	337.6'
			13 3/8" Casing - 0'	40'

Description of monument: 77' of 7" casing with company name, well #, API #, and date cemented and that the work of plugging and filling said well was completed on the 6th day of June, 2023.

And further deponents saith not. Matthew A. Yearsley
Kevin S. Wright



Sworn and subscribe before me this 20th day of July, 2023

My commission expires: June 8, 2027
Christopher Willis
Notary Public

Affidavit reviewed by the Office of Oil and Gas: Shadrach Gower Title: Oil & Gas Inspector

08/04/2023

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

WEST VIRGINIA LAND RESOURCES INC.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
WEST VIRGINIA LAND RESOURCES INC.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
JOHN D. CUMPSTON
Lease or Property Owner
488 WENDT LANE CAMERON, WV 26033
Address

WEST VIRGINIA LAND RESOURCES INC.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
CAMERON WV, PA
Well Location
LIBERTY
District
MARSHALL
County
MC-19P
Well No.
JOHN D. CUMPSTON
Farm

STATE INSPECTOR SUPERVISING PLUGGING Truder Gower 7/24/2023

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MATTHEW A. YEARSLEY and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by West Virginia Land Resources Inc well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 31st day of May, 2023 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In	
Removed 1010' of 3/4" sucker rods from the surface to 1010'. Removed 1015' of 2 7/8" tubing from the surface to 1015'. Cleaned 3 3/4" hole through existing 7" casing from the surface to 1130'. Tagged solid plug at 1130'. A diligent effort was made to remove 7" casing by pulling 150% of string weight. All efforts were unsuccessful. Cemented the bottom hole from 1130' to 1020' with 20 sacks of Thixotropic Cement. Tagged bottom hole plug at 1020'. Set 7" packer at 920' and pumped 5838 gallons of lateral flow cement or 164% of the total calculated volume into the laterals, through the coal seam, access hole to bridge plug, production hole from bottom hole plug to packer until cement was visible at all four packers. Released 7" packer and cemented the hole from 1020' to the surface with 115 sacks of Expandable Cement. Cement did circulate at the surface. Left 1168.3' of 7" casing from the surface to 1168.3' with 7" Fiberglass from 983' to 1043' through the Pittsburgh Coal Seam (1023.0' - 1029.0'). Left 337.6' of 9 5/8" casing in the hole from the surface to 337.6'. Left 40' of 13 3/8" conductor pipe in the hole from the surface to 40'.	3/4" Sucker Rods		1010'	0'	
		2 7/8" Tubing		1015'	0'
		7" Steel Casing		0'	983'
		7" Fiberglass Casing		0'	60'
		7" Steel Casing		0'	125.3'
		9 5/8" Steel Casing		0'	337.6'
	13 3/8" Conductor		0'	40'	
Coal Seams		Description of Monument			
<u>Pittsburgh</u>	<u>1023.0' - 1029.0'</u>	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.			

... and that the work of plugging and filling said well was completed on the 6th day of June, 2023

And further deponents saith not.

Matthew A. Yearsley

Matthew A. Yearsley


Kevin S. Wright

Kevin S. Wright

Sworn to and subscribed before me this 20th day of July 2023.

My commission expires:

June 8, 2027



Christopher Willis
Notary Public

08/04/2023

Permit No. 47-051-01152

Well No. MC-19P

Latitude: 39° 48' 11.09"N

Longitude: -80° 32' 05.67"W

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

WEST VIRGINIA LAND RESOURCES INC.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
WEST VIRGINIA LAND RESOURCES INC.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
JOHN D. CUMPSTON
Lease or Property Owner
488 WENDT LANE CAMERON, WV 26033
Address

WEST VIRGINIA LAND RESOURCES INC.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
CAMERON WV, PA
Well Location
LIBERTY
District
MARSHALL
County
MC-19P
Well No.
JOHN D. CUMPSTON
Farm

STATE INSPECTOR SUPERVISING PLUGGING Truder Gower 7/24/2023

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MATTHEW A. YEARSLEY and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by West Virginia Land Resources Inc well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 31st day of May, 2023 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In	
Removed 1010' of 3/4" sucker rods from the surface to 1010'. Removed 1015' of 2 7/8" tubing from the surface to 1015'. Cleaned 3 3/4" hole through existing 7" casing from the surface to 1130'. Tagged solid plug at 1130'. A diligent effort was made to remove 7" casing by pulling 150% of string weight. All efforts were unsuccessful. Cemented the bottom hole from 1130' to 1020' with 20 sacks of Thixotropic Cement. Tagged bottom hole plug at 1020'. Set 7" packer at 920' and pumped 5838 gallons of lateral flow cement or 164% of the total calculated volume into the laterals, through the coal seam, access hole to bridge plug, production hole from bottom hole plug to packer until cement was visible at all four packers. Released 7" packer and cemented the hole from 1020' to the surface with 115 sacks of Expandable Cement. Cement did circulate at the surface. Left 1168.3' of 7" casing from the surface to 1168.3' with 7" Fiberglass from 983' to 1043' through the Pittsburgh Coal Seam (1023.0' - 1029.0'). Left 337.6' of 9 5/8" casing in the hole from the surface to 337.6'. Left 40' of 13 3/8" conductor pipe in the hole from the surface to 40'.	3/4" Sucker Rods		1010'	0'	
		2 7/8" Tubing		1015'	0'
		7" Steel Casing		0'	983'
		7" Fiberglass Casing		0'	60'
		7" Steel Casing		0'	125.3'
		9 5/8" Steel Casing		0'	337.6'
	13 3/8" Conductor		0'	40'	
Coal Seams		Description of Monument			
<u>Pittsburgh</u>	<u>1023.0' - 1029.0'</u>	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.			

... and that the work of plugging and filling said well was completed on the 6th day of June, 2023

And further deponents saith not.

Matthew A. Yearsley

Matthew A. Yearsley


Kevin S. Wright

Kevin S. Wright

Sworn to and subscribed before me this 20th day of July 2023.

My commission expires:

June 8, 2027



Christopher Willis 08/04/2023
Notary Public

Permit No. 47-051-01152
Well No. MC-19P
Latitude: 39° 48' 11.09"N
Longitude: -80° 32' 05.67"W