WR-35 Rev (9-11)

State of West Virginia

| DATE: | 8-15-2012 |
|-------|--------------|
| API#: | 47-051-01457 |

| 0 | |
|--------------------------------|----------|
| Department of Environmental Pr | otection |
| Office of Oil and Gas | |
| Well Operator's Report of Well | Work |

| Farm name: Fork Ridge MSH 10H | Operator Wel | l No.: 833096 | RECEIVED AUG 1 6 2012 | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|----------------------------------|-----------------------|------------------------|--|--|
| LOCATION: Elevation: 1,391' | Quadrangle: | Glen Easton | | | | |
| District: Cameron | County: Mars | hall | | WV GEOLOGICAL SURVE | | |
| Latitude: Feet South of 39 Deg. | 52 Min | . 30 Sec | MORGANTOWN, WV | | | |
| Longitude 5769' Feet West of 80 Deg. | 37 Min | . <u>30</u> Sec | • | | | |
| Company: Chesapeake Appalachia, L.L.C. | | | | | | |
| Address: P.O. Box 18496 | Casing & Tubing | Used in drilling | Left in well | Cement fill up Cu. Ft. | | |
| Oklahoma City, OK 73154-0496 | 20" | 90' | 90' | Driven | | |
| Agent: Eric Gillespie | 13 3/8" | 1012' | 1012' | 1094 Cu. Ft. | | |
| Inspector: Bill Hendershot | 9 5/8" | 2579' | 2579' | 1324 Cu. Ft. | | |
| Date Permit Issued: 5-20-2011 | 5 1/2" | 12862' | 12862' | 3039 Cu. Ft. | | |
| Date Well Work Commenced: 8-8-2011 | | | | | | |
| Date Well Work Completed: 4-13-2012 | | | | | | |
| Verbal Plugging: | | | | | | |
| Date Permission granted on: | | | | | | |
| Rotary Cable Rig | | | | | | |
| Total Vertical Depth (ft): 6870' | | | | | | |
| Total Measured Depth (ft): 12862' | | | | | | |
| Fresh Water Depth (ft.): 120' | | | | | | |
| Salt Water Depth (ft.): 1660' | | | | | | |
| Is coal being mined in area (N/Y)? Y | | | | | | |
| Coal Depths (ft.): 960' | | | | | | |
| Void(s) encountered (N/Y) Depth(s) N | | | | | | |
| OPEN FLOW DATA (If more than two producing formation Producing formation Marcellus Pay zoon Gas: Initial open flow MCF/d Oil: Initial open flow Time of open flow between initial and final tests 57 Static rock Pressure 4,466* psig (surface pressure) after Second producing formation Pay zoon Gas: Initial open flow MCF/d Oil: Initial open flow Final open flow MCF/d Final open flow | one depth (ft) 7 ow Bt 56 | pl/d l/d *Calculated rs | ta on separate si | heet) | | |
| Time of open flow between initial and final tests | | • | • | | | |
| Static rock Pressurepsig (surface pressure) aft | erHour | 'S | | | | |

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this document and all the attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information I believe that the information is true, accurate, and complete.

| Were core samples taken? | Yes | No_X | W | ere cuttings caught | during drilling? | YesX No |
|----------------------------------------------------------------------------------|--------------------|--------------------------|-----------------------------|---------------------------------------|--------------------------|------------------------|
| Were Electrical, Mechanica | l or Geoph | ysical logs reco | orded on this well | ? If yes, please list_ | LWD gamma ra | y from 6250' MD to TD. |
| NOTE: IN THE AREA FRACTURING OR STIN DETAILED GEOLOGIC COAL ENCOUNTERED | MULATIN CAL REC | G, PHYSICA CORD OF TH | L CHANGE, ET HE TOPS AND | C. 2). THE WELI BOTTOMS OF | L LOG WHICH ALL FORMA | H IS A SYSTEMATIC |
| Perforated Intervals, Fractur | ring, or Stir | mulating: | | | | |
| (See Attached) | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Plug Back Details Including | Dlug Tym | | | | | |
| Flug Back Details including | riug Type | and Depth(s): | | | | |
| | | | | | | |
| Formations Encountered: Surface: | | | Top Depth | / | | Bottom Depth |
| (see attached) | | | | | | |
| | ··· | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | · · · · · · · · · · · · · · · · · · · | | |
| · · · · · · · · · · · · · · · · · · · | # | | | | | |
| | | | - | | | |
| | | | | | | |
| · · · · · · · · · · · · · · · · · · · | | | | | | |
| | · · · | | | | | |
| | | | | | | |
| | | | - | | | |

PERFORATION RECORD ATTACHMENT

Well Number and Name: 833096 Fork Ridge MSH 10H

| PERFO | PRATION RI | CORD | STIMULATION RECORD | | | | | | | |
|-----------|------------|------------|--------------------|----------|---------|----------------|--------|---------|---------|-----------|
| | Interval F | Perforated | | Fluid | | Propping Agent | | Average | | |
| Date | From | То | Date | Interval | Treated | Type | Amount | Туре | Amount | Injection |
| 3/13/2012 | 12,171 | 12,727 | 4/2/2012 | 12,171 | 12,727 | Slk wtr | 13,576 | Sand | 599,600 | 82 |
| 4/3/2012 | 11,523 | 12,078 | 4/3/2012 | 11,523 | 12,078 | Slk wtr | 12,289 | Sand | 664,970 | 84 |
| 4/3/2012 | 10,874 | 11,430 | 4/3/2012 | 10,874 | 11,430 | Slk wtr | 13,284 | Sand | 664,840 | 83 |
| 4/4/2012 | 10,225 | 10,781 | 4/4/2012 | 10,225 | 10,781 | Slk wtr | 11,030 | Sand | 664,980 | 83 |
| 4/4/2012 | 9,576 | 10,129 | 4/4/2012 | 9,576 | 10,129 | Slk wtr | 12,045 | Sand | 664,780 | 85 |
| 4/4/2012 | 8,928 | .9,483 | 4/5/2012 | 8,928 | 9,483 | Slk wtr | 11,232 | Sand | 665,440 | 84 |
| 4/5/2012 | 8,279 | 8,834 | 4/12/2012 | 8,279 | 8,834 | Sik wtr | 12,075 | Sand | 664,560 | 85 |
| 4/12/2012 | 7,625 | 8,185 | 4/13/2012 | 7,625 | 8,185 | Slk wtr | 12,289 | Sand | 659,620 | 84 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| LATERAL WELLBORE (no | vertical pilot noie | associated with | this well) | | | | |
|--------------------------|---------------------------|------------------------|--------------------------|--------------------------|--|--|--|
| Maximum TVD of wellbore: | 6870 ft TVD @ 12862 ft MD | | | | | | |
| | | | | | | | |
| Formation/Lithology | Top Depth, MD (ft) | Top Depth, TVD (ft) | Bottom Depth, MD (ft) | Bottom Depth TVD (ft) | | | |
| SS and LS | 0 | 0 | 170 | 170 | | | |
| SS and minor LS | 170 | 170 | 280 | 280 | | | |
| SH and minor SS | 280 | 280 | 310 | 310 | | | |
| SS and LS | 310 | 310 | 420 | 420 | | | |
| SS and minor LS | 420 | 420 | 490 | 490 | | | |
| SH and SS | 490 | 490 | 610 | 610 | | | |
| SS | 610 | 610 | 730 | 730 | | | |
| SS and minor LS | 730 | 730 | 790 | 790 | | | |
| SS and LS | 790 | 790 | 840 | 840 | | | |
| LS and minor SS | 840 | 840 | 880 | . 880 | | | |
| LS | 880 | 880 | 960 | 960 | | | |
| Pittsburgh Coal | 960 | 960 | 1000 | 1000 | | | |
| SS | 1000 | 1000 | 1036 | 1036 | | | |
| SS and minor LS | 1036 | 1036 | 1060 | 1060 | | | |
| SS and minor SILTSTN | 1060 | 1060 | 1150 | 1150 | | | |
| SS | 1150 | 1150 | 1860 | 1860 | | | |
| SS and minor LS | 1860 | 1860 | 1880 | 1880 | | | |
| SS | 1880 | 1880 | 2020 | 2020 | | | |
| SS and LS | 2020 | 2020 | 2050 | 2050 | | | |
| SS | 2050 | 2050 | 2430 | 2430 | | | |
| SH | 2430 | 2430 | 6921 | 6550 | | | |
| Middlesex | 6921 | 6550 | 7053 | 6637 | | | |
| Geneseo | 7053 | 6637 | 7090 | 6656 | | | |
| LS and SH | 7090 | 6656 | 7105 | 6666 | | | |
| Tully | 7105 | 6666 | 7180 | 6700 | | | |
| SH _ | 7180 | 6700 | 7463 | 6802 | | | |
| Marcellus | 7463 | 6802 | | | | | |
| End of Well | | | 12862 | 6870 | | | |