

State of West Virginia
Department of Environmental Protection - Office of Oil and Gas
Well Operator's Report of Well Work

API 47-051-01763 County Marshall District Franklin
Quad Powhatan Point Pad Name MND 06 Field/Pool Name N/A
Farm name Consolidated Coal Company Well Number MND 06 FHS
Operator (as registered with the OOG) Noble Energy, Inc.
Address 1000 Noble Energy Drive City Canonsburg State PA Zip 15317

As Drilled location NAD 83/UTM Attach an as-drilled plat, profile view, and deviation survey
Top hole Northing 39.817676 Easting 80.791779
Landing Point of Curve Northing 39.816473 Easting 80.798056
Bottom Hole Northing 39.834082 Easting 80.814544

Elevation (ft) 722' GL Type of Well New Existing Type of Report Interim Final
Permit Type Deviated Horizontal Horizontal 6A Vertical Depth Type Deep Shallow
Type of Operation Convert Deepen Drill Plug Back Redrilling Rework Stimulate
Well Type Brine Disposal CBM Gas Oil Secondary Recovery Solution Mining Storage Other _____
Type of Completion Single Multiple Fluids Produced Brine Gas NGL Oil Other _____
Drilled with Cable Rotary

Drilling Media Surface hole Air Mud Fresh Water Intermediate hole Air Mud Fresh Water Brine
Production hole Air Mud Fresh Water Brine
Mud Type(s) and Additive(s)
Synthetic Oil Based

Date permit issued 06/10/2014 Date drilling commenced 08/28/2014 Date drilling ceased na
Date completion activities began Not completed Date completion activities ceased _____
Verbal plugging (Y/N) _____ Date permission granted _____ Granted by JAN 12 2017

Please note: Operator is required to submit a plugging application within 5 days of verbal permission.

Freshwater depth(s) ft 128' and 265' Open mine(s) (Y/N) depths N
Salt water depth(s) ft none noted for offsets Void(s) encountered (Y/N) depths N
Coal depth(s) ft NA Cavern(s) encountered (Y/N) depths N
Is coal being mined in area (Y/N) No

APPROVED

NAME: Jim Treder
DATE: 2/1/17

Reviewed by: _____
02/03/2017

RECEIVED 2014
Office of Oil and Gas
JAN 12 2017
WV Department of Environmental Protection

API 47-051 - 01763

Farm name Consolidated Coal Company Well number MND 06 FHS

CASING STRINGS	Hole Size	Casing Size	Depth	New or Used	Grade wt/ft	Basket Depth(s)	Did cement circulate (Y/N) * Provide details below*
Conductor	26"	20"	40'	New	DH-36		
Surface	18"	16"	135'	New	H-40		
Coal	17.5"	13 3/8"	753.2'	New	J-55		N
Intermediate 1	12.38"	9 5/8"	2060.4'	New	HCK-55		Y
Intermediate 2							
Intermediate 3							
Production	8-3/4" & 8-1/2"	5 1/2"	14,634.9'	New	P-110		Y
Tubing							
Packer type and depth set							

Comment Details was unable to displace cement out of the hole do to pressure exceeding 1000 psi and pumping casing up hole 3".

CEMENT DATA	Class/Type of Cement	Number of Sacks	Slurry wt (ppg)	Yield (ft ³ /sks)	Volume (ft ³)	Cement Top (MD)	WOC (hrs)
Conductor							
Surface							
Coal	Type 1 / Class A	490	15.6	1.39	681.1	25.9	8
Intermediate 1	Type 1 / Class A	745	15.6	1.18	879.1	25.9	8
Intermediate 2							
Intermediate 3							
Production	Type 1 / Class A	lead 718 tail 2250	14.8	Lead 1.54 tail 1.37	total 4,490.99	1815.0	8
Tubing							

Drillers TD (ft) 14650.00

Loggers TD (ft) 14,650.00

Deepest formation penetrated Marcellus

Plug back to (ft) _____

Plug back procedure _____

Kick off depth (ft) 2594

Check all wireline logs run caliper density deviated/directional induction
 neutron resistivity gamma ray temperature sonic

Well cored Yes No Conventional Sidewall Were cuttings collected Yes No

DESCRIBE THE CENTRALIZER PLACEMENT USED FOR EACH CASING STRING No centralizer used on conductor.

18 Centralizers on Intermediate String (Bow string centralizers on first two joints then every third joint to 100' from surface).

248 Centralizers on Production String (rigid bow string every joint to KOP, rigid bow spring every third joint from KOP to top of cement).

WAS WELL COMPLETED AS SHOT HOLE Yes No DETAILS _____

WAS WELL COMPLETED OPEN HOLE? Yes No DETAILS _____

WERE TRACERS USED Yes No TYPE OF TRACER(S) USED _____

RECEIVED
Office of Oil and Gas
JAN 12 2017
WV Department of
Environmental Protection

AS DRILLED PLAT

Latitude: N 39°50'00" Longitude: W 80°47'30"

SURFACE LOCATION (SHL)

UTM 17 NAD 83
N) 4,407,842.08m
E) 517,820.94m
NAD 27 WV NORTH
N) 482,511.8'
E) 1,837,100.2'
NAD 83
DEC. LAT.) 39.817676°
DEC. LONG.) 80.791778°

PERMITTED LANDING POINT (LP)

UTM 17 NAD 83
N) 4,407,391.31m
E) 517,297.27m
NAD 27 WV NORTH
N) 482,045.8'
E) 1,835,373.5'
NAD 83
DEC. LAT.) 39.816328°
DEC. LONG.) 80.797901°

BOTTOM HOLE LOCATION (BHL)

UTM 17 NAD 83
N) 4,408,359.56m
E) 515,899.57m
NAD 27 WV NORTH
N) 488,582.8'
E) 1,830,788.4'
NAD 83
DEC. LAT.) 39.834090°
DEC. LONG.) 80.814534°

SURFACE LOCATION (SHL) AS DRILLED

UTM 17 NAD 83
N) 4,407,542.14m
E) 517,420.90m
NAD 27 WV NORTH
N) 482,512.0'
E) 1,837,100.0'
NAD 83
DEC. LAT.) 39.817676°
DEC. LONG.) 80.791779°

LANDING POINT (LP) AS DRILLED

UTM 17 NAD 83
N) 4,407,467.35m
E) 517,283.96m
NAD 27 WV NORTH
N) 482,089.2'
E) 1,833,330.7'
NAD 83
DEC. LAT.) 39.818475°
DEC. LONG.) 80.798058°

BOTTOM HOLE LOCATION (BHL) AS DRILLED

UTM 17 NAD 83
N) 4,409,358.83m
E) 515,898.63m
NAD 27 WV NORTH
N) 488,580.0'
E) 1,830,793.3'
NAD 83
DEC. LAT.) 39.834062°
DEC. LONG.) 80.814544°

GENERAL NOTES:

- THE LOCATION OF BOUNDARY LINES SHOWN HEREON ARE BASED ON RECORD DEED, PLATS, AND TAX MAPS BEST FIT TO FOUND FIELD EVIDENCE AND AERIAL PHOTOS, UNLESS OTHERWISE NOTED.
- THIS PLAT DOES NOT REPRESENT AN ACTUAL BOUNDARY SURVEY OF THE INDIVIDUAL PARCELS.
- THERE ARE NO EXISTING WATER WELLS OR DEVELOPED SPRINGS WITHIN 250' OF PROPOSED WELL.
- PROPOSED WELL IS GREATER THAN 100' FROM PERENNIAL STREAM, WETLAND, POND, RESERVOIR OR LAKE.
- THERE ARE NO NATIVE TROUT STREAMS WITHIN 300' OF PROPOSED WELL.
- THERE ARE TWO DWELLINGS LOCATED WITHIN 850' OF PROPOSED WELLBORE.
- THE SURROUNDING LANDS ARE BEING SERVED BY PUBLIC WATER BY THE GRAND VIEW COOLIN WATER SYSTEM PROVIDED BY MARSHALL COUNTY PUBLIC HEALTH AND SANITATION DIVISION.

LEGEND

- EXISTING GAS WELL
- AS-DRILLED BORE
- PROPOSED BORE
- TIE LINE
- UNIT BOUNDARY
- PROPERTY LINE
- STREAM LINE
- BUFFER LINE
- GAS WELL
- PLUGGED GAS WELL

REFERENCES

- NTS STATE OF WEST VIRGINIA T.M.P. # 05-07-8898
- CONSOLIDATION COAL COMPANY T.M.P. # 05-07-04
- FHS (EXISTING) NTS

FILE #: 093842010
DRAWING #: 093842010_SV-Plat
SCALE: PLAT & TICK: 1" = 2,000'
MINIMUM DEGREE OF ACCURACY: 1/200
PROVEN SOURCE OF ELEVATION: NGS (CORS)
SKINNED: _____
R.P.E.: _____ **L.I.S.:** _____

I, THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY LAW AND THE RULES ISSUED AND PRESCRIBED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION.

DATE: OCTOBER 7, 2018
OPERATOR'S WELL #: MND 6 FHS
API WELL #: 47 051
STATE: MARSHALL **COUNTY:** FRANKLIN **PERMIT:** _____

WELL TYPE: OIL GAS WASTE DISPOSAL LIQUID INJECTION PRODUCTION STORAGE OTHER

WATERSHED: FISH CREEK
COUNTY/DISTRICT: MARSHALL / FRANKLIN
SURFACE OWNER: CONSOLIDATION COAL COMPANY
OIL & GAS ROYALTY OWNER: CNX GAS COMPANY LLC and NOBLE ENERGY, INC.

CONVERT DRILL DEEPER REDRILL FRACTURE OR STIMULATE PERFORATE NEW FORMATION PLUG & ABANDON
 DRILL PLUG OFF OLD FORMATION CLEAN OUT & REPLUG OTHER CHANGE (SPECIFY): _____

TARGET FORMATION: MARCELLUS
WELL OPERATOR: NOBLE ENERGY, INC. **DESIGNATED AGENT:** STEVEN GREEN
ADDRESS: 333 TECHNOLOGY DRIVE, SUITE 118 **ADDRESS:** 1000 NOBLE ENERGY DRIVE
CITY: CANONSBURG **STATE:** PA **ZIP CODE:** 15317 **CITY:** CANONSBURG **STATE:** PA **ZIP CODE:** 15317

RECEIVED
Office of Oil and Gas

JAN 2 2017

WV Department of Environmental Protection

02/03/2017

MND 6

Formations	Top TVD	Base TVD	Top MD	Base MD	Fluid
Shale and Sandstone	0	284	0	284	
Pittsburgh Coal	284	294	284	294	
Shale and Sandstone	294	706	294	706	
Dunkard Sand	706	727	706	727	
Shale	727	876	727	876	
Gas Sand	876	947	876	5972	
Shale	947	1016	947	6191	
1st Salt Sand	1016	1032	1016	6313	
Shale	1032	1139	1032	6719	
2nd Salt Sand	1139	1168	1139	7118	
Shale and Sandstone	1168	1298	1168	7333	
Maxton Sand	1298	1345	1298	8194	
Shale	1345	1363	1345	8194	
Big Lime	1363	1435	1363	8541	
Big Injun	1435	1705	1435	8869	
Price	1705	1803	1705	8890	
Murrysville	1803	1910	1803	8983	
Shale and Sandstone	1910	2448	1910	8998	
Gordon	2448	2478	2448	9073	
Shale and Sandstone	2478	2999	2478	9179	
Fifth Sand	2999	3052	2999	9995	
Shale and Sandstone	3052	3854	3052	9179	
Warren Sand	3854	3863	3860	9995	
Shale	3863	4580	3869	10660	
Java Shale	4580	4664	4593	not encountered	
Pipe Creek Shale	4664	4739	4678	not encountered	
Angola Shale	4739	5323	4754	not encountered	
Rhinstreet	5323	5642	5344	not encountered	
Cashaqua	5642	5714	5666	not encountered	
Middlesex	5714	5737	5739	not encountered	
West River	5737	5798	5762	not encountered	
Burkett	5798	5822	5824	not encountered	
Tully Limestone	5822	5848	5848	not encountered	
Hamilton	5848	5883	5875	not encountered	
Marcellus	5883	5936	5910	not encountered	
Onondaga	5936	5944	5964	not encountered	
Huntersville	5944	6158	5972	6191	
Oriskany	6158	6270	6191	6313	
Helderburg	6270	6530	6313	6719	
Bass Island Dolomite	6530	6609	6719	7118	
Salina G Big Lime	6609	6809	7118	7333	
Salina F	6809	7608	7333	8194	
Lockport Dolomite	7608	7930	8194	8541	
Rochester Shale	7930	8235	8541	8869	
Dayton Fm/Packer Shell	8235	8254	8869	8890	

RECEIVED
Office of Oil and Gas
JAN 12 2017
WV Department of
Environmental Protection

Shale	8254	8341	8890	8983	
Clinton Sand	8341	8355	8983	8998	
Shale	8355	8424	8998	9073	
Medina Sand	8424	8523	9073	9179	
Queenston Shale	8523	9280	9179	9995	
Reedsville Shale	9280	9898	9995	10660	Gas
Utica Shale	9898	10511	10660	not encountered	
Point Pleasant	10511	10631	not encountered	not encountered	
Trenton Limestone	10631		not encountered	not encountered	

RECEIVED
Office of Oil and Gas
JAN 12 2017
WV Department of
Environmental Protection

02/03/2017