

# west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452 Jim Justice , Governor Austin Caperton , Cabinet Secretary www.dep.wv.gov

Tuesday, December 05, 2017 WELL WORK PERMIT Horizontal 6A / New Drill

SWN PRODUCTION COMPANY, LLC POST OFFICE BOX 12359

SPRING, TX 773914954

Re: Permit approval for COLUMBIA GAS TRANSMISSION UD MSH 4H

47-051-01946-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief

Operator's Well Number: COLUMBIA GAS TRANSMISSION UD MSH 4H

Farm Name: COLUMBIA GAS TRANSMISSION, LLC

U.S. WELL NUMBER: 47-051-01946-00-00

Horizontal 6A / New Drill

Date Issued: 12/5/2017

Promoting a healthy environment.

API Number: <u>51-01946</u>

# **PERMIT CONDITIONS**

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

# **CONDITIONS**

- This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number: 51-01946

# **PERMIT CONDITIONS**

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

WW-6B (10/14)

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Opera	tor: SWN	Production C	o., LLC	49447757	51-Marshall		009-Meade
				Operator ID	County		Quadrangle
2) Operator's	Well Numbe	Columbia Gas 7	ransmission U	MSH 4H Well Pad	Name: Colun	nbia Gas T	ransmission PAD
3) Farm Name	/Surface Ow	mer: Columbia G	ias Transmissk	on, LLC Public Road	d Access: Fish	Creek Ro	ad
4) Elevation, c	urrent grour	nd: <u>784'</u>	Ele	evation, proposed p	ost-construction	n: 784'	
5) Well Type	(a) Gas	x	_ Oil	Unde	rground Storag	e	
	Other						
	(b)If Gas	Shallow	x	Deep			
		Horizontal	x	<del></del>		$\mathcal{C}$	W 6/14/17
<ol><li>6) Existing Page</li></ol>	d: Yes or No	yes				7	
7) Proposed Target Format	arget Formation-Burket Sha	ion(s), Depth le, Target Top TV	(s), Antici D- 6423', Ta	pated Thickness ar rget Base TVD- 6448', A	nd Associated I Anticipated Thickne	Pressure(s): ss- 25' , Assoc	ciated Pressure- 4182
8) Proposed To	otal Vertical	Depth: 643	4'				
9) Formation a	t Total Vert	ical Depth:	Burket Sh	ale			
10) Proposed 7	Total Measur	red Depth:	12146'				
11) Proposed I	Horizontal L	eg Length:	320.85'				
12) Approxima	ate Fresh Wa	ater Strata Dej	oths:	228'			
13) Method to	Determine I	Fresh Water D	epths: N	earby water wells are les	s than 300' TVD. Mir	nimum casing o	lepth to protect fresh water.
14) Approxima	ate Saltwater	Depths: 64	2'				
15) Approxima	ate Coal Sea	m Depths: 5	09'				
16) Approxima	ate Depth to	Possible Void	(coal min	ne, karst, other): _	None that we a	ire aware	of.
17) Does Propedirectly overly	osed well loo ing or adjace	cation contain ent to an activ	coal seam e mine?	rs Yes	No	x	
(a) If Yes, pro	ovide Mine	Info: Name:					
		Depth:					
		Seam:					
		Owner	:				
							Page 1 of 2
						1	Page 1 of 3

RECFIVED
Office of Cit and Gas

JUN 2 9 2017

V/V Department of Environmental Protection

API NO. 47- 51 - 01946

OPERATOR WELL NO. Commission UNI
Well Pad Name: Columbia Gas Transmission PAD

18)

# CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	H-40	94#	100'	100'	CTS
Fresh Water	13 3/8"	New	H-40	48#	340'	340'	340 sx/CTS
Coal	9 5/8°	New	J-55	36#	2015'	2015'	786 sx/CTS
Intermediate	7"	New	J-55	20#	If Needed	If Needed	If Needed/As Needed
Production	5 1/2*	New	HCP-110	20#	12146'	12146'	Load 784cs and 1470cs/100° brakle by
Tubing	2 3/8'	New	HCP-110	4.7#	Арргох. 6393'	Approx. 6393'	
Liners					<u> </u>		

JN 6/14/17

ТҮРЕ	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Max. Associated Surface Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	20"	30"	0.25	2120	81	Class A	1.19/50% Excess
Fresh Water	13 3/8"	17.5"	0.380	2740	633	Class A	1.19/50% Excess
Coal	9 5/8"	12 1/4"	0.395	3950	1768	Class A	1.19/50% Excess
Intermediate	7 <sup>4</sup>	8 3/4"	0.317	4360	3250	Class A	1.20/15% Excess
Production	5 1/2"	8 3/4"	0.361	12360	9500	Class A	1.20/15% Excess
Tubing	2 3/8"	4.778"	0.190		· · · · · · · · · · · · · · · · · · ·		
Liners							

# **PACKERS**

Kind:	10K Arrowset AS1-X		
Sizes:	5 1/2"		
Depths Set:			

Page 2 of 3

RECEIVED
Office of Oil and Gas

JUN 2 9 2017

WW Department of Environmental Protection

WW-6B	
(10/14)	

API NO. 47-51 - 61946
OPERATOR WELL NO. Columbia Gas Transmission Upg
Well Pad Name: Columbia Gas Transmission PAD

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:
Drill and stimulate any potential zones between and including the Benson to Burket Shale. **If we should encounter a void place basket above and below void area- balance cement to bottom of void and grout from basket to surface. Run casing not less than 20' below void nor more than 50' below void. (*If freshwater is encountered deeper than anticipated it must be protected, set casing 50' below and cts.)
20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:
Well will be perforated within the target formation and stimulated with a slurry of water, sand, and chemical additives at a high rate. This will be performed in stages with the plug and perf method along the wellbore until the entire lateral has been stimulated within the target formation. All stage plugs are then drilled out and the well is flowed back to surface. The well is produced through surface facilities consisting of high pressure production unites, vertical separation units, water and oil storage tanks. Max press and anticipated max rate- 9000 lbs @ 80 barrels a minute.
21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 11.4
22) Area to be disturbed for well pad only, less access road (acres): 1.8
23) Describe centralizer placement for each casing string:
All casing strings will be ran with a centralizer at a minimum of 1 per every 3 joints of casing.
24) Describe all cement additives associated with each cement type:
See Attachment ***
25) Proposed borehole conditioning procedures:
All boreholes will be conditioned with circulation and rotation for a minimum of one bottoms up and continuing until operator is satisfied with borehole conditions.
RECEIVED Office of Oil and Gas

JUN 2 9 2017

\*Note: Attach additional sheets as needed.

WW Department of Environmental Protection

# Columbia Gas Transmission MSH 4H ADR

Producing Formation   Producing Formation	API	Operator	Status	Latitude	Longitude	Vestigation		
Plugged   39.75873995740153   80.62374038519215   87555   Marcellus	101093	SWN PRODUCTION COMPANY, 11C	Artho Well	20 754052070520	anna Property		Producing Formation	Producing Zones Not Perforated
Active Well 39.7540155 -80.6207409561921 1908  Active Well 39.756123273 -80.620727869 15567  Active Well 39.7549260103515 -80.6287540013573 15567  Active Well 39.7549204051639 -80.6157371121372 65137  Active Well 39.7549204051639 -80.615880167257 7260°  Active Well 39.7549204051639 -80.615880167257 7260°  Active Well 39.7549204554550 -80.61588616005465 1758°  Active Well 39.7551720765763 -80.616229181796 Not Available	100329	TOTTIMBIA GAS TRANSMISSION	_	59.7546525285208	-80.615/363491257	6755*	Marcellus	
Active Well 39.75923577227 -80.617357701717 1861' Active Well 39.75693260735692 80.614725778969 2099' Active Well 39.7564956103515 -80.6257540113573 1556' Active Well 39.75649204051689 -80.6153801167237 7260' Plugged 39.75749205550 -80.6153801167237 7260' Active Well 39.7551720765763 -80.616229181796 Not Available Active Well 39.7551720765763 -80.616229181796 Active Well 39.7551720765763	2000	COLUMBIA CAS TRANSIMISSION, LLC.	riugged	39.7587999740153	-80.6207409351921	1908	Big Initin	
Active Well 39,7569132607692 40,6147252728969 2099  Active Well 39,7549204051689 40,6157871121372 65,137  Active Well 39,7549204051689 40,615380167237  Active Well 39,7549204051689 40,615380167237  Active Well 39,7551720765763 -80,616229181796 Not Available  Active Well 39,7551720765763 -80,616229181796	77500	OLDINIBIA GAS IRANSMISSION, LLC	Active Well	39.759235773227	-80.6173577017117	1861'	Rio Inim	
Active Well 39.7648960103515 -80.6287540013573 1556'  Active Well 39.7547936545506 -80.6157371121372 6513'  Plugged 39.754936545506 -80.6188616005465 1758'  Active Well 39.7538658832112 -80.618259181796 Not Available  Active Well 39.7551720765763 -80.618229181796 Active Well 39.7551720765763 -80.618229181796 Active Well 39.7551720765763 -80.618280181796 Active Well 39.7551720767676 Activ	OT+ON			39.7569132607692	-80.6147252728969	2099,	nie felier	
Active Well 39.7547156163962 -80.6157371121372 65131  Active Well 39.754204061889 -80.615380167237 72607  Plugged 39.7554204051889 -80.6188616005465 17587  Active Well 39.7551720765763 -80.618229181796 Not Available  Active Well 89.7551720765763 -80.618229181796 Not Available	00311			39.7648960103515	-80.6287540013573	1556'	Manton	
Active Well 39.7549204051689 -80.615380157237 7260° Plugged 39.7574936545506 -80.618616005465 1758′ Active Well 39.7551720765763 -80.616229181796 Not Available  Active Well 89.7551720765763 -80.616229181796 Not Available	01229 5	SWN PRODUCTION COMPANY, ILC	Active Well	39.7547156163962		6513'	March	
Plugged         39.7574936545506         -80.6188616005465         7.200           Active Well         39.7551720765763         -80.616229181796         Not Available           Active Well         39.7551720765763         -80.616229181796         Not Available	01272 \$	WAN PRODUCTION COMPANY, LLC	Active Well	39.7549204051689		10005	Marcellus	
Active Well 39.7551720765763 -80.616229181796 Not Available  Active Well 39.7551720765763 -80.616229181796 Not Available	00442 C		Plugged	39.7574936545506	- 20 6100616A00446	, 200	Marcellus	
Active Well 39.7551720765763 -80.616229181796 Not Available  Active Well 39.7551720765763 -80.616229181796 Not Available	30438 C		Action Wall	CONTRACTOR OF THE PARTY OF THE	-94.01000100010-002	1738	Big Injun	
Active Weil 39,7551720765763 -80.616229181796 Not Available	70437			25.7538658832112	-80.6135971025253	1798'	Big Injun	
				39.7551720765763	-80.616229181796	Not Available		
	1							
	1							
	1							
	-							
	1							
	+							
	1							
	1							
	-							
	-							
	-							
	1							
	-							
	+							
	+							
	-							


Schlumberger Cement Additives

		Schlanner	ger Cement Additives	
	Product Name	Product Use	Chemical Name	CAS Number
Surface	S001	accelerator	calcium chloride	10043-52-4
Intermediate Surface	5001	accelerator	calcium chloride	10043-52-4
	D080	dispersant	sodium polynaphthalene sulfonate	9008-63-3
Kick Off Plug	D801	retarder	aromatic polymer derivative	propriatary
Z Z	D047	antifoam	polypropylene glycol	25322-69-4
	D167	fluid loss	aliphatic amide polymer	propriatary
	D154	extender	non-crystalline silica	7631-86-9
	D400	gas migration	boric acid	10043-35-3
Ĭ		<u> </u>	polypropylene glycol	25322-69-4
Pag	D046	antifoam	fullers earth (attapulgite)	8031-18-3
Production-Lead			chrystalline silica	14808-60-7
읦	D201	retarder	metal oxide	propriatary
뒿			sulphonated synthetic polymer	propriatary
Ĕ	D202	dispersant	formaldehyde (impurity)	propriatary
	1		polypropylene glycol	25322-69-4
	D046	antifoam	fullers earth (attapulgite)	8031-18-3
	D167	fluid loss	aliphatic amide polymer	propriatary
夏	1	1	sodium polynaphthalene sulfonate	9008-63-3
Ę	D065	dispersant	sodium sulfate	7757-82-6
Production-Tall	1		chrystalline silica	14808-60-7
뒇	D201	retarder	metal oxide	propriatary
<u> </u>	D153	anti-settling	chrystalline silica	14808-60-7

RECEIVED
Office of Oit and Gas

JUN 2 9 2017


WV Department of Environmental protection



RECEIVED
Office of Galactid Gas

JUN 2 9 2017

VM Department of Environmental Published



12/08/2017

RECEIVED Office of Oil and Gas

API Number 47 - 51

Operator's Well No. Columbia Gas Transmission UD MSH 4H

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

# FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name SWN Production Company, LLC	OP Code 494512924
Watershed (HUC 10) Upper Ohio South Quadrangle	Cameron
Do you anticipate using more than 5,000 bbls of water to complete the proposed	well work? Yes V No No
Will a pit be used? Yes No 🗸	
If so, please describe anticipated pit waste:closed loop system in place at	this time- cuttings will be taken to a permitted landfill
Will a synthetic liner be used in the pit? Yes No ✓ 15	f so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:	
Land Application	
Underground Injection (UIC Permit Number  Reuse (at API Number at next anticipated well, API # will be inc	cluded with the WR-34/DDMR &/or permit addendum
Off Site Disposal (Supply form WW-9 for disposal lo	
Other (Explain flow back fluids will be put in steel tanks a	
Vill closed loop system be used? If so, describe: Yes	
prilling medium anticipated for this well (vertical and horizontal)? Air, freshwa	ter, oil based, etc. air drill to KOP, fluid drill with SOBM from KOP to TO
-If oil based, what type? Synthetic, petroleum, etc. synthetic oil base	
dditives to be used in drilling medium? see attached sheets	
rill cuttings disposal method? Leave in pit, landfill, removed offsite, etc.	fill
-If left in pit and plan to solidify what medium will be used? (cement, li	
-Landfill or offsite name/permit number?	
Argen Landtill 10072, American 02-12954, Country Wide 383 remittee shall provide written notice to the Office of Oil and Gas of any load of West Virginia solid waste facility. The notice shall be provided within 24 hours owhere it was properly disposed.	drill cuttings or associated waste rejected at any
I certify that I understand and agree to the terms and conditions of the on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department provisions of the permit are enforceable by law. Violations of any term or contaw or regulation can lead to enforcement action.  I certify under penalty of law that I have personally examined and application form and all attachments thereto and that based on my inquiry obtaining the information, I believe that the information is true, accurate, and penalties for submitting false information, including the possibility of fine or important of the contact of the cont	at of Environmental Protection. I understand that the dition of the general permit and/or other applicable arm familiar with the information submitted on this of those individuals immediately responsible for d complete. I am aware that there are significant
Company Official Signature Dee Southall	RECEIVED Office of Oil and Gas
Company Official Title Regulatory Supervisor	IUN 0.0 3017
company Official Title_regulatery coperned.	JUN Z 9 2017
Subscribed and sworn before me this day of May	Environmental Protection
Buttomu R Woody -	Notary Public Application Appl
Ulmina	Walnu Rublic Stale of West
My commission expires 11 d (1/2)	BRITTANY R WOO 12/08/20 Husanitasion expires heyemb
	Commence of the state of the st

# **Drilling Mediums**

Synthetic Oil
Brine
Barite
Calcium Chloride
Lime
Organophilic Bentonite
Primary and Secondary Emulsifiers
Gilsonite
Calcium Carbonate

**Friction Reducers** 

RECEIVED Office of Oil and Gas

JUN 29 2017

WV Department of Environmental Projection

roposed Revegetation Treatment: Acres Disturbed 11.4		
Toposod Revogetation Troubletti. Teles Distarbed	Prevegetation pH	
Limeas determined by pH test min. 2 Tons/acre or to correct to pH1.8	<del> </del>	
Fertilizer type 10-20-20		
Fertilizer amount 600 lbs/acre		
Mulch Hay/Straw 2.5 Tons/acre		
Seed Mixtu	res	
Temporary	Perma	nent
Seed Type lbs/acre	Seed Type	lbs/acre
*See Attachment		
		<del> </del>
	<del>-</del>	4,5,4,5,5,4,5,4,5,4,5,4,5,4,5,4,5,4,5,4
ovided). If water from the pit will be land applied, include dimension reage, of the land application area.  otocopied section of involved 7.5' topographic sheet.	is (L x w x D) of the pit, and	dimensions (L x w), and area in
an Approved by: Jan Tudolee		
an Approved by: Jan Turbolce		
an Approved by: Jan Turkolee		
an Approved by: Jan Turbolce		
an Approved by: Jan Tradolee		
an Approved by: Jan Tudolee		
an Approved by: fin Tustolee		RECEIVED Office of Chand G
lan Approved by: frin Williams.		RECFIVED Office of Circuid Gr
Ian Approved by: Jan Tustolee	e: <i>\O\O\J7</i>	Office of Oil and Cr



# **WVD Seeding Specification**

3		ı
1	o	
1	0	
7	d	
3	3	
3	Se	
1	Ed	
н	0	
в	3	
	2	
н	#	
	~	
п	d	
п	5	
н	Ed	
п	dy	
н	=	
в	ō	
п	90	
	0	
۱	3	
ı	Ce	
н	91	
н	0	
	99	
	6	
1	42	
1	271 cell 501-269	
в	0	
0	0	
8	5	
u	21	
	è	
	ĕ	
	Ś	
2	57	
4		
)	Y	
3	ď	
4	2	
3	'm	
4	豆	
4	0	
4	NS	
4	S	
4	2	
CANIC PROPERTIE	ă	
1		
1		
ч	-	
1	D e	
п	as	
K	0	
	all	
	No.	
	17	
	2	
	1	
	0	
	da	
	SY	
	f	
	2	
1	D	

	ORGANIC PROPERTIES
SWN Supplied	Seed Mixture: SWN Productio
40%	Organic Timothy
15%	Organic Red or White Clover
15%	OR
5%	Organic Perennial Ryegrass
5%	Organic Red or White Clover
5% All legumes are	
5% innoculated at 5x normal	Apply @ 100BS per acr
5% rate	
5%	Organic Fertilizer @ 200lbs p
Apply @ 200lbs per acre Oct. 15th- April 15th PLUS	
50lbs per acre of Winter Wheat	WETLANDS (delineated as
	Seed Mixture: Wetland Mix
*Apply @ 500lbs per Acre	VA Wild Ryegrass
Apply @ 2 Tons per Acre	Annual Ryegrass
*unless otherwise dictated by soil test results	Fowl Bluegrass
	Cosmos 'Sensation'
	Redtop
	Golden Tickseed Maryland Sonna
	Showy Tickseed
	Fox Sedge
Every 622 linear feet in a 70' ROW/LOD, you should be using (2) 50lb bags of seed, (4) 50lb bags of fertilizer and (80) 50lb bags of Lime (2x seed in winter months + 50lb Winter	Soft Rush Woolgrass
	Swamp Verbena
	Apply @ 25lbs per acre
Landowner Special Considerations including CREP program participants require additional	April 16th- Oct. 14th
se requirements with SWN supervision at the	NO FERTILIZ
	Seed Mixture: ROW Mix  SWN Supplied  Orchardgrass  Timothy  Annual Ryegrass  Annual Ryegrass  Brown Top Millet  Red Top  Medium Red Clover  White Clover  White Clover  Apply @ 100lbs per acre  Apply @ 200lbs per acre  Apply @ 200lbs per acre  Apply @ 200lbs per acre  Oct. 15th- April 15th PLUS  50IL AMENDMENTS  *Apply @ 200lbs per acre  Apply @ 2 Tons per Acre  Apply @ 2 Tons per Acre  #Apply @ 3 Oolbs per Acre  #Apply @ 5 Oolbs per Acre  #A

(please allow 7 to 10 days for delivery	ivery)	
TIES		
Production Organic Mix	SWN Supplied	

C
50%
50%
50%
50%
Apply @ 200lbs per acre
Oct. 15th- April 15th
Pelletized Lime @ 2 Tons per Acre
0, 0, 0, 0,

SWN Supplied	lixture: Wetland Mix	ixture:
ANDS (delineated as jurisdictional wetlands)	delineated a	ANDS

20% 20%

y @ 25lbs per acre il 16th- Oct. 14th										
	2.5%	2.5%	2.5%	2.5%	5%	5%	5%	5%	10%	20%
Apply @ 50lbs per acre Oct. 15th- April 15th					Environmental Fig.	WYDana	JUN 2 9 2017		Office of Old and Cas	DITORECTA

NO FERTILIZER OR LIME INSIDE WETLAND LIMITS

beginning of the project to allow time for special seed delivery.

# MARCELLUS WELL DRILLING PROCEDURES AND WELL SITE SAFETY PLAN





SWN Production Company, LLC 179 Innovation Drive Jane Lew, West Virginia 26378

API NO. 47-XXX-XXXXX
WELL NAME: Columbia Gas Transmission UD MSH 4H
Cameron QUAD
Liberty DISTRICT
MARSHALL COUNTY, WEST VIRGINIA

Submitted by: Dee Southall	Date:	5/18/2017
Title: Regulatory Supervisor	SWN P	roduction Co., LLC
Approved by:  Title: Oil of Gas lugge	Date:	6/6/17
Approved by:	Date:	
Title:		

SWN PRODUCTION COMPANY, LLC





Operator's Well No. Columbia Gas Transmission 4H

WW-6A1 (5/13)

# INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that —

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or				
Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
	9	ee Eyhihit "A"		

Dee Exhibit A

RECEIVED
Office of Oil and Gas

JUN 2 9 2017

WV Department of Environmental Protection

# Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator:	SWN Production Company, LLC.
By:	Brenchi Willeins
Its:	Staff Landman

Page 1 of

EXHIBIT "A" Attached to and made a part of the State of West Virginia Oil and Gas Permit Form, WW-6A1, by SWN Production Company, L.L.C., Operator Columbia Gas Transmission 4H

111000	Virginia
I CHISHISSIN	West
000	County,
Coldinala	Marshall

Leased	55,150000		5.000000	5,000000	64.730000	64.730000		64.730000		64.730000		64.730000		64.730000		64.730000		64.730000		64,730000		64.730000		64.730000		64.730000	
Deeded	55.150000		5.000000	5.000000	64.730000	64 730000		64.730000		64.730000		64.730000		64.730000		64.730000		64.730000		64.730000		64.730000		64.730000		64.730000	
Book/Page Must describe The Parcel	156/561		658/193	658/193	5417230																						
Surface Owner	Columbia Gas Transmission, LLC		Mary Esther Grimm	Mary Esther Grimm	Mason Dixon Farms, LLC																						
BK/PG	658/217	33/110	33/110	659/203 33/110	662/627 33/110	663/298	33/110	863/295	33/110	663/286	33/110	60/409	33/110	679/13	33/110	679/16	33/110	860/503	33/110	960/500	33/110	661/553	33/110	661/559	33/110	661/556	33/110
Royalty	12.50%		12.50%	12.50%	12,50%	12.50%		12.50%		12.50%		12.50%		12.50%		12.50%		12.50%		12.50%		12.50%		12.50%		12.50%	
Lessee	Chesapeake Appalachia, LLC	SWN Production Company, LLC	Chesapeake Appalchia, LLC SWN Production Company, LLC	Chesapeake Appalchia, LLC SWN Production Company, LLC	Chesapeake Appalachia, LLC SWN Production Company, LLC	Chesapeake Appalachia, LLC	SWN Production Company, LLC	chesapeake Appalachia, LLC	SWN Production Company, LLC	Chesapeake Appalachia, LLC	SWN Production Company, LLC	Chesapeake Appalachia, LLC	SWN Production Company, LLC	Chesapeake Appalachia, LLC	SWN Production Company, LLC	Chesapeake Appalachia, LLC	SWN Production Company, LLC	Chesapeake Appalachia, LLC	SWN Production Company, LLC	Chesapeake Appalachia, LLC	SWN Production Company, LLC	Chesapeake Appalachia, LLC	SWN Production Company, LLC	Chesapeake Appalachia, LLC	SWN Production Company, LLC	Chesapeake Appalachia, LLC	SWN Production Company, LLC
Lessor	Wilma M Gatten, fMa Wilma G Kestner, a widow, by her Attorney-In-Fact, Margaret A Fallova (Margaret Ann Fallova; Howard Kestner, Betty Whitlatch; Dawn A. Byrum; Jeanette R. Donaid; Denise Evick; John Kestner, Jayne Kimberty)			. Richards, his wife	ife Estate Interest), by her finkle, and William F. .c	Marilyn J. Mincks and Eugene F. Mincks	Chesapeake Appalachia, LLC	Joseph Ashton, a married man dealing in his sole and. Chesapeake Appalachia, LLC separate property	Chesapeake Appalachia, LLC	Davy Lou Ashton, a single women	Chesapeake Appalachia, LLC	Janet L. Pochan, a single women	Chesapeake Appalachia, LLC	John Lewis Gray and Judy Gray, his wife	Chesapeake Appalachia, LLC	Paul Douglas Gray and Sally S. Gray, his wife	Chesapeake Appalachia, LLC	Mary Irene Dodd, a/k/a Irene Crumley, a widow	Chesapeake Appalachia, LLC	Patricia Phillips and Edward S. Phillips, her husband C	Chesapeake Appalachia, LLC	Clark Richard Gray and Lillian Gray (h/w)	Chesapeake Appalachia, LLC	Kathryn Juanita Gray	Chesapeake Appalachia, LLC	C. Dwaine Gray and Virginia Gray, his wife	Chesapeake Appalachia, LLC
Lease Number	723588-000		723599-001	723599-002	723749-010	1-240107-011		723749-012		723749-011		723749-001		723749-015		723749-014		723749-003		723749-002		723749-007		723749-008	12/		3/20
Tax Parcel	7-19-10		7-19-10.1	7-19-10.1	7-16-7	7-16-7		7-16-7		7-16-7		7-16-7		7-16-7		7-16-7		7-16-7		7-16-7		7-16-7		7-16-7		7-16-7	
Tract#			2 7-	2 7-	3 7.	3 7-		3 7-		3 7-		3 7-		3 7-		3 7		3 7-		3 7		3 7-		3 7-		3 7-	

97610 6705

EXHIBIT "A" Attached to and made a part of the State of West Virginia Oil and Gas Permit Form, WW-6A1, by SWN Production Company, L.L.C., Operator Columbia Gas Transmission 4H
Marshall County, West Virginia

Leased		64,730000	64.730000		64.730000		64.730000		221.140000	
Deeded	Acreage	64.730000	64.730000		64.730000		64.730000		221.140000	
Book/Page	Must describe The Parcel								541/230	
Surface Owner									Mason Dixon Farms	
BK/PG		See Attached Memo	661/562	33/110	661/103	33/110	662/7	33/110	645/347	650/63
Royalty		20.00%	12.50%		12.50%		12.50%		12.50%	
Lessee	The second secon	SWN Production Company, LLC	Chesapeake Appalachia, LLC	SWN Production Company, LLC	Chesapeake Appalachia, LLC	SWN Production Company, LLC	hesapeake Appalachia, LLC	SWN Production Company, LLC	Columbia Natural Resources, LLC	Chesapeake Appalachia, LLC SWN Production Company LLC
Lessor	And the second name of the secon	Chestnut Holdings Inc., a Florida Corporation	Carl E. Schoner Jr., a widower	Chesapeake Appalachia, LLC	Arthur Laverne Gray, a widower	Chesapeake Appalachia, LLC	Margaret A. Goetz, alk/a Margaret A. Gray, a married Chesapeake Appalachia, LLC women dealing in her sole and separate property	Chesapeake Appalachia, LLC	William H. Deal, a married man (The William H. Deal Revocable Living Trust dated April 1, 1999)	ibia Natural Resources, LLC
Lease Number		723749-013	723749-006		723749-004		723749-009		723443-000	
Tax Parcel		7-16-7	7-16-7		7-16-7		7-16-7		7-17-33	
Tract #		6	3 7		e		m		4	

# MEMORANDUM OF OIL AND GAS LEASE

The undersigned Chestnut Holdings, Inc., a Florida corporation, of P.O. Box 5056, Fairmont, WV, 26555, as Lessor, and SWN Production Company, L.L.C., a Texas limited liability company, 10000 Energy Drive, Spring. Texas 77389, as Lessee, entered into an Oil and Gas Lesse as of the 22nd day of June, 2017. Said lease covers all that certain tract of land situated in the district of Liberty, County of Marshall, State of West Virginia, being bounded and described generally as follows:

# See Exhibit "A" attached hereto and made a part of

Tax Map No(s): 7-16-7, 7-16-7.1, 7-16-7.2

Containing  $\underline{69.9966}$  acres, more or less, being the same land recorded of said county in Deed Book  $\underline{637}$ , Page  $\underline{541}$ . This lease includes any interest in said property which Lessor hereafter acquires by reversion, prescription or otherwise.

Under the terms of the aforesaid lease, the said property was leased by Lessor to Lessee for a term of <u>Five (5)</u> years from the date thereof and so long thereafter as oil and gas are produced from the said land in paying quantities of the lease is otherwise maintained pursuant to the provision thereof.

Under the terms of the said lease, the Lessee has the first option to renew the lease for the additional five (5) year term, which option must be exercised on or before the expiration of the initial primary term of said lease.

Furthermore, Lessor excepts and reserves all the oil, gas, natural gas liquids and coalbed methane gas and their constituents whether hydrocarbon or non-hydrocarbon within the underlying said land from the surface to the top of the Rhinestreet and those subsurface depths from 100 feet below the top of the Tully.

WITNESS:	LESSOR: Chestnut Holdings, Inc., A Florida corporation
	Christine Hayhurst Davis - Vice President
WITNESS:	SWN Production Company, L.L.C. A Texas limited liability company
	Stephen M. Guidry Vice President - Land

# MEMORANDUM OF OIL AND GAS LEASE

This Memorandum of Oil and Gas Lease made this 22 day of 2017 by and between Chestnut Holdings, Inc., a Florida corporation, of P.O. Box 5056, Fairmont, WV, 26555, hereinaster collectively called "Lessor," and SWN Production Company, L.L.C., a Texas limited liability company, 10000 Energy Drive, Spring, Texas 77389, hereinaster called "Lessee."

### WITNESSETH

Tax Map No: 7-16-7, 7-16-7.1, 7-16-7.2

### See Exhibit "A" attached hereto and made a part of

Containing 69.9966 acres and located in the Township/District of <u>Liberty</u>, <u>Marshall</u> County, State of West Virginia, for the purpose of drilling, operating for, producing and removing oil and gas and all the constituents thereof. Said lands were conveyed to Lessor by virtue of <u>Deed</u> dated <u>May 3, 2004</u>, and recorded in said County and State in Book 637, Page 541. This Lease may be extended beyond the primary term by certain activities including, without limitation, conducting operations, producing oil or gas, or making prescribed payments. This Lease also grants to Lessee a Right of First Refusal to match any offer to top lease the leased premises, which right may be exercised by Lessee within fifteen (15) days after receipt of proper notice from Lessor.

This Memorandum of Oil and Gas Lease is being made and filed for the purpose of giving third parties notice of the existence of the Lease described above. The execution, delivery and recordation of this Memorandum of Oil and Gas Lease shall have no effect upon, and is not intended as an amendment of the terms and conditions of the Lease. It is the intent of the Lessor to lease all of Lessor's interest in and to the properties described herein, whether or not the tracts recited herein are properly described, and further it is understood this lease includes all rights owned by the Lessor in the properties described herein.

IN WITNESS WHEREOF this Memorandum of Oil and Gas Lease is executed as of the date first above written

WIINESS:	Chestnut Holdings, Inc.,
R. L. Hayhund	A Florida corporation  Mother Daylor Law  Christine Hayhurst Daylor Vice President
•	Christine Hayhurst Davis Vice President
WITNESS:	SWN Production Company, L.L.C. A Texas limited liability company
	Stephen M. Guidry Vice President - Land

RECEIVED Office of Oil and Gas

JUN 2 9 2017

# **ACKNOWLEDGEMENT**

STATE OF WEST VIRGINIA COUNTY OF MALLON	: :
she as such Lite Duside being author	, 2017, before me, the undersigned authority, personally appeared ged herself to be the Vice familiary Charlest Should way, and that prized to do so, executed the foregoing instrument for the purposes therein proporation by herself as Vice familiary.
IN WITNESS WHERE	OF, I hereunto set my hand and official seal.
Signat	ommission Expires:  Why Jih Jules  ure/Notary Public:  Cynthia Indexion
co	PRPORATE ACKNOWLEDGMENT
STATE OF TEXAS	) ) §
COUNTY OF HARRIS	)
appeared Stephen M. Guidry, who ack Company, L.L.C., a Texas limited liabil	, 2017, before me the undersigned Notary Public, personall knowledged himself to be the Vice-President - Land of SWN Productio lity company, and that he as such officer, being authorized to do so, execute herein contained by signing the name of the corporation by himself as Vice
IN WITNESS WHEREOF, I h	ereunto set my hand and official scal.
Signatu	mmission Expires: ure/Notary Public: Notary Public (print):

RECEIVED
Office of Oil and Gas

JUN 2 9 2017

WW Demonstrate Proceedion

### EXHIRIT "A"

Attached to and made a part of that certain Memorandum of Oil and Gas Lease dated the 22 day of Jose C 2017, by Chestnut Holdings, Inc., a Florida corporation, of P.O. Box 5056, Fairmont, WV, 26555, as Lessor and SWN Production Company, L.L.C., a Texas limited liability company, as Lessee, to-wit:

### **DESCRIPTION:**

That certain tract of or parcel of land being situated in the District of Liberty, County of Marshall, State of West Virginia, and being bounded now or formerly substantially as follows, to wit:

On the North by lands of: James Briggs, Mason Dixon Farms, LLC;

On the East by lands of: Columbia Gas Transmission;
On the South by lands of: Fish Creek;

On the West by lands of: Mason Dixon Farms, LLC;

Said lands being identified for tax purposes as part of parcel number 7-16-7 as of the date of this lease and containing 64.73 acres, more or less.

# ALSO:

That certain tract of or parcel of land being situated in the District of Liberty, County of Marshall, State of West Virginia, and being bounded now or formerly substantially as follows, to wit:

On the North by lands of: James Briggs, Mason Dixon Farms, LLC:

On the East by lands of: Columbia Gas Transmission;
On the South by lands of: Fish Creek;

On the West by lands of: Mason Dixon Farms, Ll.C;

Said lands being identified for tax purposes as part of parcel number 7-16-7.1 as of the date of this lease and containing 0.3166 acres, more or less.

### ALSO:

That certain tract of or parcel of land being situated in the District of Liberty, County of Marshall, State of West Virginia, and being bounded now or formerly substantially as follows, to wit:

On the North by lands of: James Briggs, Mason Dixon Farms, LLC;

On the East by lands of: Columbia Gas Transmission;

On the South by lands of: Fish Creek;

On the West by lands of: Mason Dixon Farms, LLC;

Said lands being identified for tax purposes as part of parcel number 7-16-7.2 as of the date of this lease and containing 4.95 acres, more or less.

END OF EXHIBIT "A"

Signed for Identification this 22 day of \_\_\_\_\_\_, 2017.

LESSOR:

Christine Hayhurst Davis - Vice President

Chestnut Holdings, Inc., A Florida corporation

RECEIVED
Office of Oil and Gas

JUN 2 9 2017

WW Department of Environmental Protection

Document prepared by: SWN Production Company, LLC, 10000 Energy Drive, Spring, TX 77389

Recorder: Return to: ATTN: Breada Borens - SWN Production Company, LLC, 10000 Energy Drive, Spring, TX 77389



047-051-01946

SWN Production Company, LLC P O Box 12359 Spring, Texes 77391-2359 www.swn.com

June 20, 2017

Ms. Laura Adkins WV DEP Office of Oil & Gas 601 57<sup>th</sup> St., SE Charleston, WV 25304

RE: SWN's proposed New Well: Columbia Gas Transmission UD MSH 4H in Marshall County, West Virginia, Drilling under Fish Creek Road.

Dear Ms. Adkins:

SWN Production Company, LLC ("SWN") is applying for a drilling permit for the above referenced well. The State of West Virginia has raised some concern as to SWN's right to drill under Fish Creek Road. Please be advised that SWN has leased all mineral owners under said route as it relates to the above-referenced well and unit.

Thank you.

Sincerely,

Brandi Williams, CPL

Staff Landman

SWN Production Company, LLC

Bred William

PO Box 12359

Spring, TX 77391-2359

RECEIVED Office of Oil and Gas

JUN 2 9 2017

WV Department of Environmental Protection

R2 NV+°

Date of Notice Certification: 48

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

API No. 47- 51

	1			bia Gas Transmission UD MSH 4H
4.00		Well Pad	Name: Columb	ia Gas Transmission PAD
Notice has b			Carlo Variable	
		22-6A, the Operator has provided the r	equired parties v	with the Notice Forms listed
	tract of land as follows:		20000000	
State:	WV	UTM NAD 83 Easting:	532987.42	
County:	51-Marshall	Northing		
District:	Liberty	Public Road Access:	Fish Creek Road	
Quadrangle:	Cameron	Generally used farm name:	Columbia Gas Ti	ransmission
Watershed:	Upper Ohio South			
prescribed by it has provide information re of giving the requirements Virginia Code	the secretary, shall be verified and s ed the owners of the surface describ equired by subsections (b) and (c), so surface owner notice of entry to su of subsection (b), section sixteen o	every permit application filed under thall contain the following information: (bed in subdivisions (1), (2) and (4), suction sixteen of this article; (ii) that the recy pursuant to subsection (a), section f this article were waived in writing beender proof of and certify to the secretar t.	14) A certificati bsection (b), se- requirement was a ten of this arti by the surface ov	on from the operator that (i) ction ten of this article, the deemed satisfied as a result cle six-a; or (iii) the notice wner; and Pursuant to West
that the Oper	West Virginia Code § 22-6A, the Option of the require CCK ALL THAT APPLY	erator has attached proof to this Notice d parties with the following:	Certification	OOG OFFICE USE ONLY
□ 1. NOT	TICE OF SEISMIC ACTIVITY or	■ NOTICE NOT REQUIRED BECA SEISMIC ACTIVITY WAS CONDU		RECEIVED/ NOT REQUIRED
☐ 2. NO	TICE OF ENTRY FOR PLAT SURV	TEY or 🔳 NO PLAT SURVEY WAS	CONDUCTED	☐ RECEIVED
■ 3. NOT	TICE OF INTENT TO DRILL or	NOTICE NOT REQUIRED BECANOTICE OF ENTRY FOR PLAT SUR WAS CONDUCTED or		RECEIVED/ NOT REQUIRED
		WRITTEN WAIVER BY SURFA (PLEASE ATTACH)	ACE OWNER	
■ 4. NOT	FICE OF PLANNED OPERATION			RECEIVED
■ 5. PUB	BLIC NOTICE			RECEIVED
■ 6. NO	FICE OF APPLICATION			RECEIVED

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

By:

Its:

# Certification of Notice is hereby given:

THEREFORE, I \_\_\_\_\_\_\_, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: SWN Production Co., LLC

Dee Southall

Regulatory Superviso

Telephone: 832-796-1610

Address: P.O. Box 1300

Jane Lew, WV 26378

Facsimile: 304-471-2497

Pmail: Dee\_Southall@swn.com

NOTARY SEAL OFFICIAL SEAL OFFICIAL SEAL Notary Fublic, State of West Virginia BRITTANY R WOODY 3302 Old Elkins Road Buckhannon, WV 26201 My commission expires November 27, 2022

Subscribed and sworn before me this

Notary Public

My Commission Expires

# Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <a href="deprivacyofficer@wv.gov">deprivacyofficer@wv.gov</a>.

RECEIVED
Office of Oil and Gas

WW-6A (9-13) API NO. 47-51 OPERATOR WELL NO. Countrie Gas Transmission PAD
Well Pad Name: Columbia Gas Transmission PAD

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requir	rement: notice shall be prov	ded no later than the filing date of permit application.
Date of Notice: 440 Notice of:	Date Permit Applica	tion Filed: (1) 28 117
PERMIT FOR	ANY 🔲 CERTIF	CATE OF APPROVAL FOR THE
WELL WORK		RUCTION OF AN IMPOUNDMENT OR PIT
Delivery method pu	rsuant to West Virginia C	ode § 22-6A-10(b)
☐ PERSONAL	☑ REGISTERED	☐ METHOD OF DELIVERY THAT REQUIRES A
SERVICE	MAIL	RECEIPT OR SIGNATURE CONFIRMATION
sediment control plan the surface of the tract oil and gas leasehold be described in the erosic operator or lessee, in t more coal seams; (4). It well work, if the surfat impoundment or pit as have a water well, spri provide water for cons proposed well work act subsection (b) of this serecords of the sheriff of provision of this articl Code R. § 35-8-5.7.a	required by section seven of ton which the well is or is pro- being developed by the propo- on and sediment control plan- the event the tract of land on a The owners of record of the si- ce tract is to be used for the pa- sidescribed in section nine of ing or water supply source looksumption by humans or dome ctivity is to take place. (c)(1) section hold interests in the la- required to be maintained pur- te to the contrary, notice to a la- requires, in part, that the ope	quires a receipt or signature confirmation, copies of the application, the erosion and his article, and the well plat to each of the following persons: (1) The owners of record of posed to be located; (2) The owners of record of the surface tract or tracts overlying the sed well work, if the surface tract is to be used for roads or other land disturbance as submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, which the well proposed to be drilled is located [sic] is known to be underlain by one or urface tract or tracts overlying the oil and gas leasehold being developed by the proposed lacement, construction, enlargement, alteration, repair, removal or abandonment of any this article; (5) Any surface owner or water purveyor who is known to the applicant to eated within one thousand five hundred feet of the center of the well pad which is used to stic animals; and (6) The operator of any natural gas storage field within which the firmer than three tenants in common or other co-owners of interests described in most, the applicant may serve the documents required upon the person described in the suant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any ien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. ator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any and water testing as provided in section 15 of this rule.
☐ Application Notice	ce 🛮 WSSP Notice 🗆 E&	S Plan Notice
SURFACE OWNE	ER(s)	☑ COAL OWNER OR LESSEE
Name: Stephen Nowacze	wski/TransCanada	Name: Consol Coal Company %Leatherwood
Address: PO Box 1273		Address: 1000 Consol Energy Drive
Charleston, WV 25325-1273		Canonsburg, PA 15317
Name:		☐ COAL OPERATOR
Address:		Name:
		Address:
	R(s) (Road and/or Other Di	
Name:		■ SURFACE OWNER OF WATER WELL
Address:		AND/OR WATER PURVEYOR(s)
Name:		Address:
Address:		
		☐ OPERATOR OF ANY NATURAL GAS STORAGE FIELD
SURFACE OWNE	ER(s) (Impoundments or Pits	Name:
Name:		Address:
Address:		
		*Please attach additional forms if necessary  Office of Oil and Gas

JUN 2 9 2017

WV p12/08/2017 Environmental Protection WW-6A (8-13) Officer in and Gas

JUN 2 9 2017

NA Discontinuit of

API NO. 47-51 OPERATOR WELL NO. COURSE GAS Transmission PAD
Well Pad Name: Columbia Gas Transmission PAD

# Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

# This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a firesh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <a href="https://www.dep.wv.gov/oil-and-gas/pages/default.aspx">www.dep.wv.gov/oil-and-gas/pages/default.aspx</a>.

# Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12. Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

WW-6A (8-13) API NO. 47-<u>51</u>

OPERATOR WELL NO.  $\underline{\hspace{1.5cm}}^{\hspace{1.5cm}}$  Columbia Gas Transmission  $\underline{\hspace{1.5cm}}$ 

Well Pad Name: Columbia Gas Transmission PAD

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

# Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

# Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

# Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

# Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

| RECENTED Office of Oil and Gas | Office of Oil and Oil and

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57<sup>th</sup> St. SE
Charleston, WV 25304
(304) 926-0450

Office of Oil and Gas

JUN 2 9 2017

WV Department of Environmental Protection

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WW-6A (8-13) API NO. 47-51

OPERATOR WELL NO. Edumbia Gas Transmission

Well Pad Name: Columbia Gas Transmission PAD

# Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

# **Comment Requirements**

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <a href="http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx">http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx</a> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

# Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

REGENTED Office of Oil and Gas

JUN 2 9 2017

WV Department of Environment at Protection WW-6A (8-13)

API NO. 47-51

OPERATOR WELL NO. Columbia Gas Transcression

Well Pad Name: Columbia Gas Transmission PAD

Notice is hereby given by:

Well Operator: SWN Production Co., LLC

Telephone: 832-796-1610 Email: Dee\_Southall@swn.com Address: P.O. Box 1300 Jane Lew, WV 26378

Facsimile: 304-471-2497

# Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



Subscribed and sworn before me this

day of

Notary Public

My Commission Expires

RECEIVED Office of Oil and Gas

JUN 2 9 2017


WV Department of Environmental Protection

# Columbia Gas Transmissions MSH Pad - Water Purveyors w/in 1500' Sources


Landowner
Michael & Donna Richards
Columbia Gas Transmission

Address

17 Rachelle Drive, Moundsville WV 26041 1 well 2567 Celt Road, Standardsville, WV 22973 2 wells



The intent of this map is for general reference only. Information on this map was created using the best available data at the time but is not guaranteed accurate. 12/08/2017



# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Date of Notic	ce: 05/18/2017 Date Per	mit Application Filed: (1)	
Delivery met	thod pursuant to West Virginia Code § 2	22-6A-16(b)	
☐ HAND	CERTIFIED MAIL		
DELIVE		DUESTED	
eceipt request frilling a hore of this subsection manager	V. Va. Code § 22-6A-16(b), at least ten day sted or hand delivery, give the surface own izontal well: <i>Provided</i> . That notice given tion as of the date the notice was provided ay be waived in writing by the surface own the, facsimile number and electronic mail and	ner notice of its intent to enter upon the pursuant to subsection (a), section te to the surface owner: <i>Provided, how</i> ner. The notice, if required, shall include:	ne surface owner's land for the purpose of n of this article satisfies the requirements rever. That the notice requirements of this ude the name, address, telephone number,
	reby provided to the SURFACE OW		
	Nowaczewski/TransCanada	Name:	
Address: P.O. Charleston, WV		Address:	
Pursuant to V he surface ov	reby given: Vest Virginia Code § 22-6A-16(b), notice wner's land for the purpose of drilling a ho	rizontal well on the tract of land as fo	llows:
Pursuant to V he surface ov	Vest Virginia Code § 22-6A-16(b), notice	rizontal well on the tract of land as fo	
Pursuant to V he surface ov State:	Vest Virginia Code § 22-6A-16(b), notice when's land for the purpose of drilling a ho	rizontal well on the tract of land as fo	llows:
Pursuant to V he surface ov State: County:	Vest Virginia Code § 22-6A-16(b), notice wher's land for the purpose of drilling a ho  West Virginia	rizontal well on the tract of land as fo	llows: 532,987.42
Pursuant to V he surface ov State: County: District:	Vest Virginia Code § 22-6A-16(b), notice wher's land for the purpose of drilling a ho West Virginia  Marshall	rizontal well on the tract of land as fo UTM NAD 83 Easting: Northing:	Hows: 532,987.42 4,400,580.57
Pursuant to V	Vest Virginia Code § 22-6A-16(b), notice wher's land for the purpose of drilling a ho West Virginia Marshall Liberty	rizontal well on the tract of land as fo  UTM NAD 83  Easting: Northing: Public Road Access:	Hows: 532,987.42 4,400,580.57 Fish Creek Road
Pursuant to V he surface ov State: County: District: Quadrangle: Watershed:  This Notice Pursuant to V acsimile nur related to hor	Vest Virginia Code § 22-6A-16(b), notice wher's land for the purpose of drilling a ho West Virginia Marshall Liberty Cameron	rizontal well on the tract of land as fo  UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name:  notice shall include the name, addroperator and the operator's authorize Secretary, at the WV Department of	Blows: 532,987.42 4,400,580.57 Fish Creek Road Columbia Gas Transmission MSH  ress, telephone number, and if available, ed representative. Additional information f Environmental Protection headquarters,
Pursuant to V he surface ov State: County: District: Quadrangle: Watershed:  This Notice Pursuant to Tacsimile nur related to hor ocated at 60  Notice is he	Vest Virginia Code § 22-6A-16(b), notice wher's land for the purpose of drilling a howard virginia  Marshall Liberty Cameron Upper Ohio South  Shall Include: West Virginia Code § 22-6A-16(b), this mber and electronic mail address of the orizontal drilling may be obtained from the 157th Street, SE, Charleston, WV 25304 (Streeby given by:	rizontal well on the tract of land as fo  UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name:  notice shall include the name, addresses authorize a Secretary, at the WV Department of 304-926-0450) or by visiting www.de	Allows: 532,987.42 4,400,580.57 Fish Creek Road Columbia Gas Transmission MSH  ress, telephone number, and if available, ed representative. Additional information f Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.
Pursuant to Vehe surface of State: County: District: Quadrangle: Watershed: Pursuant to Venezurant to Venezurant to the second at 60 venezurant to Venezuran	Vest Virginia Code § 22-6A-16(b), notice wher's land for the purpose of drilling a howard virginia  Marshall Liberty Cameron Upper Ohio South  Shall Include: West Virginia Code § 22-6A-16(b), this mber and electronic mail address of the orizontal drilling may be obtained from the 157th Street, SE, Charleston, WV 25304 (compared to the control of the	rizontal well on the tract of land as fo  UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name:  notice shall include the name, addroperator and the operator's authorize Secretary, at the WV Department of 304-926-0450) or by visiting www.de	Illows: 532,987.42 4,400,580.57 Fish Creek Road Columbia Gas Transmission MSH  ress, telephone number, and if available, ed representative. Additional information f Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.  Steve Teel
Pursuant to Vehe surface of State: County: District: Quadrangle: Watershed: Pursuant to Venezimile nurelated to horocated at 60° Notice is he Well Operator	Vest Virginia Code § 22-6A-16(b), notice wher's land for the purpose of drilling a howard virginia  Marshall Liberty Cameron Upper Ohio South  Shall Include: West Virginia Code § 22-6A-16(b), this mber and electronic mail address of the orizontal drilling may be obtained from the 157th Street, SE, Charleston, WV 25304 (Streeby given by:	rizontal well on the tract of land as fo  UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name:  notice shall include the name, addresses authorize a Secretary, at the WV Department of 304-926-0450) or by visiting www.de	Allows: 532,987.42 4,400,580.57 Fish Creek Road Columbia Gas Transmission MSH  ress, telephone number, and if available, and representative. Additional information of Environmental Protection headquarters, ap.wv.gov/oil-and-gas/pages/default.aspx.  Steve Teel PO Box 1300, 179 Innovation Drive
Pursuant to Vehe surface of State: County: District: Quadrangle: Watershed:  Phis Notice Pursuant to Macasimile number at the holo ocated at 60 ocat	Vest Virginia Code § 22-6A-16(b), notice wher's land for the purpose of drilling a ho West Virginia  Marshall Liberty Cameron Upper Ohio South  Shall Include: West Virginia Code § 22-6A-16(b), this mber and electronic mail address of the drizontal drilling may be obtained from the 1 57th Street, SE, Charleston, WV 25304 (coreby given by:  SWN Production Company, LLC	rizontal well on the tract of land as fo  UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name:  notice shall include the name, address authorized Secretary, at the WV Department of 304-926-0450) or by visiting www.de  Authorized Representative: Address:	Illows: 532,987.42 4,400,580.57 Fish Creek Road Columbia Gas Transmission MSH  ress, telephone number, and if available, ed representative. Additional information f Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.  Steve Teel
Pursuant to V he surface ov State: County: District: Quadrangle: Watershed:  This Notice Pursuant to V acsimile nur related to hor ocated at 60  Notice is he Well Operate Address:  Felephone:	Vest Virginia Code § 22-6A-16(b), notice wher's land for the purpose of drilling a howast Virginia  Marshall Liberty Cameron Upper Ohio South  Shall Include: West Virginia Code § 22-6A-16(b), this mber and electronic mail address of the orizontal drilling may be obtained from the 157th Street, SE, Charleston, WV 25304 (coreby given by:  SWN Production Company, LLC PO Box 1300, 179 Innovation Drive	rizontal well on the tract of land as fo  UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name:  notice shall include the name, address: Secretary, at the WV Department of 304-926-0450) or by visiting www.de  Authorized Representative: Address: Telephone:	Allows: 532,987.42 4,400,580.57  Fish Creek Road  Columbia Gas Transmission MSH  Tess, telephone number, and if available, and representative. Additional information of Environmental Protection headquarters, ap.wv.gov/oil-and-gas/pages/default.aspx.  Steve Teel  PO Box 1300, 179 Innovation Drive  Jane Lew, WV 26378 832-540-1136
Pursuant to V he surface ov State: County: District: Quadrangle: Watershed:  This Notice Pursuant to Tacsimile nur related to hor ocated at 60  Notice is he	Vest Virginia Code § 22-6A-16(b), notice wher's land for the purpose of drilling a howard with the purpose of drilling with the purpose of drilling a howard with the purpos	rizontal well on the tract of land as fo  UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name:  notice shall include the name, address authorized Secretary, at the WV Department of 304-926-0450) or by visiting www.de  Authorized Representative: Address:	Illows: 532,987.42 4,400,580.57 Fish Creek Road Columbia Gas Transmission MSH  ress, telephone number, and if available, ed representative. Additional information f Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.  Steve Teel PO Box 1300, 179 Innovation Drive Jane Lew, WV 26378

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov. Office of Olland Gas

JUN 2 9 2017

047-051-01946

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

		quirement: notice s		no later than the filing Application Filed:		application.
Delivery	metho	d pursuant to West	Virginia Code §	22-6A-16(c)		
■ CF	RTIFIE	ED MAIL		HAND		
-		RECEIPT REQUES	STED	DELIVERY		
				20,000,000,000,000		
return re the plant required drilling of damages	ceipt red ned ope to be pr of a hor to the s notices r	quested or hand deliveration. The notice rovided by subsection fizontal well; and (3 purface affected by or	very, give the sur required by this n (b), section ten ) A proposed sur il and gas operation	face owner whose land subsection shall inclu of this article to a surf- face use and compen- ons to the extent the da	d will be used for de: (1) A copy ace owner whos sation agreemen amages are comp	cation, an operator shall, by certified mail or the drilling of a horizontal well notice of of this code section; (2) The information se land will be used in conjunction with the nt containing an offer of compensation for pensable under article six-b of this chapter, sted in the records of the sheriff at the time
Made t	. Is a south a		IDEACE OWN	ED/a\		
		y provided to the St sted in the records o				
			i the sherily at the	Name:		
	echen Nov	vaczewski/ FransCanada		T. COLLIE.		
Name: 5		vaczewski/TransCanada 1273	V	Addres	S.	
Name: Standards: Standards: Standards: Notice is	P.O. Box WV 2532	1273 5-1273 y given:	-6A-16(c) notice	Addres		well operator has developed a planned
Name: S Address: Charleston Notice is Pursuant operation	P.O. Box WV 2532s s hereby to Wes	1273 5-1273 y given: t Virginia Code § 22	-6A-16(c), notice	e is hereby given that the of drilling a horizonta	he undersigned of well on the tra	well operator has developed a planned act of land as follows:
Name: State:	s hereby to Wes	1273 5-1273 y given: t Virginia Code § 22 surface owner's lan	-6A-16(c), notice d for the purpose	e is hereby given that the	he undersigned of well on the tra	act of land as follows:
Name: SAddress: Charleston  Notice is Pursuant operation State: County:	s hereby to Wes	1273 5-1273 y given: t Virginia Code § 22 s surface owner's lan fest Virginia	-6A-16(c), notice d for the purpose	e is hereby given that the of drilling a horizonta	he undersigned of well on the traces Easting: Northing:	act of land as follows: 532,987.42
Name: SAddress: Charleston  Notice is Pursuant operation State: County: District:	s hereby to Wes	1273 5-1273 y given: t Virginia Code § 22 surface owner's lan (est Virginia arshall	-6A-16(c), notice	e is hereby given that the of drilling a horizonta  UTM NAD 8  Public Road	he undersigned of well on the traces Easting: Northing:	act of land as follows: 532,987.42 4,400.580.57
Name: SAddress: Charleston  Notice is Pursuant operation State: County:	s hereby to Wes n on the	1273 5-1273 y given: t Virginia Code § 22 surface owner's lan fest Virginia arshall berty	-6A-16(c), notice d for the purpose	e is hereby given that the of drilling a horizonta  UTM NAD 8  Public Road	he undersigned of well on the tra Basting: Northing: Access:	act of land as follows: 532,987.42 4,400,580.57 Fish Creek Road
Name: SAddress: Charleston  Notice is Pursuant operation State: County: District: Quadran Watersh  This No Pursuant to be pr horizont surface a informat	s hereby to Wes n on the gle: C ed: U tice Sha to Wes ovided al well; affected ion rela rters, lo	y given: t Virginia Code § 22 surface owner's lan fest Virginia arshall berty ameron pper Ohio South  all Include: tt Virginia Code § 22 by W. Va. Code § and (3) A proposed by oil and gas oper tted to horizontal dri cated at 601 57th S	2-6A-16(c), this may be a considered to the purpose	e is hereby given that the of drilling a horizontal UTM NAD & Public Road Generally us notice shall include: (1) a surface owner whose compensation agreement the damages are obtained from the Secre	he undersigned of well on the trace Easting: Northing: Access: ed farm name:  Acopy of this e land will be undersigned arm containing arompensable undersy, at the WV	act of land as follows: 532,987.42 4.400,580,57 Fish Creek Road
Name: SAddress: Charleston  Notice is Pursuant operation State: County: District: Quadran Watersh  This No Pursuant to be pr horizont surface a informat headqua gas/page	s hereby to Wes n on the  gle: cd: United Sha to Wes ovided al well; affected ion rela rters, lo	y given: t Virginia Code § 22 surface owner's lan fest Virginia arshall berty ameron pper Ohio South  all Include: tt Virginia Code § 22 by W. Va. Code § and (3) A proposed by oil and gas oper tted to horizontal dri cated at 601 57th S	2-6A-16(c), this made and constraints to the extending may be obstreet, SE, Characteristics of the extending may be obstreet.	e is hereby given that the of drilling a horizontal UTM NAD & Public Road Generally us notice shall include: (1) a surface owner whose compensation agreement the damages are obtained from the Secre	he undersigned of well on the trace Easting: Northing: Access: ed farm name:  Acopy of this e land will be undersigned arm containing arompensable undersy, at the WV	act of land as follows:  532,987.42  4.400.580.57  Fish Creek Road  Columbia Gas Transmission MSH  code section; (2) The information required used in conjunction with the drilling of a n offer of compensation for damages to the der article six-b of this chapter. Additional / Department of Environmental Protection ) or by visiting www.dep.wv.gov/oil-and-
Name: SAddress: Charleston  Notice is Pursuant operation State: County: District: Quadran Watersh  This No Pursuant to be pr horizont surface a informat headqua	s hereby to Wes n on the gle: Cut of the cut	y given: t Virginia Code § 22 e surface owner's lan fest Virginia arshall berty ameron oper Ohlo South  all Include: tt Virginia Code § 22 by W. Va. Code § and (3) A proposed by oil and gas oper tted to horizontal dr cated at 601 57th S lt.aspx.	2-6A-16(c), this made and constraints to the extending may be obstreet, SE, Characteristics of the extending may be obstreet.	e is hereby given that the of drilling a horizontal UTM NAD 8  ———————————————————————————————————	he undersigned all well on the tra Easting: Northing: Access: ed farm name: )A copy of this e land will be understand arompensable understand arompensable undersy, at the WV (304-926-0450)	act of land as follows:  532,987.42  4.400.580.57  Fish Creek Road  Columbia Gas Transmission MSH  code section; (2) The information required used in conjunction with the drilling of a noffer of compensation for damages to the der article six-b of this chapter. Additional / Department of Environmental Protection or by visiting www.dep.wv.gov/oil-and-

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

> RECEIVED Office or Oil and Gas

JUN 2 9 2017



# WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways
1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Thomas J. Smith, P. E. Secretary of Transportation/ Commissioner of Highways

May 19, 2017

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Columbia Gas Transmission UD MSH 4H Well Site, Marshall County 47-051-01946

Dear Mr. Martin,

Jim Justice

Governor

The West Virginia Division of Highways has issued a Permit #06-2008-0001 for the subject site to Chesapeake Appalachia, LLC for access to the State Road for the well site located off of Marshall County Route 74 SLS.

The operator has signed an OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

JUN 2 9 2017

WV Department of Environmental Protection

Very Truly Yours,

Gary K. Clayton Regional Maintenance Engineer

Central Office Oil & Gas Coordinator

Gary K. Clayton


Cc: Brittany Woody

Chesapeake Appalachia, LLC

CH, OM, D-6

File

Product Name	Product Use	Chemical Name	CAS Number
		Hydrogen Peroxide	7722-84-1
EC6734A (Champion Technologies)	Biocide	Acetic Acid	64-19-7
		Peroxyacetic Acid	79-21-0
GYPTRON T-390 (Champion	Scale Inhibitor	Methanol	67-56-1
Technologies)	3 cale inhibitor	Nonylphenol E thoxylate	Proprietary
	_	Glutaraldehyde	111-30-8
Bactron K-139 (Champion	Biocide	Quaternary Ammonium Compounds, Benzyl-C12	
Technologies)	Biocide	16-Alkyldimethyl, Chlorides	68424-85-1
		E thanol	64-17-5
Bactron K-219 (Champion	Biocide	Methanol	67-56-1
Technologies)	2.00.00	Quaternary Ammonium Compounds, Benzyl-C12 16-Alkyldimethyl, Chlorides	68424-85-1
		Methanol	67-56-1
A 264 (Schlumberger)	Corrosion	Aliphatic Acids	Proprietary
7207 (Schlamberger)	Inhibitor	Prop-2-yn-1-ol	107-19-7
		Aliphatic Alcohols, Ethoxylated #1	Proprietary
Myacide GA 25 (Schlumberger)	Biocide	Water	7732-18-5
Wyacide GA 25 (Schlamberger)	biocide	Glutaral	111-30-8
S cale Inhibitor B317 (S chlumberger)	S cale Inhibitor	Trisodium Ortho Phosphate	7601-54-9
- Care introduct D317 (stindmberger)	3 cale illilibiloi	E tha ne-1,2-diol	107-21-1
H 215 (Schlumberger)	Hydrochloric Acid	Hydrochloric Acid	7647-01-0
J 218 (S chlumberger)	Breaker	Diammonium Peroxidisulphate	7727-54-0
EB-Clean* J475 (Schlumberger)	Breaker	Diammonium Peroxidisulphate	7727-54-0
Water Gelling Agent J 580 (Schlumberger)	Gel	C arbohydrate Polymer	Proprietary
Friction Reducer J 609W	Friction	Ammonium S ulfate	7783-20-2
(S chlumberger)	Reducer	Urea	57-13-6
Crosslinker J 610 (Schlumberger)	Crosslinker	P otassium Hydroxide	1310-58-3
		Aliphatic Polyol	Proprietary
Iron Stabilizer L58 (Schlumberger)	Iron Stabilizer	S odium E rythorbate	6381-77-7
40/70-Mesh Sand S012 (Schlumberger)	Sand	C rystalline S ilica	14808-60-7
S and S 100 (S chlumberger)	S and	C rystalline S ilica	14808-60-7
EC 6486A (Nalco Champion)	S cale Inhibitor	Amine Triphosphate	Proprietary
		E thylene Glycol	107-21-1
SSA-2 (Halliburton)	Sand	C rystalline S ilica	14808-60-7
FR-76 (Halliburton)	Friction Reducer	Inorganic salt Hydrotreated light petroleum distillate	64742-47-8
LCA-1 (Halliburton)	Keducei	Hydrotreated light petroleum distillate Hydrotreated light petroleum distillate	December 2
SP BREAKER (Halliburton)	Breaker	S odium Persulfate	Proprietary 7775-27-1
	Dicarci	Methanol	1113-21-1
	Corrosion		
HAI-150E (Halliburton)	Inhibitor	Aliphatic Acids	NA
		Prop-2-yn-1-ol	
Hydrochloric Acid 10-30%		Aliphatic Alcohols, Ethoxylated #1	
(Halliburton)		Hydrochloric Acid	7647-01-0
WG-36 Gelling Agent (Halliburton)	Gel	Polysaccharide	9000-30-0
BC-140C (Halliburton)	Crosslinker		NA



1"=1000

PROJECT LOCATION

# COLUMBIA GAS TRANSMISSION MSH PAD "A" CONSTRUCTION AND RECLAMATION PLAN AS-BUILT LIBERTY DISTRICT MARSHALL COUNTY, WV

SEPTEMBER 2017

APPROVED
WVDEP OOG
Modification
9/22/2017

JN 9/18/17

LOD

TOTAL DISTURBED AREA: 11.4 ACRES ROAD DISTURBED AREA: 0.3 ACRES PAD DISTURBED AREA: 1.8 ACRES

COORDINATES:

SITE ENTRANCE (NAD83) LAT: 39.755752 LONG: 80.613260

CENTER OF PAD (NAD83) LAT: 39.754501 LONG: 80.614943

GATHERING AREA (NAD83) LAT: 39.755752 LONG: 80.613260

EXISTING WELL 1 (NAD83) LAT: 39,754520 LONG:80.615198

EXISTING WELL 3H (NAD83 LAT: 39,754496 LONG: 80,614874 API NUMBER: 051-01229

EXISTING WELL 5H (NAD83) LAT: 39,754487 LONG: 80.614780 API NUMBER: 051-01272

SHEET INDEX
TS1. TITLE SHEET
EP2.1 EVACUATION ROUTE/PREVAILING WIND
EP2.2 EVACUATION ROUTE/PREVAILING WIND

AS3.1 ASBUILT OVERVIEW AS3.2 ASBUILT

AS3.3 ASBUILT AS3.4 ASBUILT

ASR4.1 CONSTRUCTION AND RECLAMATION

ACCESS ROAD PROFILE MRD5.1 RECLAMATION PLAN OVERVIEW

MRD5.2 RECLAMATION PLAN MRD5.3 RECLAMATION PLAN

MRD5.4 RECLAMATION PLAN MRD6.1 RECLAMATION DETAILS MRD6.2 RECLAMATION DETAILS MRD6.3 RECLAMATION DETAILS

ENGINEER'S ESTIMATE	OF QUANTITIES	
WELL PAD I	DATA	
DESCRIPTION	ESTIMATED QUANTITY	UNIT
24" BERM 2:1	812	LF
FILL FOR BERM 2:1	9744	CF
24" MOUNTABLE BERM 5:1	66	LF
FILL FOR BERM 5:1	1584	CF
TOTAL EARTHMOVE - UNADJUSTED CUT	430	CY
TOTAL EARTHMOVE - UNADJUSTED FILL	1489	CY
EROSION & SEDIMENT	CONTROLITEMS	
DESCRIPTION	ESTIMATED QUANTITY	UNIT
ROCK LINED DITCH	110	LF
CLASS C RIP RAP	174	TN

DESCRIPTION	ESTIMATED QUANTITY	UNIT
ROCK LINED DITCH	110	LF
CLASS C RIP RAP	174	TN
4 IN PLASTIC OUTLET PIPE	70	LF
15 IN DIAMETER CPP CULVERT	10	LF
OUTLET PROTECTION/ROCK APRON SUMP	5	EA
OUTLET PROTECTION/ROCK APRON SUMP ROCK: CLASS C	6	TN
OUTLET PROTECTION/ROCK APRON SUMP ROCK: GEOTEXTILE	9	5Y
1/1/0/F0000 1/1/ (PC) 1/5		

UNDERDRAIN	IEMS	
DESCRIPTION	ESTIMATED QUANTITY	UNIT
UNDERDRAIN TRENCH	360	LF
UNDERDRAIN TRENCH STONE: AASHTO #57	25	TN
4" UNDERDRAIN	360	LF
3'X3'X3' CONCRETE CATCH BASIN	3	EA

=		The second secon
	21-92	WVDEP COMMENTS- ADDED BERM BREACH
+		
Н		
+		
+		
-		

DATE: 2017-09-13 DRAWN DY: NLL



ELK LAKE SERVICES, LLC

280 Indian Springs Road, S Indians, PA 15701



COLUMBIA GAS TRANSMISSION MARSHALI COLINTY WEST VIRGINA

TITLE SHEET

U:\2016\Southwestern Energy\16-59\Robert Young\Site Design

