

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Friday, July 26, 2019 WELL WORK PERMIT Horizontal 6A / New Drill

TUG HILL OPERATING, LLC 380 SOUTHPOINTE BLVD

CANONSBURG, PA 15317

Permit approval for OLD CROW N-8HM Re: 47-051-02240-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: OLD CROW N-8HM

Farm Name: DONNA VIVIAN YOHO (TOP)

U.S. WELL NUMBER: 47-051-02240-00-00

Horizontal 6A New Drill

Date Issued: 7/26/2019

Promoting a healthy environment.

API Number: 4705/62240

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.


CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled Water Well Regulations, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number: 470 51 02240

PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, cessation of drilling, sending an email to DEPOOGNotify@wv.gov.



STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Opera	tor: Tug Hill C	perating, LI	LC	494510851	Marshall	Franklin	Powhatan Point 7
i) wan opin				Operator ID	County	District	Quadrangle
2) Operator's '	Well Number: _	Old Crow N-	8HM	Well P	ad Name: Old	Crow	
3) Farm Name	/Surface Owner	Donna Yo	ho	Public Ro	oad Access: Ri	nes Ridge Ro	pad (County Route 76)
4) Elevation, c	urrent ground:	1286'	E	levation, propose	d post-construc	tion: 1264.	99'
5) Well Type	(a) Gas x		Oil _	Un	derground Stor	age	
	Other						
				Deep		- 710	
		orizontal x)	15/19	
,	d: Yes or No Y	rut u.c. minoru ri		10011		0	
				cipated Thickness ad approximate pressure of 3800 psi		Pressure(s):	
8) Proposed To	otal Vertical De	pth: 6,731'					
	nt Total Vertical		onda	ga			
10) Proposed	Γotal Measured	Depth: 18,	211'				
11) Proposed I	Horizontal Leg l	Length: 9,0	76.26) i			
12) Approxima	ate Fresh Water	Strata Depth	s:	70'; 981'			
13) Method to	Determine Fres	h Water Dep	ths:	Use shallow offset wells to determine de	epest freshwater, or determine usin	ng pre-drill tests, testing while	drilling or petrophysical evaluation of resistivity.
14) Approxima	ate Saltwater De	epths: 1,740)'				
15) Approxima	ate Coal Seam I	Depths: Sew	rickley	/ Coal - 890' and	Pittsburgh Co	oal - 975'	
16) Approxima	ate Depth to Pos	ssible Void (d	coal m	ine, karst, other):	None		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	osed well location			ms Yes	N	o X	
(a) If Vac nr	ovide Mine Info	: Name:		V			
(a) 11 Tes, pr	ovide wille fille						
		Depth: Seam:	_			045	RECEIVED ce of Oil and Gas
		Owner:	_				UN 11 2019
							W Department of ronmental Protection

API NO. 4770510 5 0 2 2 4 0

OPERATOR WELL NO. Old Crow N-8HM

Well Pad Name: Old Crow

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	<u>Grade</u>	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	30"	NEW	BW	BW	120'	120'	259ft^3(CTS)
Fresh Water	13 3/8"	NEW	J55	54.5#	1,080'	1,080'	1100ft^3(CTS)
Coal	13 3/8"	NEW	J55	54.5#	1,080'	1,080'	1100ft^3(CTS)
Intermediate	9 5/8"	NEW	J55	36#	3,162'	3,162'	1044ft^3(CTS)
Production	5 1/2"	NEW	P110	20#	18,211'	18,211'	4662ft^3(CTS)
Tubing	2 3/8"	NEW	N80	4.7#	8,693'		
Liners						- 10	

puls 19

ТҮРЕ	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	30"	36"	1.0	2,333	1,866	CLASS A	1.2
Fresh Water	13 3/8"	17.5"	.33	2,740	2,192	SEE #24	1.2
Coal	13 3/8"	17.5"	.33	2,740	2,192	SEE #24	1.2
Intermediate	9 5/8"	12 1/4"	.352	3,520	2,816	SEE #24	1.19
Production	5 1/2"	8 7/8"_8 3/4"	.361	12,640	10,112	SEE #24	1.17/1.19
Tubing	2 3/8"		.19	11,200	8,960		
Liners							

PACKERS

Kind:	N/A	
Sizes:	N/A	
Depths Set:	N/A	RECEIVED Gas

JUN 11 2019

WV Department of Environmental Protection

WW-6B (10/14) API NO. 47- 051

OPERATOR WELL NO. Old Crow N-8HM

Well Pad Name: Old Crow

DU5/19

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill through the Marcellus tagging less than 100' from the top of the Onondaga to get depths and log data. Plug back to proposed kick off point. Drill the horizontal section to planned and proposed TD. Run casing and cement to surface. Run Bond Log from app. 60 deg to surface. Make clean out run and stimulate.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Well to completed with approximately 22,687,500 lb. proppant and 350,765 barrels of water. Max rate = 80bpm; max psi = 9,000#.

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 19.18 acres
- 22) Area to be disturbed for well pad only, less access road (acres): 6.64 acres
- 23) Describe centralizer placement for each casing string:

Will run 3 centralizers on surface casing at equal distance. Intermediate will have 1 centralizer every other joint. Production casing will have one centralizer every other joint in lateral, one centralizer every joint through curve, one centralizer every other joint to surface.

24) Describe all cement additives associated with each cement type:

*See attachment

25) Proposed borehole conditioning procedures:

Will circulate a minimum of 3 hours at TD, short trip to curve, circulate bottoms up, check for flow, POOH.

RECENED Gas

JUN 11 2019

W Department of Environmental Protection

*Note: Attach additional sheets as needed.



30" Csg @ 120' MD / 120' TVD

13 3/8" Csg @ 1,080' MD / 1,080' TVD

9 5/8" Csg @ 3,162' MD / 2,800' TVD

WELL NAME: Old Crow N-8HM

STATE: wv

COUNTY: Franklin

Marshall

DISTRICT: DF Elev:

1,265

FORMATION TOPS Formation

Deepest Fresh Water

Sewickley Coal

Pittsburgh Coal

Big Lime

Weir

Berea

Gordon

Rhinestreet

Tully

Hamilton

Marcellus

Landing Depth

Onondaga

Pilot Hole Depth

Geneseo/Burkett

1,265 GL Elev:

Depth TVD

981

890

975

2113

2467

2662

3007

5972

6478

6497

6532

6578

6613

6631

6731

TD: 18,211 39.77847351 TH Latitude: TH Longitude: -80.7630184

BH Latitude: 3 39.80933 BH Longitude: -80.764886

			CASING SUMN	IARY			
Туре	Hole Size (in)	Csg Size (in)	Depth (MD)	Depth (TVD)	Weight (lb/ft)	Grade	Top of Cemer
Conductor	36	30	120'	120'	BW	BW	Surface
Surface	17.5	13 3/8	1,080'	1,080'	54.5	J55	Surface
Intermediate 1	12 1/4	9 5/8	3,162'	2,800*	36	J55	Surface
Production	8 7/8 x 8 3/4	5 1/2	18,211'	6,454'	20	CYHP110	Surface

	CEMENT SUMM	IARY			DRILLING DETAILS
	5acks	Class	Density	Fluid Type	Centralizer Notes
Conductor	338	Α	15.6	Air	None
Surface	1,113	А	15.6	Air	3 Centralizers at equal distance
Intermediate 1	1,056	Α	15	Air	1 Centralizer every other jt
Production	4,279	А	14.5	Air / SOBM	1 every other joint in lateral; 1 per joint in curve; every other it to sfc

KOP @ 8,193' ft MD

W Department of W Department of PH TD @ 5,731' TVD

Danding Point @9,136' MD / 6,613' TV Landing Point @9,136' MD / 6,613' TVD

18,211' ft MD Lateral TD @

6,454 ft TVD



Tug Hill Operating, LLC Casing and Cement Program

Old Crow N-8HM

Casing

	String	Grade	Bit Size	Depth (Measured)	Cement Fill Up
Conductor	30"	BW	36"	120'	CTS
Surface	13 3/8"	J55	17 1/2"	1,080'	CTS
Intermediate	9 5/8"	J55	12 1/4"	3,162'	CTS
Production	5 1/2"	CYHP110	8 7/8 x 8 3/4	18,211'	CTS

Cement

Conductor: Premium NE-1 + 2% bwoc CaC12 + 46.5% Fresh Water - Conductor Cement mixed at 15.6 ppg, Y=1.2

Surface: Premium NE-1 + 2% bwoc CaC12 + 46.5% Fresh Water – Surface Cement mixed at 15.6 ppg, Y=1.2

Intermediate: Premium NE-1 + 1% bwoc CaC12 + 46.5% Fresh Water – Intermediate Cement mixed at 15.6 ppg, Y=1.19


Kick Off Plug: Class H Cement + 1% CD-32 + .7% Sodium Metasilicate + .1% R-3 + .75 gal/100sk FP-13L - KOP Plug

50:50 Poz: Premium NE-1 + .1% bwoc ASA-301 + 60lb/sk ASCA-1 + .35% bwoc BA-10A + .25% bwoc MPA-Production: 170, 44 lb sack + .5% bwoc R-3 + .75 gals/100sk FP-13L — Production Cement mixed at 15.2ppg, Y = 1.19

Office of Oil and Gas

JUN 11 2019

WV Department of Environmental Protection





Database: Company: DB Jul2216dt_v14 Tug Hill Operating LLC Marshall County, West Virginia.

Project: Old Crow Pad Site:

Well: Wellbore:

Old Crow N-08 HM (slot D) Original Hole

rev2 Design:

Local Co-ordinate Reference: TVD Reference:

MD Reference: North Reference:

Survey Calculation Method:

Well Old Crow N-08 HM (slot D)

GL @ 1265.00usft GL @ 1265.00usft

Grid

Minimum Curvature

Project Marshall County, West Virginia.

Map System: Geo Datum:

Universal Transverse Mercator (US Survey Feet)

NAD83 West Virginia - HARN Zone 17N (84 W to 78 W)

System Datum:

Mean Sea Level

Map Zone: Site

Old Crow Pad

Site Position: From:

Lat/Long

Northing:

14,446,179.89 usft

Latitude:

39.77853828

Position Uncertainty:

Easting: 0.00 usft Slot Radius: 1,706,970.33 usft 13-3/16 " Longitude: **Grid Convergence:** -80.76311519 0.152

Well Old Crow N-08 HM (slot D)

Well Position

+N/-S +E/-W

0.00 usft 0.00 usft Northing: Easting:

14,446,156.38 usft 1,706,997.58 usft Latitude:

39.77847351 -80.76301843

Position Uncertainty

0.00 usft

Wellhead Elevation:

Longitude: Ground Level:

1,265.00 usft

Wellbore Original Hole Magnetics **Model Name** Sample Date Declination Dip Angle Field Strength (°) (nT) (°) **IGRF2015** 5/31/2019 -8.709 66.794 51,950.26127982

Design rev2

Audit Notes:

Version:

PLAN

Tie On Depth:

0.00

Vertical Section:

Depth From (TVD) (usft) 0.00

Phase:

+N/-S (usft) 0.00

+E/-W (usft) 0.00

Direction (°) 357.18

Plan Survey Tool Program

Date 5/24/2019

Depth From (usft)

Depth To (usft)

Survey (Wellbore)

Tool Name

Remarks

1

0.00

18,210.97 rev2 (Original Hole)

MWD

MWD - Standard

an Sections										
Measured Depth (usft)	Inclination (°)	Azimuth	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.000	RECEIVED Gas
1,000.00	0.00	0.00	1,000.00	0.00	0.00	0.00	0.00	0.00	0.000	Office of Oil and Gas
1,666.67	20.00	48.00	1,653.21	77.07	85.59	3.00	3.00	0.00	48.000	1 1 2019
2,599.51	47.65	56.43	2,421.04	380.48	499.62	3.00	2.96	0.90	13.350	JUN 11 2019
8,193.39	47.65	56.43	6,189.39	2,666.46	3,944.23	0.00	0.00	0.00	0.000	tment C
8,485.10	50.00	25.41	6,384.10	2,829.24	4,083.92	8.00	0.81	-10.63	-94.750	WV Departing Prote
9,136.40	91.00	329.73	6,612.91	3,398.43	4,019.76	10.00	6.30	-8.55	-65.534	WV Department of Environmental Prote
18,210.97	91.00	329.73	6,454.00	11,234.33	-554.21	0.00	0.00	0.00		BHL Old Crow N-08 F





Database: Company: Project:

Site:

DB_Jul2216dt_v14
Tug Hill Operating LLC
Marshall County, West Virginia.

Old Crow Pad

Well: Old Crow N-08 HM (slot D)

Wellbore: Original Hole
Design: rev2

Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well Old Crow N-08 HM (slot D)

GL @ 1265.00usft GL @ 1265.00usft

Grid

Minimum Curvature

RECEIVED Office of Oil and Gas

JUN 1 1 2019

			Venter			Man	1000	Environ	Department of mental Protecti
Measured Depth (usft)	Inclination (°)	Azimuth	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	14,446,156.38	1,706,997.58	39.77847351	-80.76301
100.00	0.00	0.00	100.00	0.00	0.00	14,446,156.38	1,706,997.58	39.77847351	-80.76301
200.00	0.00	0.00	200.00	0.00	0.00	14,446,156.38	1,706,997.58	39.77847351	-80.76301
300.00	0.00	0.00	300.00	0.00	0.00	14,446,156.38	1,706,997.58	39.77847351	-80.76301
		0.00	400.00	0.00	0.00	14,446,156.38	1,706,997.58	39.77847351	-80.76301
400.00	0.00							39.77847351	-80,76301
500.00	0.00	0.00	500.00	0.00	0.00	14,446,156.38	1,706,997.58 1,706,997,58		-80.76301
600.00	0.00	0.00	600.00	0.00	0.00	14,446,156.38		39.77847351	
700.00	0.00	0.00	700.00	0.00	0.00	14,446,156.38	1,706,997.58	39.77847351	-80.7630
800.00	0.00	0,00	800.00	0.00	0.00	14,446,156.38	1,706,997.58	39.77847351	-80.7630
900.00	0.00	0.00	900,00	0.00	0.00	14,446,156.38	1,706,997.58	39.77847351	-80.7630
1,000.00	0.00	0.00	1,000.00	0.00	0.00	14,446,156.38	1,706,997.58	39.77847351	-80.7630
KOP Beg	in 3°/100' bui	ld							
1,100.00	3,00	48.00	1,099.95	1.75	1.95	14,446,158.13	1,706,999.52	39.77847831	-80,7630
1,200.00	6.00	48.00	1,199.63	7.00	7.78	14,446,163.38	1,707,005.35	39.77849268	-80.7629
1,300.00	9.00	48.00	1,298.77	15.73	17.47	14,446,172.11	1,707,015.05	39.77851659	-80.7629
1,400.00	12.00	48.00	1,397.08	27.93	31.02	14,446,184.30	1,707,028.59	39.77854998	-80.7629
1,500.00	15.00	48.00	1,494.31	43.54	48.36	14,446,199,92	1,707,045.94	39.77859275	-80.7628
	18.00	48.00	1,590.18	62.55	69.47	14,446,218,92	1,707,043.04	39.77864478	-80,7627
1,600.00			14						-80.7627
1,666.67	20.00	48.00	1,653.21	77.07	85.59	14,446,233.45	1,707,083.17	39.77868454	-60,7627
	/100' build/tur								
1,700.00	20.97	48.65	1,684.44	84,83	94.31	14,446,241.20	1,707,091.89	39,77870578	-80.7626
1,800.00	23.91	50,28	1,776.85	109.61	123.34	14,446,265.98	1,707,120.91	39.77877363	-80.7625
1,900.00	26.86	51.57	1,867.19	136.60	156.63	14,446,292.98	1,707,154.20	39.77884752	-80.7624
2,000.00	29.82	52.63	1,955.20	165.74	194.09	14,446,322.12	1,707,191.66	39.77892727	-80,7623
2,100.00	32.78	53.50	2,040.64	196.94	235.61	14,446,353.32	1,707,233.19	39.77901265	-80,7621
2,200.00	35,75	54.25	2,123.27	230.11	281.10	14,446,386.49	1,707,278.67	39.77910342	-80.7620
2,300.00	38.73	54.90	2,202.88	265.17	330.41	14,446,421.55	1,707,327.99	39.77919934	-80.7618
2,400.00	41.70	55.47	2,279.23	302.02	383.42	14,446,458.40	1,707,380.99	39.77930015	-80.7616
2,500.00	44.68	55.98	2,352.13	340.56	439.97	14,446,496,93	1,707,437.55	39.77940557	-80.76144
2,599.51	47.65	56.43	2,421.04	380.48	499.62	14,446,536.85	1,707,497.20	39.77951476	-80,7612
Commission of the last of the		55.45	2,421.04	000.40	400.02	14,440,000.00	1,707,407,20	33.77301473	00.7012
And the second second second	.65° tangent	FC 40	0.404.07	200.00	400.00	44 440 507 05	4 707 407 50	20 77054524	00.7610
2,600.00	47.65	56.43	2,421.37	380.68	499.92	14,446,537.05	1,707,497.50	39,77951531	-80,7612
2,700.00	47.65	56.43	2,488.73	421.54	561.50	14,446,577.92	1,707,559.08	39.77962708	-80.7610
2,800.00	47.65	56.43	2,556.10	462.41	623.08	14,446,618.78	1,707,620.66	39.77973886	-80.7607
2,900.00	47.65	56.43	2,623.47	503.27	684,66	14,446,659.65	1,707,682,24	39.77985064	-80.7605
3,000.00	47.65	56.43	2,690.83	544.14	746.24	14,446,700.51	1,707,743.81	39.77996241	-80,7603
3,100.00	47.65	56.43	2,758.20	585.00	807.81	14,446,741.38	1,707,805.39	39.78007419	-80.76013
3,200.00	47.65	56.43	2,825.56	625.87	869.39	14,446,782.25	1,707,866.97	39.78018596	-80,7599
3,300.00	47.65	56.43	2,892.93	666.74	930.97	14,446,823.11	1,707,928.55	39.78029774	-80.75969
3,400.00	47.65	56.43	2,960.29	707.60	992.55	14,446,863.98	1,707,990.13	39.78040951	-80.7594
3,500.00	47.65	56.43	3,027.66	748.47	1,054.13	14,446,904.84	1,708,051.70	39.78052129	-80.7592
3,600.00	47.65	56,43	3,095.02	789.33	1,115.70	14,446,945.71	1,708,113,28	39,78063306	-80.75903
3,700.00	47.65	56.43	3,162.39	830.20	1,177.28	14,446,986.57	1,708,174.86	39.78074483	-80.75882
3,800.00	47.65	56.43	3,229.76	871.06	1,238.86	14,447,027.44	1,708,236.44	39.78085661	-80.75860
3,900.00	47.65	56.43	3,297.12	911.93	1,300.44	14,447,068.31	1,708,298.02	39.78096838	-80.75838
4,000.00	47.65	56.43	3,364.49	952.80	1,362.02	14,447,109.17	1,708,359.59	39.78108015	-80.75816
4,100.00	47.65	56.43	3,431.85	993.66	1,423.60	14,447,150.04	1,708,421.17	39.78119192	-80.75794
4,200.00	47.65	56.43	3,499,22	1,034.53	1,485.17	14,447,190.90		39.78130369	-80.75772
							1,708,482.75		
4,300.00	47.65	56.43	3,566.58	1,075.39	1,546.75	14,447,231,77	1,708,544.33	39.78141546	-80.75750
4,400.00	47.65	56.43	3,633.95	1,116.26	1,608.33	14,447,272,64	1,708,605.91	39.78152723	-80.75728
4,500.00	47.65	56.43	3,701.32	1,157.13	1,669.91	14,447,313.50	1,708,667.49	39.78163900	-80.75706
4,600.00	47.65	56.43	3,768.68	1,197.99	1,731.49	14,447,354.37	1,708,729.06	39.78175077	-80.75684
4,700.00	47.65	56.43	3,836.05	1,238.86	1,793,06	14,447,395.23	1,708,790.64	39.78186254	-80.75662
4,800.00	47.65	56.43	3,903.41	1,279.72	1,854.64	14,447,436.10	1,708,852.22	39.78197431	-80.75640



Database: Company: Project: DB_Jul2216dt_v14
Tug Hill Operating LLC
Marshall County, West Virginia.

Site: Old Crow Pad

Well: Old Crow N-08 HM (slot D)

Wellbore: Original Hole
Design: rev2

Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

North Reference: Survey Calculation Method: Well Old Crow N-08 HM (slot D)

GL @ 1265.00usft GL @ 1265.00usft

Grid RECEIVED
Minimum Curvature Office of Oil and Gas

JUN 1 1 2019

ned Survey						Eliza.	24.2	WV D Environm	epartment of ental Protection
Measured Depth (usft)	Inclination (°)	Azimuth	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
			100000			2000	1,708,913.80	39.78208608	-80,756185
4,900.00	47.65	56.43	3,970.78	1,320.59	1,916.22	14,447,476.96		39,78219785	-80.755965
5,000.00	47.65	56.43	4,038.14	1,361.45	1,977.80	14,447,517.83	1,708,975.38	39.78230962	-80.755746
5,100.00	47.65	56.43	4,105.51	1,402.32	2,039.38	14,447,558.70	1,709,036.95	39.78242138	-80.755526
5,200.00	47.65	56,43	4,172.88	1,443.19	2,100.95 2,162,53	14,447,599.56	1,709,098.53	39.78253315	-80,755306
5,300.00	47.65	56.43	4,240.24	1,484.05		14,447,640.43	1,709,221.69	39.78264491	-80.755087
5,400.00	47.65	56.43	4,307.61	1,524.92 1,565.78	2,224.11 2,285.69	14,447,681.29 14,447,722.16	1,709,221.69	39.78275668	-80.75486
5,500.00	47.65	56.43 56.43	4,374.97		2,347.27	14,447,763.02	1,709,344.84	39.78286845	-80,75464
5,600.00	47.65 47.65	56.43	4,442.34 4,509.70	1,606.65 1,647.51	2,408.84	14,447,763.02	1,709,406.42	39.78298021	-80.75442
5,700.00	47.65	56.43	4,577.07	1,688.38	2,470.42	14,447,844.76	1,709,468.00	39.78309198	-80.75420
5,800.00		56.43			2,532.00	14,447,885.62	1,709,529.58	39.78320374	-80.753989
5,900.00	47.65 47.65	56.43	4,644.43	1,729.25	2,593.58	14,447,865.62	1,709,529.36	39.78331550	-80,75376
6,000.00			4,711.80	1,810.98	2,655.16	14,447,926.49	1,709,652.73	39.78342727	-80.753550
6,100.00	47.65	56.43	4,779.17				1,709,714,31	39.78353903	-80,75333
6,200.00	47.65	56.43	4,846.53	1,851.84	2,716.73	14,448,008.22		39.78365079	-80.75311
6,300.00	47.65	56.43	4,913.90	1,892.71	2,778.31	14,448,049.08	1,709,775.89 1,709,837.47	39.78376255	-80.75289
6,400.00	47.65	56.43	4,981.26	1,933.57	2,839.89	14,448,089.95		39.78387431	-80,75267
6,500.00	47.65	56.43	5,048.63	1,974.44	2,901.47	14,448,130.82	1,709,899.05	39.78398608	-80.75245
6,600.00	47.65	56.43	5,115.99	2,015.31	2,963.05	14,448,171.68	1,709,960.62		-80.75223
6,700.00	47.65	56.43	5,183.36	2,056.17	3,024.63	14,448,212.55	1,710,022.20	39.78409784	-80.75201
6,800.00	47.65	56.43	5,250.73	2,097.04	3,086.20	14,448,253,41	1,710,083.78 1,710,145.36	39.78420960	-80.75179
6,900.00	47.65	56.43	5,318.09	2,137.90	3,147.78	14,448,294.28		39,78432136	-80.75157
7,000.00	47.65	56.43	5,385.46	2,178.77	3,209.36	14,448,335.14	1,710,206.94	39.78443312 39.78454487	-80.75135
7,100.00	47.65	56.43	5,452.82	2,219.63	3,270.94	14,448,376.01	1,710,268,52	39.78465663	-80.75113
7,200.00	47.65	56.43	5,520.19	2,260.50	3,332.52	14,448,416.88	1,710,330.09		-80.75091
7,300.00	47.65	56.43	5,587.55	2,301.37	3,394.09	14,448,457.74	1,710,391.67	39.78476839	-80.75069
7,400.00	47.65	56.43	5,654.92	2,342.23	3,455.67	14,448,498.61	1,710,453.25	39.78488015 39.78499191	-80.750475
7,500.00	47.65	56.43	5,722.28	2,383.10	3,517.25	14,448,539.47	1,710,514.83	39.78510366	-80.750256
7,600.00	47.65 47.65	56.43 56.43	5,789.65 5,857.02	2,423.96 2,464.83	3,578.83 3,640.41	14,448,580.34 14,448,621.20	1,710,576.41 1,710,637,98	39.78521542	-80.750036
	47.65	56.43	5,924.38	2,505.70	3,701.98		The state of the s	39.78532718	-80,74981
7,800.00	47.65	56.43	5,991.75	2,546.56	3,763.56	14,448,662.07 14,448,702.94	1,710,699.56 1,710,761.14	39.78543893	-80.74959
8,000.00	47.65	56.43	6,059.11	2,587.43	3,825.14	14,448,743.80	1,710,822,72	39.78555069	-80.74937
8,100.00	47.65	56.43	6,126.48	2,628.29	3,886.72	14,448,784.67	1,710,884,30	39.78566244	-80.749158
8,193.39	47.65	56.43	6,189,39	2,666.46	3,944.23	14,448,822.83	1,710,884.30	39.78576681	-80.74895
			0,100,00	2,000,40	3,344.23	14,440,022.03	1,710,341.00	39.70370001	-00.74085
and the second	/100' build/tur		C 402 05	0.000.40	2.040.00	44 440 005 50	4 740 045 00	39,78577426	90.749039
8,200,00	47.61 47.52	55.72	6,193.85	2,669,18 2,716,20	3,948.28 4,004.90	14,448,825.56	1,710,945.86	39.78590294	-80.748938 -80.748738
	48.45	44.87 34.17	6,261.43	2,773,38	4,052.01	14,448,872.57	1,711,002.48		-80.748568
8,400.00 8,485.10	50.00	25.41	6,328.46 6,384.10	2,829.24	4,083.92	14,448,929.76 14,448,985.62	1,711,049.59 1,711,081.50	39.78605963 39.78621278	-80.748454
			0,304.10	2,025,24	4,000.52	14,440,303.02	1,711,001.50	39.70021270	-00.74040-
0. 12.7	1°/100' build/tu 50,63		6,393.62	2 920 67	1 000 60	14 149 006 05	4 744 006 06	20.70624420	-80.748437
8,500.00 8,600.00	55.48	23.66 12.70	6,453.82	2,839.67	4,088.68	14,448,996,05 14,449,071.83	1,711,086.26	39.78624139	
8,700.00	61.19	3.04	6,506.38	2,915.46 2,999.61	4,113.31		1,711,110.88	39.78644933 39.78668035	-80.748348 -80.748307
8,800.00	67.52	354.44	6,549.71		4,124.72 4,122,56	14,449,155.99	1,711,122.29		-80.748314
8,900.00	74.26	346.62	6,582.48	3,089.57 3,182.61	4,122,56	14,449,245,95 14,449,338,98	1,711,120.14 1,711,104.49	39.78692742 39.78718305	-80.748369
9,000.00	81.26	339,31	6,603.69	3,102.61	4,078.23	14,449,432.27	1,711,075.81		-80.748470
9,100.00	88.39	332.27	6,612.72	3,366.59	4,076.23	14,449,522.97	1,711,075.81	39.78743945 39.78768885	-80.748614
9,136.40	91.00	329.73	6,612.91	3,398.43	4,037.41	14,449,554.80	1,711,034.98	39.78777641	-80.74867
		523.75	0,012.31	5,556.45	4,015.70	14,449,554.00	1,711,017.54	39.70777041	-00.74007
9,200.00	.00° lateral	320 72	6 611 90	3 453 34	3,987.70	14 440 600 70	1 710 005 30	20 78702747	90 74970
9,300.00	91.00 91.00	329.73 329.73	6,611.80 6,610.04	3,453.34		14,449,609.72	1,710,985.28	39.78792747	-80,748790
9,400.00	91.00	329.73	6,608.29	3,539.69	3,937,30	14,449,696.07	1,710,934.88	39.78816500	-80.748969
9,500.00	91.00	329.73	6,606.54	3,626.04 3,712.39	3,886,89 3,836,49	14,449,782.42 14,449,868.77	1,710,884.47	39.78840253	-80.749147 -80.749326
9,600.00	91.00	329.73	6,604.79	3,798.74	3,786.09	14,449,955.12	1,710,834.07 1,710,783.66	39.78864005 39.78887758	-80.749504



Database: Company: Project: DB_Jul2216dt_v14 Tug Hill Operating LLC Marshall County, West Virginia.

Site: Old Crow Pad

Well: Old Crow N-08 HM (slot D)
Wellbore: Original Hole

rev2

Wellbore: Design: Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well Old Crow N-08 HM (slot D)

GL @ 1265,00usft GL @ 1265,00usft

Grid

Minimum Curvature

RECEIVED Office of Oil and Gas

JUN 1 1 2019

nned Survey									Environmental P
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
9,700.00	91.00	329.73	6,603.04	3,885.09	3,735,68	14,450,041.47	1,710,733.26	39.78911511	-80.7496834
9,800.00	91.00	329,73	6,601.29	3,971.44	3,685.28	14,450,127.82	1,710,682.86	39,78935264	-80.7498620
9,900.00	91.00	329.73	6,599.54	4,057.79	3,634.87	14,450,214.17	1,710,632.45	39.78959016	-80.7500406
10,000.00	91.00	329.73	6,597.79	4,144.14	3,584.47	14,450,300.52	1,710,582.05	39.78982769	-80.7502191
10,100.00	91.00	329.73	6,596.04	4,230.49	3,534.06	14,450,386.87	1,710,531.64	39,79006522	-80,7503977
10,200.00	91.00	329.73	6,594.28	4,316.84	3,483.66	14,450,473.22	1,710,481.24	39,79030274	-80.7505763
10,300.00	91.00	329.73	6,592.53	4,403.19	3,433.26	14,450,559.57	1,710,430.83	39.79054027	-80.7507549
10,400.00	91.00	329.73	6,590.78	4,489.54	3,382.85	14,450,645.92	1,710,380.43	39.79077780	-80,7509334
10,500.00	91.00	329.73	6,589.03	4,575.89	3,332.45	14,450,732.27	1,710,330.03	39.79101532	-80.7511120
10,600.00	91.00	329.73	6,587.28	4,662.24	3,282.04	14,450,818.62	1,710,279.62	39.79125285	-80.7512906
10,700.00	91.00	329.73	6,585.53	4,748.59	3,231.64	14,450,904.97	1,710,229.22	39.79149037	-80,7514692
10,800.00	91.00	329.73	6,583.78	4,834.94	3,181.24	14,450,991.32	1,710,178.81	39.79172790	-80.7516478
10,900.00	91.00	329,73	6,582.03	4,921.29	3,130.83	14,451,077.67	1,710,128.41	39.79196542	-80.7518264
11,000.00	91.00	329.73	6,580.27	5,007.64	3,080.43	14,451,164.02	1,710,078.00	39,79220294	-80.7520049
11,100.00	91.00	329.73	6,578.52	5,093.99	3,030.02	14,451,250.37	1,710,027.60	39.79244047	-80.7521835
11,200.00	91.00	329.73	6,576.77	5,180.34	2,979.62	14,451,336.72	1,709,977.20	39.79267799	-80.752362
11,300.00	91.00	329.73	6,575.02	5,266.69	2,929,21	14,451,423.07	1,709,926,79	39.79291551	-80.7525407
11,400.00	91.00	329.73	6,573.27	5,353.04	2,878.81	14,451,509.42	1,709,876,39	39,79315304	-80.7527193
11,500.00	91.00	329.73	6,571.52	5,439.39	2,828.41	14,451,595.77	1,709,825.98	39.79339056	-80.7528979
11,600.00	91.00	329.73	6,569.77	5,525.74	2,778.00	14,451,682.12	1,709,775.58	39.79362808	-80.753076
11,700.00	91.00	329.73	6,568.02	5,612.09	2,727.60	14,451,768.47	1,709,725.17	39.79386560	-80,753255
11,800.00	91.00	329.73	6,566.27	5,698.44	2,677.19	14,451,854.82	1,709,674.77	39.79410313	-80.753433° -80.7536123
11,900.00	91.00	329.73	6,564.51	5,784.79	2,626.79	14,451,941.17	1,709,624.37	39.79434065	
12,000.00	91.00	329.73	6,562.76	5,871.14	2,576.38	14,452,027.52	1,709,573.96	39.79457817	-80.7537909 -80.753969
12,100.00	91.00	329.73	6,561.01	5,957.49	2,525.98	14,452,113.87	1,709,523.56	39.79481569	
12,200.00	91.00	329.73	6,559.26	6,043.84	2,475.58	14,452,200.22	1,709,473.15	39.79505321	-80.754148 -80.754326
12,300.00	91.00	329.73 329.73	6,557.51	6,130.19	2,425.17	14,452,286.57	1,709,422,75	39.79529073	-80.7545053
12,400.00	91.00 91.00	329.73	6,555.76	6,216.55	2,374.77	14,452,372.92	1,709,372.34	39,79552825	-80.7546839
12,600.00	91.00	329.73	6,554.01 6,552.26	6,302.90 6,389.25	2,324.36 2,273.96	14,452,459.27 14,452,545.62	1,709,321.94 1,709,271.54	39.79576577 39.79600329	-80.7548625
12,700.00	91.00	329.73	6,550.51	6,475.60	2,273.55	14,452,631.97	1,709,221.13	39.79624081	-80.7550411
12,800.00	91.00	329.73	6,548.75	6,561.95	2,173.15	14,452,718.32	1,709,170.73	39.79647833	-80.755219
12,900.00	91.00	329.73	6,547.00	6,648,30	2,173.15	14,452,804.67	1,709,120.32	39.79671585	-80.7553983
13,000.00	91.00	329.73	6,545.25	6,734.65	2,072.34	14,452,891.02	1,709,069.92	39.79695337	-80.7555769
13,100.00	91.00	329.73	6,543.50	6,821.00	2,021.94	14,452,977.37	1,709,019.52	39.79719088	-80.755755
13,200.00	91.00	329.73	6,541.75	6,907,35	1,971.53	14,453,063.72	1,708,969.11	39.79742840	-80.755934
13,300.00	91.00	329.73	6,540.00	6,993,70	1,921.13	14,453,150.07	1,708,918.71	39.79766592	-80,7561128
13,400.00	91.00	329,73	6,538,25	7,080,05	1,870.72	14,453,236.42	1,708,868.30	39.79790344	-80.7562914
13,500.00	91.00	329.73	6,536.50	7,166,40	1,820.32	14,453,322.77	1,708,817.90	39.79814095	-80.7564700
13,600.00	91,00	329.73	6,534,75	7,252,75	1,769,92	14,453,409.12	1,708,767.49	39.79837847	-80.7566486
13,700.00	91.00	329.73	6,532,99	7,339.10	1,719,51	14,453,495.47	1,708,717.09	39.79861599	-80.7568272
13,800.00	91.00	329.73	6,531.24	7,425.45	1,669.11	14,453,581.82	1,708,666.69	39,79885350	-80.7570058
13,900.00	91.00	329.73	6,529.49	7,511.80	1,618.70	14,453,668.17	1,708,616.28	39.79909102	-80.7571845
14,000.00	91.00	329.73	6,527.74	7,598.15	1,568.30	14,453,754.52	1,708,565,88	39,79932854	-80.7573631
14,100.00	91.00	329.73	6,525.99	7,684.50	1,517,89	14,453,840,87	1,708,515.47	39,79956605	-80,7575417
14,200.00	91.00	329.73	6,524.24	7,770.85	1,467,49	14,453,927.22	1,708,465.07	39.79980357	-80,7577203
14,300.00	91.00	329.73	6,522.49	7,857.20	1,417.09	14,454,013.57	1,708,414.66	39.80004108	-80.7578990
14,400.00	91.00	329.73	6,520.74	7,943.55	1,366.68	14,454,099.92	1,708,364.26	39.80027860	-80.7580776
14,500.00	91.00	329.73	6,518.98	8,029,90	1,316.28	14,454,186.27	1,708,313.86	39.80051611	-80.7582562
14,600.00	91,00	329.73	6,517.23	8,116.25	1,265.87	14,454,272.62	1,708,263,45	39.80075362	-80.7584349
14,700.00	91.00	329.73	6,515.48	8,202.60	1,215.47	14,454,358.97	1,708,213.05	39.80099114	-80.7586135
14,800.00	91.00	329.73	6,513.73	8,288.95	1,165.07	14,454,445.32	1,708,162.64	39.80122865	-80.7587921
14,900.00	91.00	329.73	6,511.98	8,375.30	1,114.66	14,454,531.67	1,708,112.24	39.80146616	-80.7589707
15,000.00	91.00	329.73	6,510.23	8,461.65	1,064.26	14,454,618.02	1,708,061.83	39.80170368	-80.7591494
15,100.00	91.00	329.73	6,508.48	8,548.00	1,013.85	14,454,704.37	1,708,011.43	39.80194119	-80.7593280



Database: Company: Project:

Site:

DB_Jul2216dt_v14 Tug Hill Operating LLC Marshall County, West Virginia.

Old Crow Pad

Well: Old Crow N-08 HM (slot D)
Wellbore: Original Hole

Wellbore: Origin Design: rev2

Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well Old Crow N-08 HM (slot D)

GL @ 1265.00usft GL @ 1265.00usft

Grid

Minimum Curvature

nned Survey									
Measured Depth	Inclination	Azimuth	Vertical Depth	+N/-S	+E/-W	Map Northing	Map Easting	470000	
(usft)	(°)	(°)	(usft)	(usft)	(usft)	(usft)	(usft)	Latitude	Longitude
15,200.00	91.00	329.73	6,506.73	8,634,35	963.45	14,454,790.72	1,707,961.03	39,80217870	-80,759506
15,300.00	91.00	329.73	6,504.98	8,720.70	913.04	14,454,877.07	1,707,910.62	39.80241621	-80,759685
15,400.00	91.00	329.73	6,503.22	8,807.05	862.64	14,454,963.42	1,707,860,22	39.80265372	-80.759863
15,500.00	91.00	329.73	6,501.47	8,893.40	812.24	14,455,049.77	1,707,809.81	39.80289124	-80.760042
15,600.00	91.00	329.73	6,499.72	8,979.75	761.83	14,455,136.12	1,707,759.41	39.80312875	-80.760221
15,700.00	91.00	329.73	6,497.97	9,066.10	711.43	14,455,222.48	1,707,709.00	39.80336626	-80.760399
15,800.00	91.00	329.73	6,496.22	9,152.45	661.02	14,455,308.83	1,707,658.60	39.80360377	-80.760578
15,900.00	91.00	329.73	6,494.47	9,238.80	610.62	14,455,395.18	1,707,608.20	39.80384128	-80.760757
16,000.00	91.00	329.73	6,492.72	9,325.15	560.21	14,455,481.53	1,707,557.79	39.80407879	-80.760935
16,100.00	91.00	329.73	6,490.97	9,411.50	509.81	14,455,567.88	1,707,507.39	39.80431630	-80.761114
16,200.00	91.00	329.73	6,489.22	9,497.85	459.41	14,455,654.23	1,707,456.98	39.80455381	-80.761293
16,300.00	91.00	329.73	6,487.46	9,584.20	409.00	14,455,740.58	1,707,406.58	39.80479132	-80.761471
16,400.00	91.00	329.73	6,485.71	9,670.55	358.60	14,455,826.93	1,707,356.17	39.80502883	-80.761650
16,500.00	91.00	329.73	6,483.96	9,756.90	308.19	14,455,913.28	1,707,305.77	39.80526633	-80.761829
16,600.00	91.00	329.73	6,482.21	9,843.25	257.79	14,455,999.63	1,707,255.37	39.80550384	-80.762007
16,700.00	91.00	329.73	6,480.46	9,929.60	207.38	14,456,085.98	1,707,204.96	39.80574135	-80.762186
16,800.00	91.00	329.73	6,478.71	10,015.95	156.98	14,456,172.33	1,707,154.56	39.80597886	-80,762365
16,900.00	91,00	329.73	6,476.96	10,102.30	106.58	14,456,258,68	1,707,104.15	39.80621637	-80.762543
17,000.00	91.00	329.73	6,475.21	10,188,65	56.17	14,456,345.03	1,707,053.75	39.80645387	-80.762722
17,100.00	91.00	329.73	6,473.45	10,275.00	5.77	14,456,431.38	1,707,003.35	39.80669138	-80.762901
17,200.00	91.00	329.73	6,471.70	10,361.35	-44.64	14,456,517.73	1,706,952.94	39,80692889	-80.763079
17,300.00	91.00	329.73	6,469.95	10,447.70	-95.04	14,456,604,08	1,706,902.54	39.80716639	-80.763258
17,400.00	91.00	329,73	6,468.20	10,534.05	-145.45	14,456,690.43	1,706,852.13	39.80740390	-80.763437
17,500.00	91.00	329.73	6,466.45	10,620.40	-195.85	14,456,776.78	1,706,801.73	39.80764141	-80.763615
17,600.00	91.00	329.73	6,464.70	10,706.75	-246.25	14,456,863.13	1,706,751.32	39.80787891	-80,763794
17,700.00	91.00	329.73	6,462.95	10,793.10	-296.66	14,456,949.48	1,706,700.92	39,80811642	-80.763973
17,800.00	91.00	329.73	6,461.20	10,879.45	-347.06	14,457,035.83	1,706,650.52	39.80835392	-80.764151
17,900.00	91.00	329.73	6,459.45	10,965.80	-397.47	14,457,122.18	1,706,600.11	39.80859143	-80.764330
18,000.00	91.00	329,73	6,457.69	11,052.15	-447.87	14,457,208.53	1,706,549.71	39.80882893	-80.764509
18,100.00	91.00	329.73	6,455.94	11,138.50	-498.28	14,457,294.88	1,706,499.30	39.80906643	-80.764687
18,200.00	91.00	329.73	6,454.19	11,224.85	-548.68	14,457,381.23	1,706,448.90	39.80930394	-80.764866
18,210.97	91.00	329.73	6,454.00	11,234.33	-554.21	14,457,390.70	1,706,443.37	39.80933000	-80.764886

Design Targets									
Target Name - hit/miss target - Shape	Dip Angle	Dip Dir.	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
BHL Old Crow N-08 HM - plan hits target cent - Point	0.00 er	0.00	6,454.00	11,234.33	-554.21	14,457,390.70	1,706,443.37	39.80933000	-80.76488600
LP Old Crow N-08 HM 5 - plan misses target o - Point	0.00 center by 0.29	0.00 Jusft at 9136	6,613.00 .34usft MD (3,398,23 6612.91 TVD,	4,019,55 3398.37 N, 4	14,449,554.61 019.79 E)	1,711,017.13	39.78777589	-80.74867782
LP Old Crow N-08 HM - plan misses target o - Point	0.00 center by 43.4	0.00 7usft at 916	6,613.00 1.55usft MD	3,398.23 (6612.47 TVE	3,969.55), 3420.14 N,	14,449,554.61 4007.09 E)	1,710,967.12	39.78777627 Office of Oil and	-80.74885582 Gas

JUN 1 1 2019



Database: Company: DB_Jul2216dt_v14 Tug Hill Operating LLC Marshall County, West Virginia.

Old Crow Pad

rev2

Well: Wellbore:

Project:

Site:

Old Crow N-08 HM (slot D) Original Hole

Wellbore: Design: Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well Old Crow N-08 HM (slot D)

GL @ 1265.00usft GL @ 1265.00usft

Grid

Minimum Curvature

Measured	Vertical	Local Coor	dinates		
Depth (usft)	Depth (usft)	+N/-S (usft)	+E/-W (usft)	Comment	
1,000.00	1,000.00	0.00	0.00	KOP Begin 3°/100' build	
1,666.67	1,653.21	77.07	85.59	Begin 3°/100' build/turn	
2,599.51	2,421.04	380.48	499.62	Begin 47.65° tangent	
8,193.39	6,189.39	2,666.46	3,944.23	Begin 8°/100' build/turn	
8,485.10	6,384.10	2,829.24	4,083.92	Begin 10°/100' build/turn	
9,136.40	6,612.91	3,398.43	4,019.76	Begin 91.00° lateral	
18,210.97	6,454.00	11,234.33	-554.21	PBHL/TD 18210.97 MD/6454.00 TVD	

RECEIVED Office of Oil and Gas

JUN 11 2019

API Number 47 - 051

Operator's Well No. Old Crow N-8HM

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Tug Hill Operating, LLC	OP Code _494510851
Watershed (HUC 10)_Fish Creek	Quadrangle Powhatan Point 7.5'
Do you anticipate using more than 5,000 bbls of water to con	nplete the proposed well work? Yes V No
Will a pit be used? Yes No V	
If so, please describe anticipated pit waste:AST Tan	iks with proper containment will be used for staging fresh water for frac and flow back water
Will a synthetic liner be used in the pit? Yes	No If so, what ml.? AST Tanks will be used with proper containing
Proposed Disposal Method For Treated Pit Wastes:	
Land Application	
Underground Injection (UIC Peri Reuse (at API Number	mit Number_ UIC 2459, UIC 965, UIC 359, UIC 2D0732540, UIC 2D0732523)
Off Site Disposal (Supply form W	/W-9 for disposal location)
Other (Explain_	
Will closed loop system be used? If so, describe: Yes - For	Vertical and Horizontal Drilling
Drilling medium anticipated for this well (vertical and horizon	ontal)? Air, freshwater, oil based, etc. Air for vertical / Oil for Horizontal
-If oil based, what type? Synthetic, petroleum, etc	Synthetic Oil Base
Additives to be used in drilling medium? Barite for weight	
Drill cuttings disposal method? Leave in pit, landfill, remove	ed offsite, etc. All drill cuttings to be disposed of in a Landfill
-If left in pit and plan to solidify what medium will	be used? (cement, lime, sawdust) N/A
-Landfill or offsite name/permit number? Welzel County S	Samitary Landfil (SWF-1021 / WV0109185) and Westmoreland Sanitary Landfill, LLC (SAN1495 / PA DEP EC#1386426)
	d Gas of any load of drill cuttings or associated waste rejected at any ed within 24 hours of rejection and the permittee shall also disclose
on August 1, 2005, by the Office of Oil and Gas of the West provisions of the permit are enforceable by law. Violations law or regulation can lead to enforcement action. I certify under penalty of law that I have persona application form and all attachments thereto and that, ba	
Company Official (Typed Name) James Pancake	RECEIVED Office of Oil and Gas
Company Official Title Vice President - Geoscience	JUN 1 1 2019
Subscribed and sworn before me this 4 day of	JUNE , 20 19 WW Department of Environmental Protection
- effect.	Notary Public Commonwealth of Pennsylvania - Notary Se
My commission expires 6-30-2023	MATTHEW W REESE - Notary Public Washington County My Commission Expires Jun 30, 2023 Commission Number 1262930


Proposed Revegetation Treats	ment: Acres Disturbed 19	9.18 Prevegetation pH	6.0
Lime 3	Tons/acre or to correc	et to pH 6.5	
Fertilizer type 10-2	20-20		
Fertilizer amount_50	00	lbs/acre	
Mulch 2.5		_Tons/acre	
		Seed Mixtures	
Ter	mporary	Perman	nent
Seed Type	lbs/acre	Seed Type	lbs/acre
Annual Ryegrass	40	Orchard Grass	12
Spring Oats	96	Ladino	3
		White Clover	2
Maps(s) of road, location, pit provided). If water from the pacreage, of the land application	oit will be land applied, inc on area.	d application (unless engineered plans include lude dimensions (L \times W \times D) of the pit, and	ing this info have been dimensions (L x W), and a
Maps(s) of road, location, pit provided). If water from the pacreage, of the land application of the provided section of involved the provided section of involved the provided section of the provide	oit will be land applied, inc on area.	clude dimensions (L x W x D) of the pit, and	ing this info have been dimensions (L x W), and a
Maps(s) of road, location, pit provided). If water from the pacreage, of the land application of the photocopied section of involve Plan Approved by:	oit will be land applied, incom area. yed 7.5' topographic sheet.	clude dimensions (L x W x D) of the pit, and	ing this info have been dimensions (L x W), and a
Maps(s) of road, location, pit brovided). If water from the pacreage, of the land application Photocopied section of involved Plan Approved by:	oit will be land applied, incom area. yed 7.5' topographic sheet.	clude dimensions (L x W x D) of the pit, and	ing this info have been dimensions (L x W), and a
Maps(s) of road, location, pit brovided). If water from the pacreage, of the land application Photocopied section of involve Plan Approved by:	oit will be land applied, incom area. yed 7.5' topographic sheet.	clude dimensions (L x W x D) of the pit, and	ing this info have been dimensions (L x W), and a
Maps(s) of road, location, pit brovided). If water from the pacreage, of the land application Photocopied section of involved Plan Approved by:	oit will be land applied, incom area. yed 7.5' topographic sheet.	clude dimensions (L x W x D) of the pit, and	ing this info have been dimensions (L x W), and a
Maps(s) of road, location, pit brovided). If water from the pacreage, of the land application Photocopied section of involved Plan Approved by:	oit will be land applied, incom area. yed 7.5' topographic sheet.	clude dimensions (L x W x D) of the pit, and	ing this info have been dimensions (L x W), and a
Maps(s) of road, location, pit brovided). If water from the pacreage, of the land application Photocopied section of involved Plan Approved by:	oit will be land applied, incom area. yed 7.5' topographic sheet.	clude dimensions (L x W x D) of the pit, and	ing this info have been dimensions (L x W), and a
Maps(s) of road, location, pit brovided). If water from the pacreage, of the land application Photocopied section of involved Plan Approved by:	oit will be land applied, incom area. yed 7.5' topographic sheet.	clude dimensions (L x W x D) of the pit, and	RECEIVED Office of Oil and
provided). If water from the pacreage, of the land application	oit will be land applied, incom area. Yed 7.5' topographic sheet.	clude dimensions (L x W x D) of the pit, and	dimensions (L x W), and a

PROPOSED OLD CROW N - 8HM



- O- DENOTES INSTALL 18" PVC CULVERT AND APPLY APPROPRIATE SEDIMENT OUTLET CONTROL (RIP RAP SPLASH PAD)
- 2. DRAWING NOT TO SCALE
- 3. REFERENCE IS HEREBY MADE TO THE WY D.E.P. OFFICE OF OIL & GAS, "EROSION AND SEDIMENT CONTROL FIELD MANUAL" FOR REQUIREMENTS AND BMPs FOR AVERAGE FIELD CONDITIONS CONCERNING THE MAINTENANCE OF EXISTING ROADS AND THE CONSTRUCTION OF PROPOSED ROADS. FIELD CONDITIONS MAY REQUIRE VARIANCE FROM THESE GUIDELINES AND THE EARTHWORK CONTRACTOR IS RESPONSIBLE FOR NOTIFICATION TO THE INSPECTOR AND THE OPERATOR SHOULD THESE CONDITIONS
- 4. INSTALL CULVERTS AS SHOWN ON RECLAMATION PLAN OR AS FIELD CONDITIONS REQUIRE.
- ENTRANCES ONTO PUBLIC ROADS SHALL BE CONSTRUCTED OR MAINTAINED IN ACCORDANCE WITH WV D.O.T. REGULATIONS. ADDITIONAL PERMITS MAY BE REQUIRED.
- 6. TEMPORARILY SEED AND MULCH ALL SLOPS UPON CONSTRUCTION OF LOCATION.
- 7. ALL OUT AND FILL SLOPES ARE 2H: 1V SLOPE
- 8. ALL TREES 6-INCHES AND ABOVE ARE TO BE CUT AND STACKED. BRUSH SLASHINGS ARE TO BE UTILIZED DOWN SLOPE OF SITE AND STRUCTURES TO ACT AS A CONTROL BARRIER IF AVAILABLE.
- 9. SEE OLD CROW N SITE PLAN PREPARED BY KELLEY SURVEYING, FOR COMPLETE CONSTRUCTION & EROSION AND SEDIMENT CONTROL

DONNA YOHO TM 16/3 7L205 ACRES





Land & Energy Development

F.O. Box 150 •12 Vanhom Drive • Glenville, WV 26351 •(304) 462-5634

www.slssurveys.com

TOPO S	ECTION:	OPERA*	TOR: W	
POWHATAN	POINT 7.5'	PREPARED FOR: TUG HILL OPER		
COUNTY	DISTRICT	380 SOUTHPOINTE BLVD		
MARSHALL			PA 15317	
DRAWN BY JOB NO.		DATE	SCALE	
K.G.M.	K.G.M. 8769		NONE	



rtment blan



Well Site Safety Plan

Tug Hill Operating, LLC

•

Well Name: Old Crow N-8HM

Pad Location: Old Crow Pad

Marshall County, West Virginia

UTM (meters), NAD83, Zone 17: Northing: 4,403,197.27

Easting: 520,293.90

June 2019


Office of Oil and Gas

JUN 11 2019

WV Department of Environmental Protection

SUPPLEMENT PG. 2

PROPOSED OLD CROW N - 8HM



NOTE: CLOSEST WATER PURVEYOR GRANDVIEW - DOOLIN PUBLIC SERVICE DISTRICT PROCTOR, WV

JUN 11 2019



Solutions from the ground up.

P.O. Box 150 • 12 Vanhorn Drive • Glenville, WV 26351 • (304) 462-5634

WWW.SISSURVEYS COM

TOPO S	ECTION:	OPER	ATOR:		
	STON & POINT 7.5'	PREPARED FO	RATING, LLC		
COUNTY	DISTRICT		380 SOUTHPOINTE BLVD		
MARSHALL	FRANKLIN	SUITE 200 CANONSBURG	G, PA 15317		
DRAWN BY	JOB NO.	DATE	SCALE		
K.G.M.	8796	05/29/19	1" - 2000'		



DONNA VIVIAN YOHO, ET AL 71,205± ACREAGE ROYALTY OWNER -SEE WW-6A1 LEASE NO. -PROPOSED WORK: FRACTURE OR STIMULATE X PLUG OFF OLD DRILL DEEPER __ DRILL X CONVERT _ REDRILL _ _ CLEAN OUT AND REPLUG_ OTHER FORMATION ____ PERFORATE NEW FORMATION ___ PLUG AND ABANDON ___ MARCELLUS TARGET FORMATION __ PHYSICAL CHANGE IN WELL (SPECIFY) ESTIMATED DEPTH_ TVD: 6,731' / TMD: 18,211

WELL OPERATOR TUG HILL OPERATING, LLC


ADDRESS 1320 SOUTH UNIVERSITY DRIVE, SUITE 500

FORT WORTH, TX 76107

DESIGNATED AGENT

DIANNA STAMPER CT CORPORATION SYSTEM PERMIT

ADDRESS 5400 D BIG TYLER ROAD CHARLESTON, WV 25313



WW-6A1 (5/13)

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that —

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or			D. L	D I-/D
Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page

*See attached pages

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- . U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator:	Tug Hill Operating, LLC
By:	Amy L. Miller any Sull
Its:	Permitting Specialist ⁰ Appalachia Region

Lease ID	Parcel	Tag	Grantor, Lessor, Etc.	Grantee, Lessee, Etc.	Royalty	Deed Ro	ok/Page	Assignment	Assignment	Assignment	Assignment	Assignment	Assignment
Lease 15	raicei	145	diantor, Lessor, Ltc.	didirect, ressect, rec	noyany	beed be	ony rage	Gastar Exploration USA Inc to Atinum	Gastar Exploration	AB Resources LLC to Chief Exploration & Development LLC &	Chief E&D LLC, Chief O&G LLC, Radler 2000 LP, &	AB Resources LLC to	Chevron USA Inc to
								Marcelus I LLC:	AB Resources LLC:		USA Inc: 25/1 &	Chevron USA Inc:	TH Exploration LLC:
10*19340	5-16-3	Α	DONNA V YOHO	GASTAR EXPLORATION USA INC	1/8+	665	407	23/353	23/617	24/317	25/105	756/397	40/57
10*19673	5-10-14	В	CHESTNUT HOLDINGS INC	TH EXPLORATION LLC	1/8+	949	313	N/A	N/A	N/A	N/A	N/A	N/A
10*19673	5-16-5	С	CHESTNUT HOLDINGS INC	TH EXPLORATION LLC	1/8+	949	313	N/A	N/A	N/A	N/A	N/A	N/A
10*19249 10*21468	5-10-9 5-10-10	D E	HERBERT M AULENBACHER JOHN A SWIERKOS	CHEVRON USA INC TH EXPLORATION LLC	1/8+	914 953	551 317	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	Chevron USA Inc to TH Exploration LLC: 40/127
10*21468	5-10-10	E	JOHN A SWIERKOS	TH EXPLORATION LLC	1/8+	955	317	IN/A	IN/A	N/A	I N/A	N/A	N/A
10*22295	5-10-10	E	RACHEL B OSTRANDER	FOSSIL CREEK OHIO, LLC	1/8+	822	210	N/A	N/A	Fossil Creek Ohio, LLC to Gulfport Energy Corp: 32/54	Fossil Creek Ohio, LLC to Gulfport Energy Corp: 34/366	Gulfport Energy Corp & Fossil Creek Ohio, LLC to American Petroleum Partners Operating LLC: 36/588	Petroleum Partners Operating LLC to TH
10*22319	5-10-10	E	SHARON G VAN SCYOC	FOSSIL CREEK OHIO, LLC	1/8+	822	204	N/A	N/A	Fossil Creek Ohio, LLC to Gulfport Energy Corp: 32/54	Fossil Creek Ohio, LLC to Gulfport Energy Corp: 34/366	Gulfport Energy Corp & Fossil Creek Ohio, LLC to American Petroleum Partners Operating LLC: 36/588	Petroleum Partners Operating LLC to TH
10*26004	5-10-10	E	VAN SCYOC LOUIS ET UX	AB RESOURCES LLC	1/8+	697	461	N/A	N/A	N/A	AB Resources LLC to NPAR LLC: 25/484	NPAR LLC to Chevron USA Inc: 765/332	Chevron USA Inc to TH ExplorationLLC: 43/95
Q091960000	FISH CREEK	F	WEST VIRGINIA DIVISION OF NATURAL RESOURCES	NOBLE ENERGY INC	1/8+	865	558	N/A	N/A	N/A	N/A	Noble Energy Inc to HG Energy II Appalachia	Memorandum of Operating Agreement between TH Exploration LLC and
10*18594	5-10-4.7	G	LEE JONATHAN BECHTOLD	TH EXPLORATION, LLC	1/8+	934	646	N/A	N/A	N/A	N/A	N/A	N/A
10*18594	5-10-4.7	G	LINDA L & THOMAS G MCCORMICK	TH EXPLORATION, LLC	1/8+	934	643	N/A	N/A	N/A	N/A	N/A	N/A
10*18594	5-10-4.7	G	LW BECHTOLD	TH EXPLORATION LLC	1/8+	934	641	N/A	N/A	N/A	N/A	N/A	N/A
10*19248	5-10-4	н	ALBERT F KAZEMKA	CHEVRON USA INC	1/8+	848	419	N/A	N/A	N/A	N/A	N/A	Chevron USA Inc to TH Exploration LLC: 40/127

Operator's Well No. Old Crow N - 8HM

WW-6A1 Supplement

Lease ID	Parcel	Tag	Grantor, Lessor, Etc.	Grantee, Lessee, Etc.	Royalty	Deed Bo	ok/Page	Assignment	Assignment	Assignment	Assignment	Assignment	Assignment
													Chevron USA Inc to
													TH Exploration LLC:
10*19248	5-10-4.12	1	ALBERT F KAZEMKA	CHEVRON USA INC	1/8+	848	419	N/A	N/A	N/A	N/A	N/A	40/127
10*47051.307.0	5-9-13.2	J	JASON J STEED	TH EXPLORATION LLC	1/8+	894	508	N/A	N/A	N/A	N/A	N/A	N/A
10*47051.305.0	5-9-12	K	ROBERT G & TERRI L MCGUIRE	TH EXPLORATION LLC	1/8+	895	45	N/A	N/A	N/A	N/A	N/A	N/A
10*47051.306.0	5-9-7	L	P & D REALITY	TH EXPLORATION LLC	1/8+	894	505	N/A	N/A	N/A	N/A	N/A	N/A
													Chevron USA Inc to
													TH Exploration LLC:
10*26046	5-9-41	М	ARNOLD LLOYD C ET UX	CHEVRON USA INC	1/8+	915	628	N/A	N/A	N/A	N/A	N/A	43/95

STATE OF WEST VIRGINIA
COUNTY OF MARSHALL

Marshall County Jan Pest, Clerk Instrument 1428356 08/16/2017 @ 12:08:49 PM ASSIGNMENTS Book 40 @ Page 127 Pages Recorded 25

ASSIGNMENT AND CONVEYANCE

Recording Cost \$ 33.00

THIS ASSIGNMENT AND CONVEYANCE (the "Assignment") is made and entered into this day of AUGUST, 2017 (the "Effective Date"), by and between CHEVRON U.S.A. INC. (hereinafter "Assignor") and TH EXPLORATION, LLC (hereinafter "Assignee") pursuant to the terms of that certain Acreage Trade Agreement between the Assignor and the Assignee dated the 1st day of August, 2017 (the "Acreage Trade Agreement"). Capitalized terms used but not defined herein and defined in the Acreage Trade Agreement shall have the meanings given to such terms in the Acreage Trade Agreement.

WITNESSETH:

WHEREAS, Assignor desires to assign, set over, and transfer to Assignee all of Assignor's right, title, and interest in and to those certain Oil and Gas Leases situated in Marshall County, West Virginia, as described in Exhibit "A", attached hereto and made a part hereof (hereinafter the "Leases"), less and except certain overriding royalty interests and exclusions; and

WHEREAS, Assignor desires to assign, set over, and transfer to Assignee all of Assignor's right, title, and interest in and to the Leases as described below, subject to certain overriding royalty interests and less and except certain exclusions.

NOW, THEREFORE, for good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, and subject to the limited warranties, restrictions and conditions hereinafter mentioned, the parties hereto, intending to be legally bound, do covenant and agree as follows:

- 1. <u>Assignment.</u> Assignor does hereby grant, bargain, sell, convey, deliver, assign, set over and transfer, as of the Effective Date, to Assignee, its respective successors and assigns, forever, all of Assignor's right, title and interest in and to the Leases, and the lands covered thereby, together with all rights incident thereto and appurtenances thereon, except that Assignor excepts and reserves from this Assignment the following:
 - A. The Chevron ORRI previously conveyed to Assignor and as described in that certain Memorandum of Assignment of Oil and Gas Lease Interests dated November 6, 2012 by and between Cornell Holdings Incorporated and Chevron U.S.A. Inc., which is recorded at Book 0028, Page 0239 in the Office of the County Clerk of Marshall County, West Virginia, and
 - B. As to each of the Leases and all oil, gas, and associated hydrocarbons produced, saved and sold thereunder, an overriding royalty interest equal to the difference between 82% and the

RECEIVED
Office of Oil and Gas

JUN 11 2019

MEMORANDUM OF OPERATING AGREEMENT AND FINANCING STATEMENT

This Memorandum of Operating Agreement and Financing Statement (hereinafter referred to as "Memorandum") is executed to be effective concurrently with that certain Operating Agreement (the "Operating Agreement") by and between TH Exploration, LLC, as Operator, and HG Energy II Appalachia, LLC and TH Exploration II, LLC, as Non-Operators, covering, among other things, the development and production of crude oil, natural gas and associated substances from the leases (hereinafter called the "Contract Area") described on Exhibit "A-1" and Exhibit "A-2" attached hereto and owned by Operator and Non-Operator in the respective percentages of shares indicated on Exhibit "A" to the Operating Agreement.

The Operating Agreement contains an Accounting Procedure, along with provisions giving the parties hereto mutual liens and security interests where one or more parties hereto are or may become Debtors to one or more other parties hereto. This Memorandum incorporates by reference all of the terms and conditions of the Operating Agreement, including but not limited to the lien and security interest provisions.

The purpose of this Memorandum is to place third parties on notice of the Operating Agreement, and to secure and perfect the mutual liens and security interests of the parties hereto.

The Operating Agreement specifically provides and the parties do hereby confirm and agree that:

- The Operator shall conduct and direct and have full control of all operations on the Contract Area as permitted and required by, and within the limits of, the Operating Agreement.
- The liability of the parties under the Operating Agreement shall be several, not
 joint or collective. Each party shall be responsible only for its obligations and
 shall be liable only for its proportionate share of costs.
- Each Non-Operator grants to Operator a lien upon its oil and gas rights, oil and 3. gas leases and mineral interests in the Contract Area, and a security interest in its share of oil and/or gas when extracted and its interest in all fixtures, inventory, personal property and equipment located on or used on the Contract Area and in all its contract rights and receivables related thereto and arising therefrom to secure payment of its present and future share of costs and expenses, together with interest thereon at the rate provided in the Accounting Procedure referred to above. To the extent that Operator has a security interest under the Uniform Commercial Code ("Code") of the state or states in which the Contract Area is located, Operator without prejudice and in addition to all other legal, equitable and contractual remedies which are expressly reserved, shall be entitled to exercise the rights and remedies of a secured party under the Code. The bringing of a suit and the obtaining of judgment by Operator for the secured indebtedness shall not be deemed an election of remedies or otherwise affect the rights or security interests for the payment thereof.
- 4. The Operator grants to Non-Operator a lien and security interest equivalent to that granted to Operator as described in Paragraph 3 above, to secure payment by Operator of its own share of costs and expenses when due.

RECEIVED
Office of Oil and Gas

JUN 11 2019

STATE OF WEST VIRGINIA
COUNTY OF MARSHALL

ASSIGNMENT AND CONVEYANCE

THIS ASSIGNMENT AND CONVEYANCE (the "Assignment") is made and entered into this 18th day of May, 2018, and made effective December 12, 2017 (the "Effective Date"), by and between AMERICAN PETROLEUM PARTNERS OPERATING, LLC, (hereinafter "Assignor") and TH EXPLORATION, LLC (hereinafter "Assignee") pursuant to the terms of that certain Acreage Trade Agreement between the Assignor and the Assignee dated December 12, 2017 (the "Acreage Trade Agreement"). Capitalized terms used but not defined herein and defined in the Acreage Trade Agreement shall have the meanings given to such terms in the Acreage Trade Agreement.

WITNESSETH:

WHEREAS, Assignor desires to assign, set over, and transfer to Assignee all of Assignor's right, title, and interest in and to those certain Oil and Gas Leases situated in Marshall County, West Virginia, as described in Exhibit "A"; attached hereto and made a part hereof (hereinafter the "Leases"); and

WHEREAS, Assignor desires to assign, set over, and transfer to Assignee all of Assignor's right; title, and interest in and to the Leases as described below.

NOW, THEREFORE, for good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, and subject to the limited warranties, restrictions and conditions hereinafter mentioned, the parties hereto, intending to be legally bound, do covenant and agree as follows:

1. <u>Assignment.</u> Assignor does hereby grant, bargain, sell, convey, deliver, assign, set over and transfer, as of the Effective Date, to Assignee, its respective successors and assigns, forever, all of Assignor's right, title and interest in and to the Leases, and the lands covered thereby, together with all rights incident thereto and appurtenances thereon.

TO HAVE AND TO HOLD such right, title and interest in and to the Leases unto Assignee or its designee, and their respective successors and assigns, forever, in accordance with the provisions of this Assignment.

 Special Warranty. Assignor represents and warrants that Assignor has not conveyed or otherwise encumbered (other than Permitted Encumbrances) its interest in the

Marshall County
Jan Pest, Clerk
Instrument 1440860
05/25/2018 @ 02:36:09 PM
ASSIGNMENTS
Book 42 @ Page 109
Pages Recorded 9
Recording Cost \$ 15.

RECEIVED
Office of Oil and Gas

JUN 1 1 2019

STATE OF WEST VIRGINIA

% % %

COUNTY OF MARSHALL

ASSIGNMENT AND BILL OF SALE

This ASSIGNMENT AND BILL OF SALE (this "Assignment") dated as of Your 7 2019 (the "Signing Date"), but effective from and after 7:00 a.m., Eastern Standard Time on February 1, 2019 (the "Effective Date"), is made by Chevron U.S.A. Inc., a Pennsylvania corporation, with an address at 700 Cherrington Parkway, Coraopolis, PA 15108 ("Chevron" or "Assignor") to TH Exploration II, LLC and TH Exploration, LLC, Texas limited liability companies, with an address at 1320 S. University Drive, Suite 500, Fort Worth, TX 76107 (collectively "Assignee") and is accepted by Assignee upon the following terms and conditions.

RECITALS

- A. Assignor desires to sell, convey, transfer, assign and deliver to Assignee Assignor's Crawford 1 well and certain related assets, including certain leasehold interests, located in Marshall County, West Virginia.
- B. Through an Acreage Trade Agreement to be executed contemporaneously with this Assignment, Assignor desires to transfer, convey and assign to Assignee certain of Assignor's oil and gas leasehold interests located in Marshall County, West Virginia in exchange for the transfer, conveyance and assignment to Assignor by Assignee certain of Assignee's oil and gas leasehold interests located in Marshall County, West Virginia.
- C. In consideration of the mutual promises set out in this Assignment, including execution of the Acreage Trade Agreement, and other good and valuable consideration, the receipt and sufficiency of which is hereby acknowledged, the Parties agree to be bound by the terms of this Assignment.

1. **DEFINITIONS**

- 1.1 **Definitions.** As used in this Assignment, these words and expressions have the following meanings:
 - "Acreage Trade Agreement" means that certain Acreage Trade Agreement by and between Chevron U.S.A. Inc. and TH Exploration, LLC with an Effective Date of February 1, 2019 to be contemporaneously executed with this Assignment.
 - "Act" has the meaning given to such term in Section 9.1(C).
 - "Affiliate" means any legal entity which controls, is controlled by, or is under common control with, another legal entity. An entity is deemed to "control" another if it owns directly or indirectly at least fifty percent of either of the following: (A) the shares entitled to vote at a general election of directors of such

Page 1 of 40

RECEIVED
Office of Oil and Gas

JUN 11 2019



June 7, 2019

WV Department of Environmental Protection Office of Oil & Gas 601 57th Street, SE Charleston, WV 25304 Attention: Laura Adkins

RE: Old Crow N-8HM

Subject: Road Crossing Letter

Dear Laura:

Tug Hill Operating, LLC will not be drilling, extracting or producing any minerals under any WV County or State Routes in the area reflected on the Old Crow N-8HM. well plat.

If your office has any questions or concerns regarding the contents of this letter, please do not hesitate to contact me directly at 304-376-0111, or by email at amiller@tug-hillop.com.

Sincerely,

Amy L. Miller

Permitting Specialist - Appalachia Region

RECEIVED Office of Oil and Gas

JUN 1 1 2019

Date of Notice Certification: 06/07/2019

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

API No. 47- 051

Operator's Well No. Old Crow N-8HM

			Well Pad	Vame: Old Cro	w	
Notice has l	been given:				All Russian Same Inc.	
	ne provisions in West Virginia Code §	\$ 22-6A, the Operator has prov	vided the rec	juired parties v	with the Notice Forms liste	
below for the State:	tract of land as follows: West Virginia		Easting:	520,293,90		
County:	Marshall	UTM NAD 83	Northing:	4,403,197.27		
District:	Franklin	Public Road Acce		Rines Ridge Roa	d (CR 76)	
Quadrangle:	Powhatan Point 7.5'	Generally used fa		Donna Yoho		
Watershed:	Fish Creek (HUC 10)					
prescribed by it has provid information r of giving the requirements Virginia Cod	West Virginia Code § 22-6A-7(b), the secretary, shall be verified and s ed the owners of the surface descril equired by subsections (b) and (c), se surface owner notice of entry to su of subsection (b), section sixteen o e § 22-6A-11(b), the applicant shall t have been completed by the applican	hall contain the following info bed in subdivisions (1), (2) a ection sixteen of this article; (ii revey pursuant to subsection (If this article were waived in ender proof of and certify to the	ormation: (1 nd (4), sub- i) that the re (a), section writing by	 A certificati section (b), see quirement was ten of this arti the surface ov 	on from the operator that operator that operation ten of this article, it deemed satisfied as a rest cle six-a; or (iii) the notioner; and Pursuant to We	
that the Ope	West Virginia Code § 22-6A, the Oprator has properly served the require		his Notice C	ertification	OOG OFFICE USE ONLY	
☐ 1. NO	FICE OF SEISMIC ACTIVITY or	NOTICE NOT REQUIR SEISMIC ACTIVITY WAS			RECEIVED/	
■ 2. NO	TICE OF ENTRY FOR PLAT SURV	EY or NO PLAT SURVI	EY WAS CO	ONDUCTED	☐ RECEIVED	
	TICE OF ENTRY FOR PLAT SURV		RED BECA	JSE	☐ RECEIVED □ RECEIVED/ NOT REQUIRED	
		NOTICE NOT REQUIR	RED BECA PLAT SUR BY SURFA	USE VEY	☐ RECEIVED/	
☐ 3. NO		NOTICE NOT REQUIRED NOTICE OF ENTRY FOR IT WAS CONDUCTED OF	RED BECA PLAT SUR BY SURFA	USE VEY	☐ RECEIVED/	
□ 3. NO	TICE OF INTENT TO DRILL or	NOTICE NOT REQUIRED NOTICE OF ENTRY FOR IT WAS CONDUCTED OF	RED BECA PLAT SUR BY SURFA	USE VEY	RECEIVED/ NOT REQUIRED	

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Received Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Coas Certifications of Notice shall serve as proof that the required parties have been indeed as required parties have been indeed as represented by affidavit of personal service.

Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service.

JUN 11 2019 the return receipt card or other postal receipt for certified mailing.

Notary Public

WW-6AC (1/12)

Certification of Notice is hereby given:

THEREFORE, I Amy L. Miller , have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: Tug Hill Operating, LLC Amy L. Miller 1 1011 By: Its:

Permitting Specialist - Appalachia Region

Telephone: 724-749-8388 Address: 380 Southpointe Boulevard, Plaza II, Suite 200

Canonsburg, PA 15317

Facsimile: 724-338-2030

Email: amiller@tug-hillop.com

NOTARY SEAL

Commonwealth of Pennsylvania - Notary Seal MAUREEN A STEAD - Notary Public Washington County My Commission Expires Jan 28, 2023 Commission Number 1259926

Subscribed and sworn before me this 7 day of JVDE 2019.

My Commission Expires

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

> RECEIVED Office of Oil and Gas

JUN 1 1 2019

WW-6A (9-13) API NO. 47- 051 OPERATOR WELL NO. Old Crow N-8HM
Well Pad Name: Old Crow

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later	than the filing date of permit application.
Date of Notice: 6/6/2019 Date Permit Application Filed:	6/7/2019
프로마스 이 경기 시간	APPROVAL FOR THE
WELL WORK CONSTRUCTION C	OF AN IMPOUNDMENT OR PIT
Delivery method pursuant to West Virginia Code § 22-6A	-10(b)
☐ PERSONAL ☐ REGISTERED ☑ ME	THOD OF DELIVERY THAT REQUIRES A
	CEIPT OR SIGNATURE CONFIRMATION
	date of the application, the applicant for a permit for any well work or for a
the surface of the tract on which the well is or is proposed to be oil and gas leasehold being developed by the proposed well worldescribed in the erosion and sediment control plan submitted purpoperator or lessee, in the event the tract of land on which the well more coal seams; (4) The owners of record of the surface tract of well work, if the surface tract is to be used for the placement, compoundment or pit as described in section nine of this article; (5) have a water well, spring or water supply source located within a provide water for consumption by humans or domestic animals; proposed well work activity is to take place. (c)(1) If more than the subsection (b) of this section hold interests in the lands, the apple records of the sheriff required to be maintained pursuant to section provision of this article to the contrary, notice to a lien holder is Code R. § 35-8-5.7.a requires, in part, that the operator shall als water purveyor or surface owner subject to notice and water testing the subsection of the surface owner subject to notice and water testing the surface owner subject to notice and water testing the surface owner subject to notice and water testing the surface owner subject to notice and water testing the surface owner subject to notice and water testing the surface owner subject to notice and water testing the surface of the sur	
☐ Application Notice ☐ WSSP Notice ☐ E&S Plan Not	ice ☑ Well Plat Notice is hereby provided to:
SURFACE OWNER(s)	☑ COAL OWNER OR LESSEE
Name: Donna Yoho	Name: Consol Energy, Inc. Leatherwood, Inc. Attn: Casey Saunders
Address: 3682 Rines Ridge Road	Address: 1000 CONSOL Energy DRive
Proctor, WV 26055	Canonsburg, PA 15317
Name:	☐ COAL OPERATOR
Address:	Name:
	Address:
SURFACE OWNER(s) (Road and/or Other Disturbance)	
Name:	☑ SURFACE OWNER OF WATER WELL
Address:	AND/OR WATER PURVEYOR(s)
	Name: *See attached list
Name:	Address:
Address:	Activity of the second
	OPERATOR OF ANY NATURAL GAS STORAGE FIELD
SURFACE OWNER(s) (Impoundments or Pits)	Name:
Name:	Address:
Address:	RECEIVED GO
700000000000000000000000000000000000000	*Please attach additional forms if necessary Office of Oil and Gar
	4 4 0040

JUN 1 1 2019

- 15 02240

API NO. 47-051

OPERATOR WELL NO. Old Crow N-8HM

Well Pad Name: Old Crow

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental RECEIVED Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <a href="https://www.dep.wv.conficulorgoutle-color:www.dep.wv.con

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any Acceptance of water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

WW-6A (8-13) API NO. 47-051 -

OPERATOR WELL NO. Old Crow N-8HM

Well Pad Name: Old Crow

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief Office of Oil and Cos

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

JUN 11 2019

WV Department of Environmental Protection

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WW-6A (8-13)

API NO. 47- 051

OPERATOR WELL NO. Old Crow N-8HM

Well Pad Name: Old Crow

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED Office of Oil and Gas

JUN 1 1 2019

WW-6A (8-13)

API NO. 47- 051 OPERATOR WELL NO. Old Crow N-8HM
Well Pad Name: Old Crow

Notice is hereby given by:

Well Operator: Tug Hill Operating, LLC

Telephone: 724-749-8388

Email: amiller@tug-hillop.com

Address: 380 Southpointe Boulevard, Plaza II, Suite 200

Canonsburg, PA 15317

Facsimile: 724-338-2030

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

Commonwealth of Pennsylvania - Notary Seal MAUREEN A STEAD - Notary Public Washington County My Commission Expires Jan 28, 2023 Commission Number 1259926 Subscribed and sworn before me this _____ day of

of VVIQUI AVIT

Notary Public

My Commission Expires

RECEIVED Office of Oil and Gas

JUN 11 2019

Exhibit WW-6A

Tug Hill Operating, LLC 380 Southpointe Blvd, Suite 200 Cannonsburg, PA 15137

Residences within Two-Thousand Feet (2,000')

Well:

Old Crow N - 8HM

District:

Franklin (Residence #'s 1-7)

State:

WV


There are seven (7) residences, no businesses, no churches, no schools or no emergency facilities within two-thousand feet (2,000') of the above referenced well location.

Residence 1	Residence 2	Residence 3
TM 16 Pcl. 3.1	TM 16 Pcl. 3	TM 16 Pcl. 3.2
Dennis Jackson, Et Ux	Donna Vivian Yoho - TOD	Jimmy Ostrander, Sr., Et Ux
Phone: 304-843-1762	Phone: 304-845-5590 (Rev. Address)	Phone: 304-845-5599, 304-845-5590
Physical Address:	Physical Address:	Physical Address:
4004 Rines Ridge Rd.	3862 Rines Ridge Rd.	3810 Rines Ridge Rd.
Proctor, WV 26055	Proctor, WV 26055	Proctor, WV 26055
Tax Address:	Tax Address:	Tax Address:
P.O. Box 109	Same	Same
Woodsfield, OH 43793		
Residence 4	Residence 5	Residence 6
TM 16 Pcl. 6	TM 16 Pcl. 23.3	TM 16 Pcl. 23.1
John Swierkos	Greg & Christina Riddle	Ray E. Minor, Et Ux
Phone: 304-810-4092	Phone: 304-843-0173	Phone: 304-843-1713
Physical Address:	Physical Address:	Physical Address:
110 Rahm Dr.	4205 Rines Ridge Rd.	4193 Rines Ridge Rd.
Proctor, WV 26055	Proctor, WV 26055	Proctor, WV 26055
Tax Address:	Tax Address:	Tax Address:
Same	Same	Same
Residence 7		
TM 16 Pcl. 24		
Alan M. Beyser, Et Ux		
Phone: 304-810-0617		
Physical Address:		RECEIVED Office of Oil and
4271 Rines Ridge Rd.		Office of Oil and
Proctor, WV 26055		JUN 11 20
Tax Address:		
Same		WV Departmen Environmental Pro

WW-6A

PROPOSED OLD CROW N - 8HM

SUPPLEMENT PG. 1B



NOTE: THERE APPEARS TO BE SEVEN (7) POSSIBLE WATER SOURCES WITHIN 2,000'.

JUN 11 2019



TODO O	COTION	ODED	ATOD	
1000 5	ECTION:	OPERATOR:		
	ASTON & POINT 7.5'	PREPARED FOR: TUG HILL OPERATING, LLC 380 SOUTHPOINTE BLVD SUITE 200 CANONSBURG, PA 15317		
COUNTY	DISTRICT			
MARSHALL	FRANKLIN			
DRAWN BY	JOB NO.	DATE	SCALE	
K.G.M.	8796	05/29/19	1" - 1000'	



STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

entry				s but no more tha			
Date of Noti	ce: 11/16/2017	Date of Plan	nned Entry: 11/24/2017				
Delivery me	thod pursuant to	West Virginia C	ode § 22-6A-10a				
☐ PERSO	NAL 🗆	REGISTERED	■ METHOD OF DELI	VERY THAT RE	EQUIRES A		
SERVIO		MAIL	RECEIPT OR SIGN				
on to the surf but no more to beneath such owner of mir and Sedimen Secretary, wh enable the su	face tract to conduct than forty-five day tract that has file herals underlying at Control Manual nich statement sharface owner to ob	act any plat surveys ys prior to such ent d a declaration pur such tract in the co and the statutes an all include contact tain copies from th	Prior to filing a permit applicate required pursuant to this art ry to: (1) The surface owner suant to section thirty-six, art unty tax records. The notice d rules related to oil and gas information, including the ade secretary.	of such notice sof such tract; (2) ticle six, chapter the shall include a state exploration and p	shall be provided as to any owner or les wenty-two of this c atement that copies roduction may be c	t least seven ssee of coal code; and (3 s of the state obtained fro	n days seams 3) any e Erosion om the
	eby provided to	.4	■ 20.11		0.000		
	CE OWNER(s)			OWNER OR LE			
Name: Donna	Vivian Yoho (Well Pad a 2 Rines Ridge Road	1d Access Road)			ood, Inc. Attn: Casey Saunde	/rs	
	ator, WV 26055			000 CONSOL Energy Dri Canonsburg, PA 15317	lve		
Name:	101, 117 2000			anonaburg, FR 19011		 -	
Address:			■ MINE	RAL OWNER(s)			
1							
Name:				862 Rines Ridge Road			
Address:				roctor, WV 26055			
			*please attach	additional forms if ne	cessary		
Pursuant to V a plat survey State: County:	Vest Virginia Cod on the tract of lar West Virginia Marshall		Public Road A	de & Longitude:	39.7784004; -80.763135 Rines Ridge Road (Cour	53	conduct
Pursuant to V a plat survey State: County: District:	Vest Virginia Cod on the tract of lar West Virginia Marshall Franklin		Approx. Latitu Public Road A Watershed:	de & Longitude: ccess:	39,7784004; -80,763135 Rines Ridge Road (Cour Fish Creek (HUC-10)	53	conduct
Pursuant to V a plat survey State: County: District:	Vest Virginia Cod on the tract of lar West Virginia Marshall		Approx. Latitu Public Road A	de & Longitude: ccess:	39.7784004; -80.763135 Rines Ridge Road (Cour	53	conduct
Pursuant to V a plat survey State: County: District: Quadrangle: Copies of the may be obtain Charleston, V obtained fron	Vest Virginia Cod on the tract of lar West Virginia Marshall Franklin Powhatan Point 7.5' e state Erosion and ned from the Secretary by	I Sediment Control etary, at the WV D	Approx. Latitu Public Road A Watershed:	de & Longitude: ccess: I farm name: rules related to of Protection headque	39.7784004; -80.763135 Rines Ridge Road (Cour Fish Creek (HUC-10) Donna Vivian Yoho If and gas exploration arters, located at 6	ion and proc 501 57 th Stre I drilling ma	duction reet, SE, ay be
Pursuant to V a plat survey State: County: District: Quadrangle: Copies of the may be obtain Charleston, V obtained from Notice is he	Vest Virginia Cod on the tract of lar West Virginia Marshall Franklin Powhatan Point 7.5' state Erosion and med from the Secret VV 25304 (304-9) in the Secretary by reby given by:	I Sediment Control etary, at the WV Defo-0450). Copies visiting www.dep	Approx. Latitu Public Road A Watershed: Generally used Manual and the statutes and repartment of Environmental of such documents or additional and gas/pages/decepts.	de & Longitude: ccess: I farm name: rules related to oil Protection headque on al information refault.aspx.	39.7784004; -80.763135 Rines Ridge Road (Cour Fish Creek (HUC-10) Donna Vivian Yoho il and gas exploration arters, located at 6 elated to horizontal	ion and proc 501 57 th Stre I drilling ma	duction reet, SE, ay be EIVED Oil and Gas
Pursuant to V a plat survey State: County: District: Quadrangle: Copies of the may be obtain Charleston, V obtained fron Notice is he Well Operato	Vest Virginia Cod on the tract of lar West Virginia Marshall Franklin Powhatan Point 7.5' state Erosion and ned from the Secr VV 25304 (304-9) n the Secretary by reby given by: Tug Hill Operating.	I Sediment Control etary, at the WV Defo-0450). Copies visiting www.dep	Approx. Latitu Public Road A Watershed: Generally used Manual and the statutes and pepartment of Environmental of such documents or addition	de & Longitude: ccess: I farm name: rules related to oi Protection headque and information refault.aspx.	39.7784004; -80.763135 Rines Ridge Road (Cour Fish Creek (HUC-10) Donna Vivian Yoho il and gas explorativanters, located at 6 elated to horizontal	ion and proc 501 57 th Stre I drilling ma	duction reet, SE, ay be
a plat survey State: County: District: Quadrangle: Copies of the may be obtain Charleston, V obtained fron	Vest Virginia Cod on the tract of lar West Virginia Marshall Franklin Powhatan Point 7.5' state Erosion and med from the Secret VV 25304 (304-9) in the Secretary by reby given by:	I Sediment Control etary, at the WV Dig6-0450). Copies visiting www.dep	Approx. Latitu Public Road A Watershed: Generally used Manual and the statutes and repartment of Environmental of such documents or additional and gas/pages/decepts.	de & Longitude: ccess: I farm name: rules related to oil Protection headque on al information refault.aspx.	39.7784004; -80.763135 Rines Ridge Road (Cour Fish Creek (HUC-10) Donna Vivian Yoho il and gas explorativanters, located at 6 elated to horizontal	ion and processor of the control of	duction reet, SE, ay be EIVED Oil and Gas

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

WW-6A5 (1/12) Operator Well No. Old Crow N-8HM

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

		equirement: notice shall be p	rovided no Permit A	o later than the filing pplication Filed: 06/4	date of permit 07/2019	application.
Delive	ery meth	od pursuant to West Virgini	a Code §	22-6A-16(c)		
	CERTIFI	ED MAIL	П	HAND		
		RECEIPT REQUESTED		DELIVERY		
return the pl requir drillin damas	receipt re anned op red to be p ag of a ho ges to the ne notices	equested or hand delivery, giveration. The notice required provided by subsection (b), secrizontal well; and (3) A proposurface affected by oil and ga	e the surfate by this solution ten operation surfate between the s	ace owner whose land ubsection shall inclu if this article to a surf face use and compen- ins to the extent the da	I will be used for de: (1) A copy ace owner whos sation agreement amages are comp	cation, an operator shall, by certified mail or the drilling of a horizontal well notice of of this code section; (2) The information we land will be used in conjunction with the at containing an offer of compensation for pensable under article six-b of this chapter. Sted in the records of the sheriff at the time
		y provided to the SURFAC				
	address Donna Yoh	isted in the records of the she	riff at the	time of notice): Name:		
		nes Ridge Road	-	Addres		
	r, WV 26055	111000		radies		
Pursu	tion on th	st Virginia Code § 22-6A-16(e surface owner's land for the Nest Virginia Marshall			I well on the tra Easting: Northing:	520,293.90 4,403,197.27
	372 	ranklin Powhatan Point 7.5'			ed farm name:	Rines Ridge Road (County Route 76) Donna Yoho
Water		ributary of Fish Creek (HUC 10)		Generally us	ed faim name.	Dullia 1010
Pursua to be horized surfactinform headq	ant to We provided ontal well e affected nation rel	by W. Va. Code § 22-6A-10 and (3) A proposed surface of by oil and gas operations to ated to horizontal drilling material at 601 57th Street, SE	O(b) to a suse and co the externy be obta	surface owner whose empensation agreement the damages are co- tined from the Secret	e land will be unt containing an ompensable und arry, at the WV	code section; (2) The information required used in conjunction with the drilling of a noffer of compensation for damages to the er article six-b of this chapter. Additional Department of Environmental Protection or by visiting

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information. DECENTIAL DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

JUN 1 1 2019



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

May 6, 2019

Byrd E. White, III Secretary of Transportation

Jimmy Wriston, P. E. Deputy Secretary/ Acting Commissioner

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Old Crow Pad, Marshall County
Old Crow N-8HM Well site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2018-0130 which has been issued to Tug Hill Operating, LLC for access to the State Road for a well site located off of Marshall County Route 76 SLS.

The operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Gary K. Clayton, P.E.

Regional Maintenance Engineer Central Office O&G Coordinator

Cc: Amy Miller

Tug Hill Operating, LLC

CH, OM, D-6

File



PLANNED ADDITIVES TO BE USED IN FRACTURING OR STIMULATION

Well No. Old Crow N-8HM

PRODUCT NAME: CHEMICAL DESCRIPTION: PRODUCT USE: HAZARDOUS COMPONENT:

GBW-20C Hemicellulase Breaker Breaker - Water None

ALPHA 1427 Biocide Glutaraldehyde – CAS#000111-30-8

Quatemary ammonium chloride

CAS# 007173-51-5

CAS# 14808-60-7

Alky dimethyl benzyl ammonium Chloride (C12-16) – CAS#068424-85-1

Ethanol – CAS# 000064-17-5 Water – CAS# 007732-18-5

FRAC SAND Silica Sand (various Mesh Proppant Crystalline silica (quartz)

sizes)

S-8C, Sand Silica Sand (100 mesh) Sand Silica – CAS# 14808-60-7

GW-3LDF Gellant - Water Petroleum Distillate Blend – Proprietary,

(Not Associated with Diesel Fuel) Guar gum – CAS# 009000-30-0

FRW-18 Friction Reducer Hydrotreated light distillate

CAS# 064742-47-8

Scaletrol Scale Inhibitor Ethylene glycol – CAS# 000107-21-1

Diethylene glycol - CAS# 000111-46-6

Office of Oil and Gas

JUN 11 2019

OPERATOR:_	Tug Hill Operating, LLC	WELL NO: Old Crow N-8HM
PAD NAME:_	Old Crow	
REVIEWED E	Y: Amy L. Miller	SIGNATURE: MUJShille

WELL RESTRICTIONS CHECKLIST

HORIZONTAL 6A WELL

Vell Restr	rictions	
\checkmark	At Least 100 Feet from Pad and LOD (including any E&S Control Feature Perennial Stream, Lake, Pond, Reservoir or Wetland; OR) to any
	DEP Waiver and Permit Conditions	
\checkmark	At Least 300 Feet from Pad and LOD (including any E&S Control Feature Naturally Producing Trout Stream; OR) to any
	DEP Waiver and Permit Conditions	
\checkmark	At Least 1000 Feet from Pad and LOD (including any E&S Control Featur Groundwater Intake or Public Water Supply; OR	e) to any
	DEP Waiver and Permit Conditions	
\checkmark	At Least 250 Feet from an Existing Water Well or Developed Spring to Wo	ell Being
	Surface Owner Waiver and Recorded with County Clerk, OR	
	DEP Variance and Permit Conditions	
1	At Least 625 Feet from an Occupied Dwelling Structure to Center of the Pa	ad; OR
	Surface Owner Waiver and Recorded with County Clerk, OR	
	DEP Variance and Permit Conditions	
\checkmark	At Least 625 Feet from Agricultural Buildings Larger than 2500 Square Fe of the Pad; OR	et to the Center RECEIVED Office of Oil and Gas
	Surface Owner Waiver and Recorded with County Clerk, OR	JUN 1 1 2019
	DEP Variance and Permit Conditions	WW Department of Environmental Protection

