



- New Location
- Drill Deeper
- Abandonment

Company ROY PROFFITT

Address RACINE, OHIO

Farm CLIFFORD COOK

Tract 1 Acres 45 Lease No. _____

Well (Farm) No. 3 Serial No. _____

Elevation (Spirit Level) 692.4

Quadrangle POMEROY SE

County MASON District WAGGENER

SURVEYOR Homer E. Hysell

Engineer's Registration No. 2274

File No. _____ Drawing No. _____

Date 1/5/56 Scale 1" = 400'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. MAS-10-A

+ Denotes location of well on United States Topographic Maps. scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6-6 Mason (156)



37

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Permit No. W-16-Blugging

Oil or Gas Well Gas

(KIND)

Company Roy Proffitt
Address Racine, Ohio
Farm Clifford Cook Acres 45
Location (waters) _____
Well No. 3 Elev. 692.4
District Waggener County Mason
The surface of tract is owned in fee by Clifford Cook
Address Mason City, W.Va
Mineral rights are owned by Clifford Cook
Address Mason City, W.Va.
Drilling commenced 1925
Drilling completed 1925
Date Shot None From _____ To _____
With None

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer _____
13			<u>Parmoco</u>
10			Size of <u>2" x 5 & 3/16</u>
8 1/4	<u>20'</u>	<u>20'</u>	Depth set <u>670'</u>
6 1/2	<u>112'</u>	<u>112'</u>	Perf. top <u>684'</u>
5 3/16	<u>585'</u>	<u>585'</u>	Perf. bottom <u>690'</u>
3			Perf. top _____
2	<u>690'</u>	<u>690'</u>	Perf. bottom _____
Liners Used			

Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume 50,000 Cu. Ft.
Rock Pressure 200 lbs. _____ hrs.
Oil None bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT 82 FEET _____ INCHES
87 FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Soil	Brown	Soft	0	10			
Red Rock	Red	Soft	10	40			
Sand Stone	White	Soft	40	82			
Coal	Black	Soft	82	87			
Blue Slate	Blue	Soft	87	117			
Red Rock	Red	Soft	117	177			
White Slate	White	Soft	177	230			
Grey Slate	Grey	Soft	230	292			
White Slate	White	Soft	292	370			
Blue Slate	Blue	Soft	370	430			
Sandy Shale	Brown	Soft	430	490			
Sand	White	Soft	490	550	Salt Water	500	
Blue Slate	Blue	Soft	550	600			
Black Slate	Black	Soft	600	680			
Grey Slate	Grey	Soft	680	684			
Report							
Coal	Black	Soft	684	690	Gas	685	
Bottom of				690			

Cancelled
RECEIVED
WEST VIRGINIA
DEPT. OF MINES
JAN 18 1957

Waggoner District, Mason County, W. Va.

By Roy Proffitt, Racine, Ohio.

Abandoned under permit Mae-10-A; Pomeroy Quadrangle.

On 45 acres.

Elevation, 692.4' L.

Surface and minerals owned by Clifford Cook, Mason City, W. Va.

Drilling commenced and completed in 1925.

Well was not shot.

Volume, 50,000 cu. ft.

Rock pressure, 200 lbs.

No oil.

8 $\frac{1}{4}$ " casing, 20'; 6" , 112'; 5" , 585'; 2" tubing, 690'.

Parnaco packer, 2 x 5" , set at 670'.

Perf. top, 684'; perf. bot., 690'.

Gas well. Record to Dept. of Mines stamped Jan. 12, 1956.

Record to RCT from Mrs. Griffith March 28, 1957. Old File No. 37.

	Top.	Bottom.
Soil, brown, soft	0	10
Red rock, soft	10	40
Sandstone, white, soft	40	82
Coal, black, soft	82	87
Blue slate, soft	87	117
Red rock, soft	117	177
White slate, soft	177	230
Gray slate, soft	230	292
White slate, soft	292	370
Blue slate, soft	370	430
Sandy shale, brown, soft	430	490
Sand, white, soft (salt water, 500')	490	550
Blue slate, soft	550	600
Black slate, soft	600	680
Gray slate, soft	680	684
Freeport Coal, black, soft (gas, 685')	684	690
Total depth		690

(CANCELED?)