

Farm name: Berwind Land Company Operator Well No.: CBM-MC130

LOCATION: Elevation: 2,098.15' Quadrangle: War

District: Big Creek County: McDowell
Latitude: 11,700 Feet South of 37 Deg. 17 Min. 30 Sec.
Longitude 4,695 Feet West of 81 Deg. 42 Min. 30 Sec.

Company: CNX Gas Company LLC

Address:	Casing & Tubing	Used in drilling	Left in well	Cement fill up Cu. Ft.
2481 John Nash Blvd., Bluefield, WV 24701	13 3/8"	24'	24'	n/a
Agent: John H. Johnston	7"	381.48'	381.48'	100 sks
Inspector: Gary L. Kennedy	4 1/2"	1,607.87'	1,607.87'	120 sks
Date Permit Issued: 7/05/2011				
Date Well Work Commenced: 12/05/2011				
Date Well Work Completed: 12/09/2011				
Verbal Plugging:				
Date Permission granted on:				
Rotary Cable Rig				
Total Vertical Depth (ft): 1,785 DTD				
Total Measured Depth (ft):				
Fresh Water Depth (ft.): n/a				
Salt Water Depth (ft.): n/a				
Is coal being mined in area (N/Y)?				
Coal Depths (ft.):				
Void(s) encountered (N/Y) Depth(s)				

OPEN FLOW DATA (If more than two producing formations please include additional data on separate sheet)

Producing formation NO OPEN FLOW TEST CONDUCTED Pay zone depth (ft) _____
 Gas: Initial open flow _____ MCF/d Oil: Initial open flow _____ Bbl/d
 Final open flow _____ MCF/d Final open flow _____ Bbl/d
 Time of open flow between initial and final tests _____ Hours
 Static rock Pressure _____ psig (surface pressure) after _____ Hours

Second producing formation _____ Pay zone depth (ft) _____
 Gas: Initial open flow _____ MCF/d Oil: Initial open flow _____ Bbl/d
 Final open flow _____ MCF/d Final open flow _____ Bbl/d
 Time of open flow between initial and final tests _____ Hours
 Static rock Pressure _____ psig (surface pressure) after _____ Hours

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this document and all the attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information I believe that the information is true, accurate, and complete.

Burford Myers Signature Date 5/1/12
 Burford Myers, Vice Pres-VA GasOps.

Were core samples taken? Yes _____ No

Were cuttings caught during drilling? Yes _____ No

Were Electrical, Mechanical, or Geophysical logs recorded on this well?
Y/N Y/N Y/N

NOTE: IN THE AREA BELOW PUT THE FOLLOWING: 1). DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF THE TOPS AND BOTTOMS OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE FROM SURFACE TO TOTAL DEPTH.

Perforated Intervals, Fracturing, or Stimulating:

Formations Encountered: _____ Top Depth _____ / _____ Bottom Depth
Surface:

COMPANY: CNX GAS CO LLC
 HOLE: MC-130
 RIG: 244
 LOCATION:

DATE STARTED: 12/5/2011
 DATE COMPLETED: 12/9/2011

ELECTRIC LOGGED: YES
 GROUTED: YES

DEPTH FROM	THICKNESS TO	FT	STRATA DESCRIPTION, VOIDS ETC
0	24		24 OVERBURDEN
24	30		6 SAND
30	60		30 SAND/SHALE
60	90		30 SAND/SHALE/COAL (COAL @75-76)
90	120		30 SAND/SHALE
120	150		30 SAND/SHALE
150	180		30 SAND/SHALE
180	210		30 SAND/SHALE/COAL (COAL @201-202)
210	240		30 SAND/SHALE/COAL (COAL @215-216 & 218-219)
240	270		30 SAND/SHALE/COAL (COAL @268-269)
270	300		30 SAND/SHALE
300	330		30 SAND/SHALE/COAL (COAL @320-321)
330	360		30 SAND/SHALE
360	390		30 SAND/SHALE
390	401		11 SAND/SHALE
401	427		26 SAND/SHALE/COAL (COAL @409-110)
427	457		30 SAND/SHALE/COAL (COAL @435-436 & 436-437 & 447-448 & 449-450)
457	487		30 SAND/SHALE/COAL (COAL @478-479 & 480-481)
487	517		30 SAND/SHALE
517	547		30 SAND/SHALE/COAL (COAL @534-536)
547	577		30 SAND/SHALE
577	607		30 SAND/SHALE
607	637		30 SAND/SHALE/COAL (COAL @615-616 & 621-622)
637	667		30 SAND/SHALE
667	697		30 SAND/SHALE
697	727		30 SAND/SHALE
727	757		30 SAND/SHALE
757	787		30 SAND/SHALE/COAL (COAL @772-773 & 778-779)
787	817		30 SAND/SHALE/COAL (COAL @806-807 & 810-812 & 813-814)
817	847		30 SAND/SHALE
847	885		38 SAND/SHALE/COAL (COAL @851-852)
885	915		30 SAND/SHALE/COAL (COAL @886-887)
915	945		30 SAND/SHALE/COAL (COAL @933-934)
945	975		30 SAND/SHALE/COAL (COAL @967-968)
975	1005		30 SAND/SHALE
1005	1035		30 SAND/SHALE
1035	1065		30 SAND/SHALE
1065	1095		30 SAND/SHALE
1095	1125		30 SAND/SHALE/COAL (COAL @1101-1102)
1125	1155		30 SAND/SHALE/COAL (COAL @1144-1145)
1155	1185		30 SAND/SHALE/COAL (COAL @1163-1164)

1185	1215	30 SAND/SHALE/COAL (COAL @1191-1192)
1215	1245	30 SAND/SHALE
1245	1275	30 SAND/SHALE
1275	1305	30 SAND/SHALE
1305	1335	30 SAND/SHALE/COAL (COAL @1333-1335)
1335	1365	30 SAND/SHALE
1365	1395	30 SAND/SHALE/COAL (COAL @1375-1376)
1395	1425	30 SAND/SHALE/COAL (COAL @1405-1406 & 1420-1421)
1425	1455	30 SAND/SHALE
1455	1485	30 SAND/SHALE
1485	1515	30 SAND/SHALE
1515	1545	30 SAND/SHALE/COAL (COAL @1520-1521)
1545	1575	30 SAND/SHALE/COAL (COAL @1555-1556 & 1559-1560)
1575	1605	30 SAND/SHALE
1605	1635	30 SAND/SHALE
1635	1665	30 SAND/SHALE
1665	1695	30 SAND/SHALE
1695	1725	30 SAND/SHALE
1725	1755	30 SAND/SHALE
1755	1785	30 SAND/SHALE/RED SHALE @1775

1785

1785 FT TOTAL DEPTH
24 FT OF 13 3/8 CASING
381.48 FT OF 7 CASING
1607.87 FT OF 4 1/2 CASING