



DRILLER'S RECORD

Previously Requested, but NOT AVAILABLE

DATE:

057 32 COUNTY PERMIT

YEAR REPORTING OPER STS JAN FEB MAR

Ŧ

9

Ŷ

1981 Upland Resource ?

WVGES DSG Data System Listing: 2/25/1991

MMTF: All well depths measured in fact from surface datum

Wybes Uab Data System L	.isting:	2/25/1991			NOTE;	All well	derths measu	red in feet	from sur	face datum.
ID: COUNTY: 057 (HINE	ERAL) P	ERMIT:	32 SFX: 0	(New Loc	eation)	REASSIGNED	ID #: ()			
COMPLETION INFO: ELEVA	ELEVATION TION TYPE (Grou	? 910 : G nd Lvl)	COMP REC	FLAG: (not RIG 1	@DOE/OGIS) TYPE: 3 Cable Tool)	* LOCATION * INFO: * 7	TAX DST: 1	(Cabin Run DEGREES : 39) MINUTES 22.5 50.0	MILES 0.625 1.854
CLASSIFICATION: CLASSIFICATION: INITIAL: 6 (Develow FINAL: 0 (Unsucce FINAL: 302 (Headsville) OPEN GAS-BEFORE TREAT FLOW: GAS-AFTER TREATM	nt Well) essful)	DATES: SPUD: COMP: BATCH: YEAR RPTD	MM/DD/YYY / /198 / /198 / /	Y O WELL T O (Bry CMPL Y (uni	TYPE: 8 y w/ Gas Show) METH; 0 Known)	京京京京	QUADRANGLE 15' LATITUDE LONGITUDE QUADRANGLE	585 (Rom 39 78 1 045 (Key	nes) 25 50 (ser)	7.509
OPEN GAS-BEFORE TREAT FLOW: GAS-AFTER TREATM	MENT: ENT:	(MCFPD)	OIL-BEFORE OIL-AFTER	TREATMENT:	(BOPD)	x x uth:	5′ SECT EASTING: 6 COORDI	: 5 (Centr 83690.9 NATE DIGITI	al) NORTHING: (ZED (Y/N)	4359365.5 : N
ROCK NATURAL (PSI) PRESSURE: TREATED (PSI)		TIME TIME	(NATURAL, I (TREATED, I	N HOURS): (N HOURS): (EVD) ETG:) 	* OWNER * INFO;	STATUS: C (Cmpltd))WNER: Melv	DATE: vin C Borr	/ /1980 or 1
ROCK NATURAL (PSI) PRESSURE: TREATED (PSI) DEPTHS: TOTAL FTG: 209 DEEPEST FM: AT TOTAL DE (Helderb	PTH: ers)	485	TESTE	CATE FIO: D: 475 Driskans)		事事事	COMPANY NU OPERATOR:	MRER: 0903 (Upla	nd Resour	ce)
PLUGGING INFO: DATE	PLUGGED		DEPTH	YEAR RPTD	to when the mode spot and spot	man days and was	· may take take size clost and		der ook yee give was	16
MECHANICAL LOG INFO:	Luus nyn	CHMENT:	17.11.4		ERVALS: 402- temperature;]	UITHULIL	n null nunge	LO + / G / N:	ther type	s not noted
PRODUCTION INFO: GAS (VOLUMES IN MCF): YEAR REPORTING OPER 1981 Urland Resource	STG 1	MAN FEB == ===== : 0 0	MAR AP	R MAY = ==== = 0 0	JUN JUL	AUG SE	P OCT = ==== == 0 0	NOV DEC		And the time time time time time time
DAYS ON LINE:						-		-		भाष क्यांग्र

YEAR REPORTING OPER STS JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC ANNUAL

P

7

?

7

								100
FORM IV-	-2 e)	DEPARTMENT	STATE OF	WEST VIRGINI	Α	Date: D	ecember 11	, 19 <u>79</u>
[08+78]			.***	S, OIL AND G		Operator		, ±2/ <u>9</u>
STIPLE COLUMN			0		DICATION	API Well	No. 47 -	057 _0032
	0il/ Ga							County Permi
LOCATION:	(If "Gas", Prod Elevation: 910	uction/	Undergr Watershe	round storage	son Creek	-		
	District: Cab:						mnox 7-1/2	1
THE COURT OF THE	OT THAM VESO	JKCES. INC.						
Addros	OR <u>Huntley & Huntley & Hu</u>	intley, Agen	<u>t</u>					
Addres	s 170 _{0 Benedur} Pittsburgh,			. <i>P</i>	ddress	P. O. Bo	x 371	
<u>1</u>	1/2 Interest each					Buckhann	on, W. Va.	26201
OIL & GAS	M. C. & H. I.	Borror an	d					
MOTALIT OWN	ER <u>Ellis R. & Wn</u>	n. R. Leathe	rman	COAL O	PERATOR	NO COAL		
Address	s <u>As Below</u> and		***	A	ddress			
A	123	Burlington	n, W.Va.	26710				
		_		COAL O	WNER(S) WI	TH DECLARAT	ION ON RECOF	RD:
	ER Melvin C. &		rror	Name _		NONE		
Address	Rt. 1, Box			А	ddress			
:	Burlington,	W. Va. 267	10					
	123			Name _				
	IF MADE) TO:							

Address				COAI, LI	ESSEE WITH	DECLARATION	N ON RECORD:	
3.7.				Name _				
Vame	SPECTOR TO BE NOT Robert S. Ste			Ad	ldress			
Address	P. O. Box 345				With a find the second and			
	Jane Lew, W.	Va. 26378						
The	e undersigned wel	l operator is	entitle	d to operate	for oil o	r gas purno	ses at the	above
	Andrew Control of the		Oction	compraet	/ dated	_December	5 , 1970	. to the
indersigned w	well operator fro	т <u>М. С. & Н.</u>	I. Borr	or and Ell	is R. & W	m. R. Leat	herman, Re	spectively
If said deed	l, lease, or othe	r contract ha	is been re	ecorded:] M	Г. С. & Н.	I. Borror	•	
ecorded on _	<u>April 11</u> ,	19 <u>77</u> , in t	he office	of the Cle	rk of the	County Comm	ission of M	ineral
ounty, West	Virginia, in	Deed Bo	ok <u>207</u>	_ at page _	868 . _A	permitais	requested as	follows:
PROPOSED	WORK: Drill	$\frac{\zeta}{}$ Drill dee	per/	Redrill	_/ Fractu	re or stimu	late /	
	Plug off	old formatio	n/	Perforate i	new format:	ion/		
	Other ph	ysical change	in well	(specify) _				
	planned	i as shown on	the work	order on th	ne reverse	side hereo	r.	and the state of t
The	above named coal	l operator, c	oal owner	(s), and coa	ıl lessee a	are hereby r	notified tha	t anv
ojection the	y wish to make of	are/require	d to make	by Code § 2	12-4-3 must	be filed v	vith the Den	artment
6 Mines with	in fifteen (15) c	lays after the	e receipt	of this App	lication b	ov the Depar	tment	ar omeric
Copi	ies of this Permi	t Application	n and the	enclosed pl	at and rec	lamation ol	an have been	n moilad
registered	mail or delivere	ed by hand to	the abov	e named coal	operator.	coal owner	r(s) and co-	al lecces
1 or before t	the day of the ma	iling or del:	lvery of	this Permit	Applicatio	n to the De	partment of	Mines of
marleston, We	est Virginia.							HILLED BY
EVOE CHEVAL	OODTES OF	1		Trank	Bastlel.	mew 7		
OPHYSICAL LC	COPIES OF ALL DGS DIRECTLY TO:	TOP PROPERTY OF THE PROPERTY O		IIDI AND DECC	Wel	1 Operator		
ST VIRGINIAS	OIL AND GAS			UPLAND RESC Huntley & H	untley, I	nc. Agent		flight.
15 WASHINGTO	ON COMMISSION ON STREET EAST			Tracy B	<u>artholome</u>	w, II		
ARLESTON, WV	İ			Its <u>Vice Pr</u>	esident -	Operation	a	
LEPHONE: (3	104) 348-3092						-	

2 -- 1 -- 1

PROPOSED WORK ORDER

THIS IS AN ESTIMATE ONLY: ACTUAL INFORMATION MUST BE SUBMITTED ON FORM IV-35 UPON COMPLETION

DRILLING CO	NTRACTO	R (IF	KNOWN) _	Tal	king	ton-Brady,	Inc.		
			Į.	Addres	s P	. O. Box 37	1		•
					_ <u>B</u> 1	uckhannon,	W. Va. 262	61	
GEOLOGICAL	PARGET	FORMAT	ION.	0ris	kany				
							feet	Rotary /	Cable tools X /
								,feet.	, , , , , , , , , , , , , , , , , , ,
									ia: Yes/ No X_A
									
CASING AND	rubing	PROGRA	M						
CASING OR TUBING TYPE		9	IFICATIO Weight	1			INTERVALS	CEMENT FILL-U	
	Size	Grade	per ft	New	Used	For drilling	Left in wel	l (Cubic feet)	
Conductor	0 5 / 0	III A	2/. 70	Х		400 *	400'	Cemented to	Kinds
Fresh water	0-5/6	A	24.70	Λ		400	+00	Surface	
Coal									Sizes
Intermediate	1						2200'	Cemented to	
Production	4-1/2	2 '' A	10.01	X		22001	2200	Surface	Depths set
Tubing .	On the second								
Liners									Perforations:
							1		Top Bottom
	<u>.ll</u>			<u> </u>			1		
by R ther appl prev the (200) where	egulati eof the icable icusly consent feet of A e fract oted as	on 11, other to the paid o requi the p separ	(ii) a securi reclam n the sired by (reposed at a Form on the F	bond ty all ation ame we code \$ well. IV-2 Ilatin	in or lowed required; 11, 12-4 shall your flower f	ne of the for by Code § 22 ired by Code the fee requirement the fee part of the fee part of the fee feet to be part of the feet for the feet of the feet for the	ems prescribe R-4-2, (iii) S 22-4-12b of ited by Code cwner of an wired for fr f the work f ection there	ed by Regulatio Form IV-9, "Re and Regulation \$ 22-4-12a, an any water well or eacturing or stitler which a perm	the form prescribed n 12, or in lieu clamation Plan", 23, (iv) unless d (n) if applicable, deelling within mulating a well nit is sought and
		W. Vo	L Code, I lino	ne loc.	znan is This no	ermit shall expir			
	ior	Can no in September	va not co	 mmence	ad by	8-13-80	gr. P.		
	opera			Mis	7				
did upon their time data pain their diffe done which were	<u></u>		rector - O	त े हैं हैं	s Divi	5000	near dan year or		and the same and the same that the same than the same that
0	he foll or coal	lowing lessee	waiver who ha	must i s reco	be con orded	nploted by t a declarati (15) days of <u>WAIVE</u>	on v er Code rec ot the	ator and by any e § 22-4-20, if reof:	
location ha well locati the work pr	is exami lon, the oposed	ined the well to be	locatio	osed n has this	well been loca	/ owner location. I added to th tion, provid nia Code and	far e map e mir nap. ed, t well	exists which of The undersigned	e coal under this well evers the area of the d has no objection to complied with all
Date:			_, 19						
							Вý		
							Its	STATES A STATES OF THE	

DECIPIES.

W VA OR Z GAS OTITIVATION COMMISSION

FORM IV-38 (Affidavit of Plugging)

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



AFFIDAVIT OF PLUGGING AND FILLING WELL

OIL & GAS DIVISION DEPT. OF MINES

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

None	даммерт періотейні Помномура періотектарую муру, шу гран втурганую ін надзілення правода	Upland Reso	ources, Inc. c/o Wes		Corp.			
Coal Operator or Owne	r.	Name of Well Operator						
		299 Park Avenue New York, NY 10171						
Address	manualisti (conf) (March and subject to Cool with Cook and American and Common 1994) (conference).	estimated to the shall all the are to consider the use in temporal accounts Association associated	Complete Address	à				
		Borror No.	1	1	9			
Coal Operator or Owne			VELL AND LOCATION	tionacythylethylere/Sirich	AND THE PERSON NAMED OF			
		Cabin Run		Distr	ict			
Address	and large of dishapped the accommodation of which is established to be extraordistations.			Although and although and				
Melvin Borror		Mineral		Count	* 99			
Lease or Property Own	Defection to the first of the contract of the		NO CONTRACTOR CONTRACT		• 3			
Box 80 Burlington, WV 26710	have stop	2 2000 2 2000 /1	7-057-0032 (No. 1)					
Address	and apply a complete the contract of a state of the contract o	WELL NO		elinencial explosio forestipica interes	encommunication section and control females			
Address					greg			
		Borror		sking on the time blanch street, ground think	Farm			
STATE INSPECTOR SUPERVISING P	LUGGING Robert	Stewart						
	who would be a <u>Clause on the Contract of the </u>	operation in the processing and an extraction of the contraction of th	e State of processing was a sheet agreen in processing and all an explain of the world by engineering any explain and an explain an explain and an explain an explain and an explain and an explain and an explain an explain an explain and an explain an explain and an explain an explai	Epode (Control of the Control of the	Control of Association of Associatio			
	AFFIDA	VIT						
STATE OF WEST VIRGINIA,								
•	58 %							
County of <u>Mineral</u>								
Joseph V. Peddy		and Ralph We	ebb					
being first duly sworn accord								
work of plugging and filling								
well o	perator, and pa	rticipated in	n the work of pluggi	.ng and	fill-			
ing the above well, that said	work was comme	nced on the	25 day of May	e en l'altre de la company	etermonement position (
19 82, and that the well wa	as plugged and	filled in the	e following manner:					
	Mercelland and the committee of the comm		AND PROCESS AND THE OWNERS OF THE PROCESS OF THE PR	May require the second section of the s	and a particular description of the contract o			
Sand or Zone Record	Filling Mat	erial	Pluge Used	ed Casing				
Formation		en e	Size & Kind	-	-			
					APTIM			
Daile of Dilate	gel & cement	and the second of the second o	squeeze perf at	-				
<u>Selinsgrove</u> 1582-1660 <u>Marcellus</u> 1660-1778		and the second s	1931'-2010' with		Own section and the section of			
<u>Marcellus</u> 1660-1778 <u>Tioga</u> 1778-1802	Annual Control of the	ANALYST THE POWER TO THE PROPERTY OF THE PROPE	2% CaCl for 200' of well above and	15051	4001-			
<u>Onondaga</u> 1802–1814	AND DESCRIPTION OF THE PROPERTY OF THE PROPERT		· including perf.		8 5/8"			
Needmore 1814-1929		oler felik in held til held storge (Salarhallatus in aktori i Militare) at finlarhi (Sauzani) (överil) þengskum e			587'-			
Oriskany 1929-2056		HATELDANGTICH HELHANG HATETONN OCH WICHERSCHARTESTANNESSANDER SECTION STANSFARMESTAND	plug over 4½"		415"			
Helderburg 2056-	AND THE PROPERTY OF THE PROPER	n deut für en gegen verd diese seich eine die zu der eine der eine gegen einzelnen ein zu eine gewenne der ein	casing left in	egozitizassemenspieriosemis	James and Market Street Contraction of the Contract			
	And the state of t	·	hole. Set 100'	The state of the s				
T-D-2092			cement plug at					
			[bottom of 8 5/8".		-			
			Set 100' cement		perensista reservoras 2000			
			plug at surface.	Concornations				
		nematan nematawa ni integra na ili kana kara ana aliana na kana a pisa na akina ya hipidang kana ya kana ya ka						
P 3 P					And the second second			
Coal Seams			Description of	Monum	ent			
(Name) None			8 5/8" 30" or more	erect	ed			
(Name)		to contribution or completely many thanks of source (1995). All properties of the contribution of the cont	above ground.					
(Name)			Well No stencil	.ed				
(Name)								
and that the work of plug	and an and Edition			19	d o oo			
of August , 19	Sang and intri	ug sard werr	was combraced on the	**************************************	_ cay			
•			. / 0 0 0					
And further deponents sai	th not.	Je.						
		(/ 9	Pach & Will					
Sworn to and subscribed before	25	day of	kalaitiksing isoodalimaandingon kalaitikk bilitalihalimaan 124	10	S3.			
	· and the to 11 de Co	way 42 manamara L	fragh, of a Samuel grabellaries advantación recommencement		Disconsission of			
		***************************************	Down Marse	Zataran arangan	ACTION COLUMN TO A STATE OF THE PARTY OF THE			
		· · · · · · · · · · · · · · · · · · ·	Notery Public					
My commission expires:	,		v.					
Hpril. 3 1991	·		Permit No. 47	'-057-C)032			