LATITUDE	39°	40'	00

7'5 OGIS topo location

7.5' loc 2665	15' loc
1.02 W	(calc.)

Company

Quad BLAGKSVILLE 7/21

County MONONEALIA

District CLAY

Cle 1475 + (TOPO)

WELL LOCATION MAP

File No. <u>061-0601</u>

#### DIAGRAM OF CHANGES

AID, MAKE IN RED. TAKEN UP IN BLACK CROSSED WITH RED. LESS THAN 2 FEET OF PIPE SHOULD NOT BE SHOWN

生真美国的自然的 地名美国英格兰

Monongalia DISTRICT, Clay LEASE OR RIGHT OF WAY NO. Ezra Wells Hrs. DATE OF CHANGE 3 INCH 4 INCH 5 INCH 8 INCH 2 INCH 6 INCH 7 INCH TOTAL PIPE LAID. PIPE TAKEN UP TOTAL PIPE UP. PIPE TAKEN UP PUT INTO PIPE LAID TAKEN FROM: STOCK, OLD OR NEW. REMARKS: Plat showing location of casinghand gas offered for purchase by dayard Cil Company (George Burline) on Ezra Wells Hrs. Furm 10) acres wells Nos. Fuel & Gathering near tobe Trison ligs, well go, thence into c" Fuel a to Fairview Compressor Sthat Showing Lines Gathering Line : **E** -114 061.60i



## STATE OF WEST VIRGINIA DEPARTMENT OF MINES

### Oil and Gas Division

#### WELL RECORD Rotary\_\_\_ Oil\_\_ Cable\_\_\_ Gas\_\_\_ . Quadrangle Mannington Recycling\_ Comb.\_ Water Flood\_ Storage\_ Permit No. Disposal (Kind) Company Ira Oil & Gas Company Casing and Used in Left Cement fill up AddressRt. 1 Box 29-C. Fairview. WV Drilling **Tubing** in Well Cu. ft. (Sks.) Farm Clark & Stephen Tennant Acres 103 Location (waters) Branch of Bennefield Size \_\_\_\_\_ Elev.\_N/A\_ 20-16 District Clay County Monongalia Cond. SEE REMARKS 13-10" The surface-of tract is owned in fee by\_\_\_\_ 9 5/8 8 5/8 Address\_\_\_ Mineral rights are owned by\_\_\_ 5 1/2 \_\_\_ Address\_ 4 1/2 Drilling Commenced Date not known-Prior to 1900 Drilling Completed\_\_\_\_ Initial open-flow \_\_\_\_\_ cu. ft. \_\_\_\_ bbls. Final production \_\_\_\_\_cu. ft. per day \_\_\_\_\_bbls. Well open \_\_\_\_\_hrs. before test \_\_\_\_\_RP. Liners Used Well treatment details: Attach copy of cementing record. Not available. Coal was encountered at \_\_\_\_\_ \_\_Feet\_\_ \_ Inches \_\_\_\_\_ Feet \_\_ Fresh-water.... \_\_ Salt Water\_ \_\_Depth \_\_3402 \*\* Producing Sand Furmation Color Hard or Soft Top Feet Bottom Feet Oil, Gas or Water \* Remarks This well was drilled somethme around the turn of the century. Well records and actual drilling records are not available. Well depth is estimated to be 3436' with oil pay at 3403'; 2179' of 5 inch casing.



061-601

# STATE OF WEST VIRGINIA DEPARTMENT OF MINES

### Oil and Gas Division

Quadrangle Mann			WELL	RECORD		Rotary Cable Recycling Water_Flood	Gas
Permit No						Disposal	
Well drilled	in 19	02 by Leonard	Donnan &	Iseman Washin	rton Penr	sylvania	\KII
Address Rt 1 Farm C & S 3	DOX Z	y-c, rairview	, WV 265/U	rator Casing and Tubing	Used in Drilling	Left in Well	Cement fill Cu. ft. (Sk
Location (waters) Well No. No.	5	field Fork, P	aw Paw Cre lev 1500 ±	20-16			
District Clay  The surface of tra		ned in fee by Lo		Cond. 13-10"			
Harker				9 5/8			
Address Core,	WV		<del></del>	8 5/8			,
Mineral rights are			tern Assoc				•
oal Co. Add	ress_P11	ttaburgh, PA		5 1/2			
Drilling Commence	ed	190/		4 1/2			* ,
Drilling Completed Initial open flow _			LLI.	2	-	-	٠.
Final production.				Liners Used		-	
Well open				· -			
		1072 ±					
Presh water		Fo	FootF		Vater		Feet
Fresh waterProducing Sand_F		Fo		Salt V			- Feet
Fresh waterProducing Sand_F		Fo		Salt V	Vater	et	Feet
Fresh waterProducing SandE	ifth	(5th) Sand	eet	Salt V	Vater3298 fe	et	- rect
Producing Sand	ifth	(5th) Sand	eet	Salt V	Vater3298 fe	et	- rect
Producing Sand	ifth	(5th) Sand	eet	Salt V	Vater3298 fe	et	- rect
Producing Sand	ifth	(5th) Sand	eet	Salt V	Vater3298 fe	et	- rect
Fresh waterProducing Sand_F	ifth	(5th) Sand	eet	Salt V	Vater3298 fe	et	- rect
Producing Sand	ifth	(5th) Sand	eet	Salt V	Vater3298 fe	et	- rect
Producing Sand	ifth	(5th) Sand	eet	Salt V	Vater3298 fe	et	rect
Coal was encounte  Presh water  Producing Sand  Formation	ifth	(5th) Sand	eet	Salt V	Vater3298 fe	et	- rect
Producing Sand	ifth	(5th) Sand	eet	Salt V	Vater3298 fe	et	- rect
Producing Sand	ifth	(5th) Sand	eet	Salt V	Vater3298 fe	et	- rect