

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

January 30, 2015

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-6101702, issued to EASTERN ASSOCIATED COAL/PEABODY COAL CO., is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions,

please free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: F2-565

Farm Name: FISHER, AARON

API Well Number: 47-6101702

Permit Type: Plugging Date Issued: 01/30/2015

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

FORM WW-4(B) Observe File Copy (Rev. 2/01)

1)Date.		Nov	rember 13	2014
2) Operator's	3- 2			
Well No.	-EAC	LLC !	F2-565	
3) API Well I			- 061	-

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR A PERMIT TO PLUG AND ABANDON

4)	Well Type: Oil X / Gas / Liquid injection / Waste disposal / (If "Gas, Production or Underground storage) Deep / Shallow
5)	Location: Elevation 1,233' Watershed Kings Run District Clay 3 County Monongalia Quadrangle Blacksville
61	Well Operator Eastern Associated Coal LLC 7 Designated Agent Address 1044 Miracle Run Road Address 1044 Miracle Run Rd. Fairview, WV 26570 Fairview, WV 26570
8)	Oil and Gas Inspector to be notified 9) Plugging Contractor Name Gayne J. Knitowski Name Chisler Brothers Address P.O. Box 108 Address P.O. Box 101 Gormania, WV 26720 Pentress, WV 26544
V	Work Order: Per our 101-C petition, the work order for the manner of plugging this well Petition is as follows:
1	. Cut out well to a total depth, if practical, or to a minimum of 200 feet below
	the Pittsburgh Coal Seam.
2	. Run well logs and directional surveys.
3	. Collars of any old remaining casing will be ripped at the coal seam.
4	. A plug made of expanding cement slurry shall be pumped from at least 200 feet
	below the base of the coal seam to 100 feet above the coal seam. The expanding cement shall be place in the well under a pressure of at least 200 psi.
	6. After the expanding cement has hardened, it will be tagged, and the well bore
	will be filled with porland or lightweight cement mixture, by tubing, to the
lá	surface. 5. A suitable monument installed on the surface with the necessary well identification plate attached.
*	instell soil enviors megines as nuclid
Not i	effication must be given to the district oil and gas inspector 24 hours before permitted to can commence. **Corder approved by inspector **Maynage **Life** Date **12/16/2014** **Date **12/16/2014** **Date **Da

Office of Oil & Gas DEC 2 3 2014 WW4-A Revised 2/01

1) Date:	Date: November 13, 2014						
2) Operator's Well							
(current-Aaron Fi	sher), l	EAC :	F2-565				
3) API Well No.: -	47	-	061				

STATE OF WEST VIRGINIA - BUREAU OF ENVIRONMENT DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Ov	wner(s) to be served:		5) (a) Coal Op	erator	
(a) Name	Aaron Fisher		Name	Eastern Associated Coal LLC	W
Address	2524 Paxton St	W	Address	1044 Miracle Run Road	
	Woodbridge, VA	22192	- 001.000	Fairview, WV 26570	
(b) Name			(b) Coal Ov	vner(s) with Declaration	
Address			Name	Eastern Associated Coal LLC	W
22441000			Address	1044 Miracle Run Road	
				Fairview, WV 26570	
(c) Name			Name	Tanview, WV 20070	
Address			Address		
Address	-		- Address		
C) I			- (a) Carl I a	ssee with Declaration	
6) Inspector	-				
Address	-		_ Name		
m	_		Address		
Telephone	-		7	_	
Take not accompa Protection the Appli	, you are not required to take an ice that under Chapter 22-6 of nying documents for a permit n, with respect to the well at the	ny action at all. the West Virginia Code to plug and abandon a te location described on mailed by registered	e, the undersigned well well with the Chief of the attached Applicati or certified mail or de	operator proposes to file or has filed this Notice the Office of Oil and Gas, West Virginia Division and depicted on the attached Form WW-6. Clivered by hand to the person(s) named above (and Application and on of Environmental opies of this Notice
		Well Operator	Eastern Assoc	iated Coal LLC	
		By:	Matthe & Boro		
		Its:	Designated Ag		
		Address	1044 Miracle I		
		- AMATOBO	Fairview, WV		
		Telephone	(304) 368-9952		
		retephone	(304) 300-3332		
Subscribed an	d sworp before me thi	s <u>13</u> th day o	of Novem		
	aller KMo	ore		Notary Public	
My Commission	on Expires Jan	uary 13,20	123		
		, ,	-	~~~~	
	Received		L WESTS	OFFICIAL SEAL	
	11000		4000	NOTARY PUBLIC	

Office of Oil & Gas DEC 2 3 2014



Date

Operator's Well Number

Current-Aaron Fisher
Eastern Assoc. Coal LLC F2-565

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.
WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Division of Environmental Protection
1356 Hansford Street
Charleston, WV 25301
(304) 558-6342

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

FOR EXECUTION BY A NATURAL PERSON

FOR EXECUTION BY A CORPORATION,

Signature

Date

Signature

Received
Office of Oil & Gas

DEC 2 3 2014

FORM WW-4 (B) Reverse

API No	47-061-01702P
Farm Name	Aaron Fisher

Well No. EAC F2-565

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Division of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

location h	as examined this proposed plu posed to be done at this loo	/ owner/ lessee/ of the coal under this well gging work order. The undersigned has no objection to the cation, provided, the well operator has complied with all inia Code and the governing regulations.
Date:	Nov 13, 2014	Eastern Associated Coal LLC
		By:Matthe Count
		Its Designated Agent

Received
Office of Oil & Gas
DEC 2 3 2014

FORM WW-9 Rev. 02/01

Page	i	of 1
API Number 47 -	061	-01702P
Operator's Well No		F2-565


STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name	Eastern	Associated	Coal LLC		OP Code	
Watershed_	Kings R	un	2	Quadrangle	Blacksville	
Elevation	1,233	County	Monongalia	ar 	_ DistrictClay	-
Description of antici	oated Pit V	Vaste:	Plugging			
Will a synthetic line	be used in	the pit? _	No	5		
	Land / Under Reuse Off Sit	Application ground Inject (at API Nu	ction (UIC Perm	nit Number V-9 for disposal lo	cation)	
Proposed Work For	Which Pit Drillir Worke	Will Be Used		Swabbing Plugging (no	pit, steel tank used)	
Protection. I unde condition of the general certify un submitted on this a immediately responsible am aware that the imprisonment.	estand the eral permit der penalt oplication sible for ob- ere are sig	at the provision and/or other y of law the form and all taining the nificant pen	sions of the perior applicable law at I have persol attachments the information, I be alties for submit	mit are enforces or regulation can onally examined ereto and that, b lieve that the inf	Vest Virginia Division of Environment of the by law. Violations of any lead to enforcement action, and am familiar with the inference on my inquiry of those incommation is true, accurate, and cation, including the possibility of	term or ormation dividuals complete.
Company Official Si Company Official (7)			thew L. Bonnell			
Company Official Ti			ignated Agent	100		
Subscribed and swo			day of		. 20_14	
My commission exp			2023		ORFICIAL SEAL NOTARY PUBLIC STATE CE WEST VIRGINIA ALLEN K. MOORE SIZ COMAWAY 51, BOX 319 BARRACKVILLE WV 26595	7


Office of Oil & Gas DEC 2 3 2014

01/30/2015

Property Boundary	Diversion		-
Road =========	Spring ○	L	
Existing Fence — X X X X	WetSpot -5		
Planned Fence	Drain Pipe with size in	inches de	>
Stream	Water Way		
Open Ditch	Cross Drain	TITLLIII.	
Rock SSSS	Artificial Filter Strip	XXXX	
North N	Pit with Cut Walls	Cinio I	
Buildings	Pit with Compacted W	alls	*
	Area of Land Application of Pit	Waste	
Drill Site		÷	
			8
Proposed Revegetation Treatment: Acres D	fisturbed 2 Pre	vegetation pl1	
Lime 4			
Fertilizer (10-20-20 or equivalent)	1,000 Ibs/i	icre (500 lbs minimum	
Mulch Hay 150 Bales or	3 Tons/acre		
	Seed Mixtures		
Area I		Area	ı II
Seed Type 1bs/acre		Seed Type	lbs/acre
Annual Rve Grass 40 pound	ls	Tall Fescue	30 pounds
		Orchard Grass	15 pounds
		Ladine Clover	10 pounds
		-	
Attach: Drawing(s) of road, location,pit and propose	ed area for land application.		Received Office of Oil & Gas
Photocopied section of involved 7.5' topogra	aphic sheet.		DEC 2 3 2014
М 0	(1)		
Plan Approved by: Acupa) 7	n lul	1 /2	
Title: INSPETIN	Date	12/16/2014	
Field Reviewed? (×) Yes	() No		



DEC 2 3 2014





Eastern Associated Coal LLC

Federal No. 2 1044 Miracle Run Road Fairview, West Virginia 26570 Phone: (304) 449-1911 Fax: (304) 449-1026

December 19, 2014

WV Department of Environmental Protection Office of Oil and Gas Permitting 601 57^{th.} Street, SE Charleston, WV 25304-2345

Dear Sir/Madam:

A search of the WV DEP OOG microfiche files was performed May 20, 2014 at the WVDEP office in Charleston by an Eastern Associated Coal engineer. We were not successful at finding any information on the well F2-565.

If there are any questions, please don't hesitate to call me at (304) 368-9952.

Sincerely,

Matthew L. Bonnell

Engineer

Received
Office of Oil & Gas
DEC 2 3 2014