

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

December 07, 2015

WELL WORK PERMIT

Horizontal 6A Well

This permit, API Well Number: 47-6101735, issued to NORTHEAST NATURAL ENERGY LLC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

Operator's Well No: FISHER 5H

Farm Name: FISHER, AARON K.

API Well Number: 47-6101735

Permit Type: Horizontal 6A Well

Date Issued: 12/07/2015

API Number:	_
API Number:	_

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit</u> conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 8. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.
- 9. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

WW-6B (04/15)

API NO. 47		
OPERATOR WELL	NO.	Fisher 5H
Well Pad Name:	Fisher	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Opera	tor: Northeast N	latural Energy	LLC	494498281	Monongalia	Clay	Blacksville
•				Operator ID	County	District	Quadrangle
2) Operator's	Well Number: F	Fisher 5H		Well Pa	d Name: Fishe	r	
3) Farm Name	/Surface Owner	: Aaron K. F	isher	Public Ro	ad Access: Sta	te Route 2	18 (Daybrook Road)
4) Elevation, c	urrent ground:	1480'	E	evation, proposed	post-constructi	on: 1453.	04'
5) Well Type	(a) Gas X	0	il	And the second second	lerground Storag		
	Other						
	(b)If Gas Sl	nallow X		Deep			
	H	orizontal X			Mai	1	
	l: Yes or No No	_			Egr		115
	rget Formation(277' , 103' , 3,60		Antic	ipated Thickness	and Expected Pi	ressure(s):	
8) Proposed To	otal Vertical Dep	oth: 8,277'					
9) Formation a	t Total Vertical	Depth: Marc	cellus				
10) Proposed T	otal Measured I	Depth: 17,6	08.24	1'			
11) Proposed E	Iorizontal Leg L	ength: 8,90	2'				
12) Approxima	te Fresh Water	Strata Depths:		50', 1,373'			
13) Method to	Determine Fresh	Water Depth	ns: D	Oriller's Log from	Offset Wells		
14) Approxima	te Saltwater De _l	oths: 1,969'	, 2,61	9'			
15) Approxima	te Coal Seam D	epths: 819',	1,37	1'			
16) Approxima	te Depth to Poss	sible Void (co	al mi	ne, karst, other):	N/A		
	sed well locationg or adjacent to			Yes X	No		
(a) If Yes, pro	vide Mine Info:	Name:	Adjac	ent Mine - Feder	al No. 2		
		_	1,100				
		_	Pittsb	urgh	Otto	REGEN	ÆÐ
		-	Patrio	t Coal Corporation	on Uffic	e of OII	and Gas
						OCT 2 8	

WV Department of Environmental Protection 12/11/2015

WW-6B (04/15) API NO. 47-_

OPERATOR WELL NO. Fisher 5H

Well Pad Name: Fisher

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	24"	New	NA	94.71	40'	40'	GTS
Fresh Water	13-3/8"	New	J-55	54.5	1,451'	1,428'	CTS
Coal							
Intermediate	9-5/8"	New	J-55	40	2,680'	2,650'	CTS
Production	5-1/2"	New	P-110	20	17,608'	17,578'	4,039 Cu. Ft.
Tubing	2-7/8"	New	N-80	6.5	NA	8,500'	NA
Liners							

MAK 10/20/2015

TYPE	Size (in)	Wellbore Diameter (in)	<u>Wall</u> <u>Thickness</u> <u>(in)</u>	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	24"	30"	.375	415		4,500 psi Grout	NA
Fresh Water	13-3/8"	17 1/2"	.38"	2,760	2,000	Class A	1.23
Coal					4.		
Intermediate	9-5/8"	12 1/4"	.395"	3,950	3,000	Class A	1.3
Production	5-1/2"	8 3/4"	.361"	12,530	9,700	50:50 Poz	1.21
Tubing	2-7/8"	NA	.217"	10,570	3,600	NA	NA
Liners							

PACKERS

Kind:	
Sizes:	
Depths Set:	REGEIVED
	Office of Oil and Gas

OCT 2 8 2015

WV Department of Environmental Protection 12/11/2015

WW-6B
(10/14)

API NO. 47	
OPERATOR WELL	VO. Fisher 5H
Well Pad Name: _F	isher

19)	Describe 1	proposed	well work	i, including	g the drilling	g and pl	ugging l	back of	`any j	oilot h	ole:
-----	------------	----------	-----------	--------------	----------------	----------	----------	---------	--------	---------	------

Drilling and completion of a horizontal Marcellus well. The well will be drilled on air to an approximate depth of 6,419.99' TVD/MD. The well will then be horizontally drilled on synthetic based mud from the KOP to approximately 8,277' TVD / 17,608.24' MD along a 323 degree azimuth.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Multi-stage / high-rate slickwater fracture treatment using various size sands as proppant. First stage will be initiated via pressurization against a burst disc ran in the production casing string or perforated with coiled tubing. Subsequent stages will be perforated with pumped down guns ran on wireline. Individual stages will be isolated with composite frac plugs. Maximum pump rate during any stage will be 110 BPM with a maximum allowable surface pressure of 9,500 PSI. Composite bridge plugs will be set at the end of the last stage to isolate the treated formation.

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 26.9
- 22) Area to be disturbed for well pad only, less access road (acres): 9.7

23) Describe centralizer placement for each casing string:

Surface and intermediate casing strings will have bow spring centralizers placed every third joint (~120') from the shoe joint to surface. Production casing will have rigid body centralizers placed at a minimum of every fourth joint (~160') from TD to surface.

24) Describe all cement additives associated with each cement type:

Surface string cement will be a Class A + Max 3% bwoc Calcium Chloride Fresh Water blend. Intermediate string cement will be a Class A Cement + Max 3% bwoc Calcium Chloride + Fresh Water. Production string cement will be (50:50) Poz (Fly Ash):Type I Cement with a gas migration additive.

25) Proposed borehole conditioning procedures:

Surface string will use a 25.0 bbls Gel Pill + LCM + 25 lbs Cello Flake + 20 lbs/bbl Bentonite @ 8.4 ppg & 10 bbls fresh water spacer prior to cement. Intermediate string will use a 25.0 bbls Gel Pill + LCM + 25 lbs Cello Flake + 20 lbs/bbl Bentonite @ 8.4 ppg & 10 bbls fresh water space cement. Production string will use a 50.0 bbls SealBond 25 + 1 gal/bbl US-40 Price of the least of Gas SS-2 Spacer @ 13.5 ppg prior to cement.

OCT 2 8 2015

*Note: Attach additional sheets as needed.

WV Department of Environmental Protagation (2)/11/2015

Northeast Natural Energy LLC Mine Contingency Plan



On all wells drilled, Northeast Natural Energy LLC ("NNE") has contingency strategies in place should an unanticipated void or mine be encountered while drilling the surface section of the well. If encountered, any accumulated gases will be diverted a safe distance away from the drilling operations through the blooey line and/or flare.

All casings programs submitted to the state incorporate the use of a 24" conductor over the previously used 20" that has long been the industry standard for a typical Marcellus design. The use of 24" conductor casing allows the use of a 22" bit to ream the surface hole, and drill 50' below the void to run a string of 18-5/8" 87.50#/ft J-55 through the section when needed.

The 18-5/8" would be set 30-50' below the void with cement baskets placed directly above and below. The section of pipe below the void would be cemented using the balance method with 100% excess. The section above the void would be cemented separately by using remedial top fill techniques and 30% excess.


With the use of these string sizes and techniques, the surface and intermediate strings do not need to be altered. After a proper WOC time, the surface section of the well would continue to be drilled with a 17-1/2" bit and the 13-3/8" 54.50#/ft freshwater casing would be set at the originally permitted depth.

*The diagram below visually shows the alternative casing plan should an unanticipated void be encountered.


Casing Schematic w/ Mine String

24" Conductor Set 10' Below Non-Compacted Soils 22" Hole Drilled to 50' Below Void 18-5/8" 87.5#/ft, J-55 BTC Set 30'-50' Below 17-1/2" Hole Drilled, 13-3/8" 54.5#/ ft. J-55 BTC/STC Set at Originally Permitted Depth Cement-to-Surface 12 1/4" Hole Drilled, 9-5/8" 40#/ft. J-55 8RD LTC Set at Originally Permitted Cement-to-Surface 8 3/4" Drilled, 5-1/2" 20#/ft. P-110 BTC Set at Originally Permitted Depth Cemented Top Minimum 200' Inside of Intermediate Casing

Casing Schematic w/o Mine String



WV Department of 1-10 Environmental Protection 12/11/2015



WW-9 (2/15)

API Number	47 -	Q 0	
One	rator's W	ell No. Fisher 5H	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS I	DISPOSAL & RECLAMATION PLAN
Operator Name Northeast Natural Energy LLC	OP Code _494498281
Watershed (HUC 10)_Dunkard Creek	Quadrangle Blacksville, WV
Do you anticipate using more than 5,000 bbls of water to combine will a pit be used? Yes No V	omplete the proposed well work? Yes Vo No
If so, please describe anticipated pit waste: NA	
Will a synthetic liner be used in the pit? Yes	No If so, what ml.? NA
Proposed Disposal Method For Treated Pit Waste	S:
Reuse (at API Number unknown and Off Site Disposal (Supply form	
Other (Explain	
Will closed loop system be used? If so, describe: Yes, Ple	ase See Attachment "A"
	zontal)? Air, freshwater, oil based, etc. Air-Vertical; Oil Based - Curve & Horizontal
-If oil based, what type? Synthetic, petroleum, etc	
	cosifiers, Lime, Unsaturated Fatty Acids, CaCl, Barite, Emulsifiers, Mica LCM, Water Loss Agents
Drill cuttings disposal method? Leave in pit, landfill, remo	ved offsite, etc. Removed Offsite - Please See Attachment "A"
-If left in pit and plan to solidify what medium wil	ll be used? (cement, lime, sawdust)
-Landfill or offsite name/permit number? Please S	See Attachment "A"
Permittee shall provide written notice to the Office of Oil a West Virginia solid waste facility. The notice shall be prov where it was properly disposed.	nd Gas of any load of drill cuttings or associated waste rejected at any ided within 24 hours of rejection and the permittee shall also disclose
on August 1, 2005, by the Office of Oil and Gas of the West provisions of the permit are enforceable by law. Violation law or regulation can lead to enforcement action. I certify under penalty of law that I have person application form and all attachments thereto and that, but the content of the content	and conditions of the GENERAL WATER POLLUTION PERMIT issued by Virginia Department of Environmental Protection. I understand that the case of any term or condition of the general permit and/or other applicable mally examined and am familiar with the information submitted on this based on my inquiry of those individuals immediately responsible for is true, accurate, and complete. I am aware that there are significant satisfications of the protection of the complete of the co
Company Official (Typed Name) Hollie Medley	A FRED LAND
Company Official Title Regulatory Coordinator	Office of Oll and Bank
company of notal Title	and Gas
Subscribed and sworn before me this 20th day o	f Oct 2 8 2015 f Oct 2 8 2015 Figure 8 4 10 10 10 10 10 10 10 10 10 10 10 10 10
My commission expires Javuay 28	C STATE OF WEST VIRGINIA

Operator's Well No. Fisher 5H

Proposed Revegetation Tr	eatment: Acres D	isturbed 26.9		Preveg	getation pH 5-7	
Lime 2	Tons/acre	or to correct to pl	1 <u>7</u>			
Fertilizer type 19	9-19-19					
Fertilizer amount	300	11	bs/acre			
Mulch_2		Tons/	acre /acre			
		See	ed Mixtures			
	Temporary				Permanent	
Seed Type	lbs/acre			Seed Ty	pe lbs/	acre
Orchard Grass		46	Orchard	Gras	SS	46
Red Clover		8	Red Clov	/er		8
Tetraploid Pere	nnial Rye	16	Tetraploi	d Per	ennial Rye	16
Timothy 15 A	nnual Rye	15	Timothy	15	Annual Rye	15
provided) Photocopied section of inv	olved 7.5' topogra		plication (unless e	ngineere	d plans including this	info have
Photocopied section of inv	olved 7.5' topogra				d plans including this	
Photocopied section of inv	olved 7.5' topogra					
Photocopied section of inv	olved 7.5' topogra					
Photocopied section of inv	olved 7.5' topogra					
Photocopied section of inv	olved 7.5' topogra					
Photocopied section of inv	olved 7.5' topogra				Office of Oil a	≅B nd Ga
Photocopied section of inv Plan Approved by:	olved 7.5' topogra				REGEIV Office of Oil	≅B nd Ga

Attachment A to WW-9

Northeast Natural Energy LLC ("NNE") plans to utilize a closed loop process for its drilling of the Fisher 5H well. Return flow from the well will be separated into its liquid and solid form. Liquids will be held in steel tanks and reused in the drilling and completion process or disposed of at an approved facility listed below. Solids removed from the stream will be diverted to steel halfround tanks where they will be solidified on site and taken to disposal as they are accumulated.

Fisher 5H Drill Cuttings will be taken to disposal at one or more of the following disposal/approved waste facilities, unless listed facilities are no longer approved to accept waste at time of disposal:

- Westmoreland Landfill (Tervita) Belle Vernon, PA (Permit # 100277)
- Meadowfill Landfill (Waste Management) Bridgeport, WV (Permit # SWF 103298)
- Max Environmental Yukon, PA (PAD004835146 and 301071)
- Max Environmental Bulger, PA (PAD059087072 and 301359)
- Chestnut Valley Landfill (Advanced Disposal) Export, PA (Permit # 101421)

NNE plans to reuse and recycle all flowback fluid and/or reach out to other operators in the area who may be able to reuse and recycle such fluid. However, in the event that reuse is not obtainable the fluid will be disposed of at one, or multiple, of the following disposal/approved waste facilities unless listed facilities are no longer approved to accept waste at time of disposal:

- Fairmont Brine Processing (WV NPDES #0116408)
- Green Hunter M. E. Elder 1 Disposal Well (Permit # 47-085-05151)
- Green Hunter Mason 1 Disposal Well (Permit #47-085-09721)
- Green Hunter Warren Disposal Well (Permit #34-121-2-3995)
- Green Hunter Travis Unit Disposal Well (Permit #34-121-2-4086)
- Viking Energy Corporation 20320 Disposal Well (Permit#47-039-02210)
- Ohio Oil Gathering Killbuck Disposal Well (Permit #34-075-24527)
- Ohio Oil Gathering Moran Disposal Well (Permit #34-089-24792)
- Ohio Oil Gathering Bells Run Disposal Well (Permit #34-167-29395)
- Ohio Oil Gathering Long Run Disposal Well (Permit #34-167-29658)
- Ohio Oil Gathering Newell Run Disposal Well (Permit #34-1685)
 Appalachian Oil Purchaser Greens Run Disposal Well (Permit #2D0732540)
- Appalachian Oil Purchaser BW#4 Disposal Well (Permit # 200732 923) 2 8 2015

WV Department of Environmental Protection 12/11/2015



Fisher 5H SITE SAFETY PLAN


October 2, 2015


Hamy Kuts


RECEIVED
Office of Oil and Gas

OCT 2 8 2015

WV Department of Environmental Protection 12/11/2015







WW-6A1 (5/13)

Operator's Well No.	Fisher 5H
---------------------	-----------

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
See Attachment	See Attachment	See Attachment	See Attachment	See Attachment

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

Office of Oil and Gas

WV Division of Water and Waste Management

WV Division of Natural Resources WV Division of Highways

• U.S. Army Corps of Engineers

U.S. Fish and Wildlife Service

County Floodplain Coordinator

OCT 2 8 2015

WV Department of Environmental Protection

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Northeast Natural Energy LLC

By: Hollie M. Medley Collin Made

Its: Regulatory Coordinator

Page 1 of 5

WW-6A1 Operator's Well No. NNE Lease No. Grantee, Lessee, etc. Royalty Book/Page Tax Map & Parcel Grantor, Lessor, etc. WV-061-001127-001 AMES,III, HENRY P. *Chesapeake Appalachia, LLC .125 or greater 1359/671 7-7 1429/366 7-7,5; 8-17 WV-061-002534-001 Chesapeake Appalachia, LLC .125 or greater SHUMAN, INC. WV-061-003278-001 CHESAPEAKE APPALACHIA LLC *Chesapeake Appalachia, LLC .125 or greater 1424/744 7-8,6 1368/351 7-8 WV-061-001245-001 AMES, III, HENRY PECK *Chesapeake Appalachia, LLC .125 or greater 1425/437 7-8 WV-061-002715-001 EDDY, LINDA SUE *Chesapeake Appalachia, LLC .125 or greater WV-061-002715-002 LEMLEY, DENZIL RAY *Chesapeake Appalachia, LLC .125 or greater 1425/443 7-8 1425/729 WV-061-002715-003 BREWER, RAYMOND *Chesapeake Appalachia, LLC .125 or greater 7-8 1425/502 WV-061-002715-004 SHULTZ, JAMES ROSS *Chesapeake Appalachia, LLC .125 or greater 7-8 1426/147 7-8 WV-061-002715-005 MEYERS, DOLORES Chesapeake Appalachia, LLC .125 or greater 1427/363 WV-061-002715-006 LEMLEY, ARTIE *Chesapeake Appalachia, LLC .125 or greater 7-8 1425/717 WV-061-002715-007 BREWER, JAMES EUGENE *Chesapeake Appalachia, LLC .125 or greater 7-8 WV-061-002715-008 FOX, JOHN PAUL Chesapeake Appalachia, LLC .125 or greater 1425/545 7-8 WV-061-002715-011 LEMLEY, CAROL F. *Chesapeake Appalachia, LLC .125 or greater 1425/293 7-8 WV-061-002715-012 REXROAD, CHARLOTTE *Chesapeake Appalachia, LLC .125 or greater 1425/287 7.9 1425/525 WV-061-002715-013 MUTTER, MARY *Chesapeake Appalachia, LLC .125 or greater 7-8 WV-061-002715-014 FRANCE, SHIRLEY 1425/723 *Chesapeake Appalachia, LLC .125 or greater 7-8 WV-061-002715-015 HEADLEY, DONALD Chesapeake Appalachia, LLC .125 or greater 1426/135 7-8 WV-061-002715-016 STRANGE, BARBAR SUE *Chesapeake Appalachia, LLC .125 or greater 1426/782 7-8 WV-061-002715-017 HEADLEY, JAMES *Chesapeake Appalachia, LLC .125 or greater 1425/699 7-8 WV-061-002715-018 IANES IENNIE *Chesapeake Appalachia, LLC .125 or greater 1425/687 7-8 WV-061-002715-019 PERRY, NAOMI *Chesapeake Appalachia, LLC 1426/141 .125 or greater 7-8 WV-061-002715-020 HEADLEY, RICHARD Chesapeake Appalachia, LLC .125 or greater 1425/693 7-8 WV-061-002715-021 GORMAN, OLLIE *Chesapeake Appalachia, LLC .125 or greater 1425/705 7-8 WV-061-002715-022 MERCER, JOSEPH T. *Chesapeake Appalachia, LLC .125 or greater 1429/705 7.9 WV-061-002715-023 BROKAW, LORUMA B. *Chesapeake Appalachia, LLC .125 or greater 1430/71 7-8 WV-061-002715-024 JONES, DEBRA F. *Chesapeake Appalachia, LLC 1425/471 7-8 .125 or greater WV-061-002715-025 CRABTREE, JANET D. *Chesapeake Appalachia, LLC .125 or greater 1427/581 7-8 WV-061-002715-026 JONES, JOHN C. AND PAULINE *Chesapeake Appalachia, LLC .125 or greater 1427/575 7-8 IONES, ALBERTA R., PENNY QUICKLE, BILLY WAYNE JONES, AND SHERRY MAXWELL WV-061-002715-027 *Chesapeake Appalachia, LLC .125 or greater 1428/406 7-8 WV-061-002715-028 JONES, DAVID A *Chesapeake Appalachia, LLC .125 or greater 1426/751 7-8 WV-061-002715-029 MALLERNEE, PATRICIA K. 1426/745 *Chesapeake Appalachia, LLC .125 or greater 7-8 *Chesapeake Appalachia, LLC 1425/431 WV-061-002715-030 SIMPLICAN, CONNIE J. .125 or greater 7-8 WV-061-002715-031 IONES, THOMAS D. 1425/425 7-8 Chesapeake Appalachia, LLC .125 or greater YOST, LORETTA J. WV-061-002715-032 *Chesapeake Appalachia, LLC .125 or greater 1427/200 7-8 WV-061-002715-033 JONES, TRISHA *Chesapeake Appalachia, LLC 1429/317 .125 or greater 7-8 WV-061-002715-034 JONES, GARY C. Chesapeake Appalachia, LLC .125 or greater 1426/739 WV-061-002715-035 HALL, MARY BREWER 1425/711 *Chesapeake Appalachia, LLC .125 or greater 7-8 WV-061-002715-036 WERNETTE, JEANNE *Chesapeake Appalachia, LLC .125 or greater 1427/700 7-8 1429/311 WV-061-002715-037 JONES, STEVE *Chesapeake Appalachia, LLC .125 or greater 7-8 RECEIVED 7-8 WV-061-002715-038 EDDY, ALMEADA J. Chesapeake Appalachia, LLC .125 or greater .125 or grea@ffice429f1Oil and Gas WV-061-002715-039 GEE, PAULINE Chesapeake Appalachia, LLC WV-061-002715-040 HANDO, ANNE YVONNE AND JOHN *Chesapeake Appalachia, LLC 1427/821 .125 or greater 7-8 WV-061-002715-041 BONFILI, REBECCA *Chesapeake Appalachia, LLC .125 or greater CFP7/B27/ WV-061-002715-042 MERCER, FRED B. AND DORRIS Chesapeake Appalachia, LLC .125 or greater 1427/833 .125 or greate WV 1537815 artment of WV-061-002715-043 MERCER, DAVID *Chesapeake Appalachia, LLC 125 or greater 1429/850 7-8
125 or greater 1429/850 7-8
125 or greater 1429/850 Protection WV-061-002715-044 SUDER, HELEN L. AND MILFORD B. *Chesapeake Appalachia, LLC WV-061-002715-045 MERRIFIELD, THORNTOWN AND ALBERTA Chesapeake Appalachia, LLC HATFIELD, SALLY JO AND GERALD W. 1428/171 7-8 WV-061-002715-046 Chesapeake Appalachia, LLC .125 or greater HAUGHT, MARK R. AND CYNTHIA 1438/578 WV-061-002715-047 *Chesapeake Appalachia, LLC .125 or greater 7-8 WV-061-002715-048 VUGRINEC, JONI L. AND JAMES V. *Chesapeake Appalachia, LLC .125 or greater 1442/535 7-8 WV-061-002715-049 HAUGHT, ANDY LEE AND LISA E. *Chesapeake Appalachia, LLC 1445/115 7-8 .125 or greater

		<u> </u>			
WV-061-002715-050	PHILLIPS, THOMAS L.	*Chesapeake Appalachia, LLC	.125 or greater	1455/403	7-8
WV-061-002715-051	PHILLIPS, ANTHONY M.	*Chesapeake Appalachia, LLC	.125 or greater	1468/203	7-8
WV-061-002800-001	WHARTON, JOSEPH THOMAS	*Chesapeake Appalachia, LLC	.125 or greater	1434/228	7-8
WV-061-002800-002	LEMLEY, KYLE AND PAULA	*Chesapeake Appalachia, LLC	.125 or greater	1431/436	7-8
WV-061-002800-003	CALVERT, CHARLES W.	*Chesapeake Appalachia, LLC	.125 or greater	1431/800	7-8
WV-061-003549-001	WILSON, DAVID L	Northeast Natural Energy LLC	.125 or greater	1525/214	7-8
WV-061-003549-002	JOHN PAUL FOX ESTATE	Northeast Natural Energy LLC	.125 or greater	1524/291	7-8
WV-061-003549-003	WILSON, RICHARD N.	Northeast Natural Energy LLC	.125 or greater	1525/226	7-8
WV-061-003549-004	SUDER, HELEN L. AND MILFORD B.	Northeast Natural Energy LLC	.125 or greater	1525/224	7-8
WV-061-001080-001	ZASTROW, LORITA MARIE AND STEVEN R.	Northeast Natural Energy LLC	.125 or greater	1500/135	7-10.1
WV-061-001080-002	HENRY, DORIS MAE	Northeast Natural Energy LLC	.125 or greater	1500/133	7-10.1
WV-061-001080-003	MAKIN, LINDA LORRAINE AND JAMES EARL	Northeast Natural Energy LLC	.125 or greater	1500/137	7-10.1
WV-061-001080-004	HENRY, KEITH AND IDA	Northeast Natural Energy LLC	.125 or greater	1500/390	7-10.1
WV-061-001080-005	FULTZ, BETTY AND DANIEL	Northeast Natural Energy LLC	.125 or greater	1500/266	7-10.1
WV-061-001080-006	SINE, ERNEST LEROY	Northeast Natural Energy LLC	.125 or greater	1500/268	7-10.1
WV-061-001080-007	HADLEY, RONALD E.	Northeast Natural Energy LLC	.125 or greater	1505/163	7-10.1
WV-061-001080-008	SINE, MARY ANN	Northeast Natural Energy LLC	.125 or greater	1505/155	7-10.1
WV-061-001080-009	COLLINS, JO ANN	Northeast Natural Energy LLC	.125 or greater	1505/379	7-10.1
WV-061-001080-010	LENTZ, SUSAN RANAE	Northeast Natural Energy LLC	.125 or greater	1507/395	7-10.1
WV-061-001080-011	SINE, DOROTHY	Northeast Natural Energy LLC	.125 or greater	1507/271	7-10.1
WV-061-001080-012	SINE, LARRY	Northeast Natural Energy LLC	.125 or greater	1506/706	7-10.1
WV-061-001080-013	PIRIE, MARY	Northeast Natural Energy LLC	.125 or greater	1506/775	7-10.1
WV-061-001080-014	SINE, PHILLIP	Northeast Natural Energy LLC	.125 or greater	1506/770	7-10.1
WV-061-001080-015	MILLER, JR., PERRY WILLIAM	Northeast Natural Energy LLC	.125 or greater	1509/244	7-10.1
WV-061-001080-016	SINE, SUSAN J.	Northeast Natural Energy LLC	.125 or greater	1508/620	7-10.1
WV-061-001080-017	HOUCHIN, BEVERLY A.	Northeast Natural Energy LLC	.125 or greater	1508/618	7-10.1
WV-061-001080-018	MILLER, PHILLIP EUGENE	Northeast Natural Energy LLC	.125 or greater	1506/762	7-10.1
WV-061-001080-020	HENRY, NANCY JANE	Northeast Natural Energy LLC	.125 or greater	1506/766	7-10.1
WV-061-001080-021	COLUNS, DARREL ROY	Northeast Natural Energy LLC	.125 or greater	1510/91	7-10.1
WV-061-001080-022	MILLER, DONALD KEITH AND TAMI	Northeast Natural Energy LLC	.125 or greater	1511/787	7-10.1
WV-061-001080-023	SINE, JAMES R.	Northeast Natural Energy LLC	.125 or greater	1511/763	7-10.1
WV-061-001080-024	COLLINS, LARRY G.	Northeast Natural Energy LLC	.125 or greater	1510/516	7-10.1
WV-061-001080-025	HENRY, KATHRYN A.	Northeast Natural Energy LLC	.125 or greater	1510/643	7-10.1
WV-061-001080-026	COLLINS, CINDY SUE	Northeast Natural Energy LLC	.125 or greater	1523/738	7-10.1
WV-061-001080-027	COLLINS, PAUL MARVIN	Northeast Natural Energy LLC	.12S or greater	1523/736	7-10.1
WV-061-001080-028	COLLINS, ROBERT LEE	Northeast Natural Energy LLC	.125 or greater	1523/726	7-10.1
WV-061-001080-029	ROGERS, LAURA A.	Northeast Natural Energy LLC	.125 or greater	1534/78	7-10.1
WV-061-003333-001	PORTER, KENT MICHAEL	Northeast Natural Energy LLC	.125 or greater	1503/694	7-6
WV-061-003278-003	CHESAPEAKE APPALACHIA LLC	*Chesapeake Appalachia, LLC	.125 or greater	1487/236	7-6
WV-061-003278-005	CHESAPEAKE APPALACHIA LLC	*Chesapeake Appalachia, LLC	.125 or greater	1487/232	7-6
WV-061-003334-001	PORTER, KENT MICHAEL	Northeast Natural Energy LLC	.125 or greater	124/781	7-6
WV-061-003524-001	O'DAY OIL, LLC	Northeast Natural Energy LLC	.125 or greater	1523/780	7-6
WV-061-003524-002	BURT BARANKOVICH FAMILY MINERAL INTERSTS LLC	Northeast Natural Energy LLC	.125 or greater	1529/835	7-6
WV-061-003581-001	BLESSING, TRACY	Northeast Natural Energy LLC	.125 or greater	1523/151	7-6
WV-061-003581-002	FERRELL, CARLA	Northeast Natural Energy LLC	.125 or greater		VED 7-6
WV-061-003581-003	WALLS, UNDA R.	Northeast Natural Energy LLC			and Gas
WV-061-003581-004	NORBERG, LOIS	Northeast Natural Energy LLC	.125 or greater	1528/115	7-6 B, 2015 _{1-29.2}
WV-061-001121-001	UHL, DOUGLAS N. AND MELINDA K.	*Chesapeake Appaiachia, LLC	.125 or greater		
WV-061-001120-001	PARSON, SHERI L.	*Chesapeake Appalachia, LLC	.125 or greater	1467/649	1-29.3 tmontesof
WV-061-001306-001	SPITZNOGLE, JR., GLEN L.	*Chesapeake Appalachia, LLC	.125 or greateVV	•	tmentof
WV-061-003429-000	CHISLER, VAN WAYNE AND KRISTAL R.	Northeast Natural Energy LLC	.125 or greater		
WV-061-003391-001	CHISLER, BRUCE A. AND CATHY L.	Northeast Natural Energy LLC	.125 or greater	1505/800	1-23.5

WV-061-003390-001	CHISLER, CAROL ANN AND JOHN PAUL	Northeast Natural Energy LLC	.125 or greater	1505/796	1-23
WV-061-003390-002	CHISLER, CHARLES DAVID AND NOLA JEAN	Northeast Natural Energy LLC	.125 or greater	1505/798	1-23
WV-061-003359-001	SHELTON, DONNA JEAN	Northeast Natural Energy LLC	.125 or greater	1506/684	8-14.1,14
WV-061-003359-002	DUNN, JANET & LAWERENCE	Northeast Natural Energy LLC	.125 or greater	1511/842	8-14.1,14
WV-061-003359-003	RUDASH, DIANE S. AND WILLIAM	Northeast Natural Energy LLC	.125 or greater	1510/683	8-14.1,14
WV-061-003359-004	TENNANT, NANCY	Northeast Natural Energy LLC	.125 or greater	1513/273	8-14.1,14
WV-061-003353-001	EVANS, EDWARD O.	Northeast Natural Energy LLC	.125 or greater	1501/437	8-16
WV-061-002558-001	VEDIS, KRISTIE TENNANT	*Chesapeake Appalachia, LLC	.125 or greater	1424/829	8-17
WV-061-002558-002	CAIN, KAREN M.	*Chesapeake Appalachia, LLC	.125 or greater	1425/279	8-17
WV-061-002558-003	CHASE, DONNA LYNN	*Chesapeake Appalachia, LLC	.125 or greater	1425/299	8-17
WV-061-002558-004	HUSK, RALPH, JR	Northeast Natural Energy LLC	.125 or greater	1500/432	8-17
WV-061-002558-005	TENNANT, BERNICE	Northeast Natural Energy LLC	.125 or greater	1500/428	8-17
WV-061-002558-006	SCONISH, GLENDA	Northeast Natural Energy LLC	.125 or greater	1500/430	8-17
WV-061-002558-007	HUSK, HARRY JR.	Northeast Natural Energy LLC	.125 or greater	1500/440	8-17

*See Attachment

RECEIVED
Office of Oil and Gas

OCT 2 8 2015

WV Department op 1/11/2015 Environmental Protection

Chesapeake Appalachia, LLC.

Northeast Natural Energy
Assignment
BK 120/769

RECEIVED
Office of Oil and Gas

OCT 2 8 2015

WV Department of 2/11/2015 Environmental Protection



September 21, 2015

WV Department of Environmental Protection Office of Oil and Gas Management 601 57th Street, SE Charleston, West Virginia 25304

RE: Fisher 1H, 3H, 5H, and 9H

Dear Permit Reviewer:

Please be advised that Northeast Natural Energy LLC has the right to drill, extract and produce the minerals beneath the road identified as Upper Kings Run Road (State Route 23/5) on the enclosed survey plat.

Sincerely,

Jeannie Morgan Johnson, CPL Vice President – Land Operations

Enclosure

RECEIVED
Office of Oil and Gas

OCT 2 8 2015

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

API No. 47-

Date of Notic	e Certification: 10/26/2015	AF	PI No. 47		
		Op	erator's	Well No. Fishe	er 5H
		W	ell Pad N	ame: Fisher	
Notice has b	een given:				
Pursuant to th	e provisions in West Virginia Code § 2	22-6A, the Operator has provide	ed the req	uired parties v	vith the Notice Forms listed
	tract of land as follows:				
State:	West Virginia		sting:	567414.1	
County:	Monongalia	No	orthing:	4394351.6	
District:	Clay	Public Road Access:		State Route 218	(Daybrock Road)
Quadrangle:	Blacksville	Generally used farm	name:	Fisher	
Watershed:	Dunkard Creek				
it has provide information re of giving the requirements Virginia Code	the secretary, shall be verified and shall be detected the owners of the surface described equired by subsections (b) and (c), sect surface owner notice of entry to survof subsection (b), section sixteen of the \$22-6A-11(b), the applicant shall ten have been completed by the applicant.	d in subdivisions (1), (2) and ion sixteen of this article; (ii) they pursuant to subsection (a), this article were waived in writing the second of the seco	(4), subso nat the rec section t iting by t	ection (b), sec puirement was en of this arti the surface ov	ction ten of this article, the deemed satisfied as a resul- cle six-a; or (iii) the notice wner; and Pursuant to Wes
that the Oper	West Virginia Code § 22-6A, the Oper rator has properly served the required pack ALL THAT APPLY TICE OF SEISMIC ACTIVITY or				OOG OFFICE USE ONLY RECEIVED/
	\$	SEISMIC ACTIVITY WAS CO	ONDUCT	red	NOT REQUIRED
■ 2. NOT	TICE OF ENTRY FOR PLAT SURVE	Y or NO PLAT SURVEY	WAS CC	NDUCTED	RECEIVED
■ 3. NO1	1	☐ NOTICE NOT REQUIRED NOTICE OF ENTRY FOR PLAWAS CONDUCTED or		1	RECEIVED/ NOT REQUIRED
	!	☐ WRITTEN WAIVER BY (PLEASE ATTACH)	SURFAC	E OWNER	
■ 4. NOT	TICE OF PLANNED OPERATION				RECEIVED
■ 5. PUB	LIC NOTICE				RECEIVED
■ 6. NOT	TICE OF APPLICATION				RECEIVED
L					<u> </u>


Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication Oil attached associated Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

Certification of Notice is hereby given:

THEREFORE, I Hollie M. Medley , have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator:Northeast Natural Energy LLCAddress:707 Virginia Street East, Suite 1200By:Hollie M. MedleyCharleston, WV 25301Its:Regulatory CoordinatorFacsimile:304-241-5972Telephone:304-241-5752, ext. 7108Email:hmedley@nne-llc.com



Subscribed and sworn before me this day of Ottor 2015

Notary Public

My Commission Expires____

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED
Office of Oil and Gas

OCT 2 8 2015

WW-6A (9-13)

4706101735 API NO. 47-OPERATOR WELL NO. Fisher 5H Well Pad Name: Fisher

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Not	ice Time Requirement: notice shall be provided no later that	an the filing date of permit application.
	e of Notice: 10/14/2015 Date Permit Application Filed: 10/2 ice of:	4/2015
Ø	PERMIT FOR ANY WELL WORK CONSTRUCTION OF	PROVAL FOR THE AN IMPOUNDMENT OR PIT
Deli	very method pursuant to West Virginia Code § 22-6A-10	O(b)
		OD OF DELIVERY THAT REQUIRES A IPT OR SIGNATURE CONFIRMATION
the soil and description of the soil and description operations well important well improve provents and the substruction of t	urface of the tract on which the well is or is proposed to be located gas leasehold being developed by the proposed well work, it ribed in the erosion and sediment control plan submitted pursual ator or lessee, in the event the tract of land on which the well precoal seams; (4) The owners of record of the surface tract or tract work, if the surface tract is to be used for the placement, construction or pit as described in section nine of this article; (5) As a water well, spring or water supply source located within one ide water for consumption by humans or domestic animals; and osed well work activity is to take place. (c)(1) If more than three ection (b) of this section hold interests in the lands, the applicant of the sheriff required to be maintained pursuant to section of ision of this article to the contrary, notice to a lien holder is not	·
_	JRFACE OWNER(s)	☑ COAL OWNER OR LESSEE
	ne: See Attachment ress:	Name: See Attachment Address:
Nam	ress:	COAL OPERATOR
Ada	ress:	Name: Address:
	JRFACE OWNER(s) (Road and/or Other Disturbance)	
	e: See Attachment	☑ SURFACE OWNER OF WATER WELL
Add	ress:	AND/OR WATER PURVEYOR(s)
Nam	φ.	Name: See Attachment
Add	ress:	Address: RECEIVED
		OPERATOR OF AN THE PLANT OF ASE FIELD
Nam	JRFACE OWNER(s) (Impoundments or Pits) ne:	Name:
Add:	ress:	*Please attach additional WVV Department of Environmental Protection

WW-6A (8-13) API NO. 47-___OPERATOR WELL NO. Fisher 5H
Well Pad Name: Fisher

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this secretary contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restranced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

WW-6A (8-13)

API NO. 47	
OPERATOR WELL NO. Fisher 5H	
Well Pad Name: Fisher	

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

RECEIVED
Office of Oil and Gas

OCT 2 8 2015

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WV Department of

Environmental Protection 12/11/2015

WW-6A (8-13)

API NO. 47-____ OPERATOR WELL NO. Fisher 5H Well Pad Name: Fisher

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED
Office of Oil and Gas

OCT 2 8 2015

WV Department of Environmental Protection WW-6A (8-13) 4706101735

API NO. 47-___OPERATOR WELL NO. Fisher 5H
Well Pad Name: Fisher

Notice is hereby given by:

Well Operator: Northeast Natural Energy LLC

Telephone: 304-241-5752, ext. 7108

Email: hmedley@nne-llc.com

Address: 707 Virginia Street E., Suite 1200

Charleston, WV 25301

Facsimile: 304-241-5972

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



Subscribed and sworn before me this Old day of Oddoer 2015.

Notary Public

My Commission Expires January 28, 2026

RECEIVED
Office of Oil and Gas

OCT 2 8 2015

WV Department of Environmental Protection 12/11/2015

Mr. & Mrs. Robert C. Wilson P.O. Box 678 Buckeye Lake, OH 43008

Barbara Louise Rack 1181 Daybrook Road Fairview, WV 26570

RECEIVED
Office of Oil and Gas

OCT 28 2015

WV Department of Environmental Protection

4706101735 DELORME XMap® 7 218 CR 19/16 CR 19/16 DAYBROOK RUM 3,000 2,000' 1,500 Fisher Well Pad CR 25/4 P. 7710 DAMBROOM RAIN 20 den Cong Rui 218 (S) No. 5 218 WW Depayment of Environmental Protection

Scale 1: 11,200 Data use subject to license. MN (8.9°W) 300 1000 12/41 1/2015 © DeLorme. XMap® 7. www.delorme.com 1" = 933.3 ft Data Zoom 14-2

Fisher Water Well Location

	Fisher Water W	reli Location
8	Surface Owner/Water Purveyor w/Water Supply within 1000'/3000'	Latitude Longitude of Water Supply
	John Basile (04-07-12) Well (1,844' from Center of Wells)	39.698990, -80.208168
	John Basile (04-07-12) Spring (2,148' from Center of Wells)	39.700915, -80.209003
3. I	Robert C. & Lucy G. Wilson (04-07-14) (2,360' from Center of Wells) Well	39.701452, -80.208669
4. [David A. Simpson & Donnie Erman et al (04-07-05) (2,147' from Center of Wells) Well	39.701997, -80.215451
5. E	Barbara L. Rack (04-08-26) 2,721' from Center of Wells) Spring	39.690108, -80.219175
_		
		Office of Oll and Gas
		Office of Unit
		of

WV Department of Environmental Protection WW-6A3 (1/12)

Operator Well No. Fisher

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

entry	e: 5/20/2014 Date of	Planned Entry: 5/26/2014
Delivery met	nod pursuant to West Virgini	Code § 22-6A-10a
□ PERSON SERVICE		☐ METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION
on to the surfa but no more the beneath such to owner of mine and Sediment Secretary, while enable the surfa	ce tract to conduct any plat sur an forty-five days prior to such ract that has filed a declaration rals underlying such tract in the Control Manual and the statute ch statement shall include cont face owner to obtain copies from), Prior to filing a permit application, the operator shall provide notice of planned entry reys required pursuant to this article. Such notice shall be provided at least seven days entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams oursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any county tax records. The notice shall include a statement that copies of the state Erosion and rules related to oil and gas exploration and production may be obtained from the ct information, including the address for a web page on the Secretary's web site, to a the secretary.
SURFAC	by provided to:	COAL OWNER OR LESSEE
Address:	hment	Name: See Attachment Address:
Name:		■ MINERAL OWNER(s)
Name:		Address:
Address:		*please attach additional forms if necessary
a plat survey of		, notice is hereby given that the undersigned well operator is planning entry to conduct
County:	Monongalia	
District:	Clay	Watershed: Dunkard Creek
Quadrangle:	Blacksville USGS 7.5'	Generally used farm name: Fisher
may be obtained Charleston, WY obtained from to Notice is here Well Operator:	d from the Secretary, at the W 25304 (304-926-0450). Cophe Secretary by visiting www.	Tol Manual and the statutes and rules related to oil and gas exploration and production and Department of Environmental Protection headquarters, located at 601 57th Street, SE, es of such documents or additional information related to horizontal drilling may be ep.wv.gov/oil-and-gas/pages/default.aspx. Address: 707 Virginia Street East, Suite 1200 CEWED
Telephone:	304.414.7060	Charleston, WV 25301 KEOLI and Gas
Email:	hmedley@nne-llc.com	Facsimile: 304.414.7061 Office of Oli al.
The Office of C duties. Your pe	ersonal information may be di	Address: 707 Virginia Street East, Suite 1200 RECEIVED Charleston, WV 25301 RECEIVED Charleston, WV 25301 RECEIVED Charleston, WV 25301 RECEIVED OCT 2 8 2015 Onal information, such as name, address and telephone number, as part of our regulatory closed to other State agencies or third parties in the normal course of business or as bry requirements, including Freedom of Information Act requests. Our office will if you have any questions about our use or your revisional information, please contact

DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Notice of Entry for Plat Survey Spreadsheet

TMP	Surface Owner	Address	
7-7,8	Aaron K. Fisher	2524 Paxton Street, Woodbridge, VA 22192	V

TMP	Mineral Owner	Address
	Henry P. Ames, III	1985 Clinton Drive, Marietta, GA 30062
		P.O. Box 842, Morgantown, WV 26507-0842
7-8	Linda Eddy	78 Peppermint Lane, Baltimore, MD 21220
7-8	Denzil Lemley	1424 Daybrook Road, Fairview, WV 26570
7-8	Raymond Brewer	P.O. Box 217, Blacksville, WV 26521
7-8	James Ross Shultz	P.O. Box 244, Blacksville, WV 26521
7-8	Dolores Meyers	106 Lisa Circle, York, PA, 17406
7-8	Artie Lemley	100 Main Street, Worthington, WV 26591
7-8	James E. Brewer	510 Aspen Drive, Colorado Springs, CO 80911
7-8	John Paul Fox	5507 Blackbeard Lane, New Bern, NC 28560
7-8	David L. Wilson	2829 North Park, Cleveland Heights, OH 44118-4030
7-8	Richard N. and Mary Ann Wilson	5605 Greenmont Place, Vienna, WV 26105-3291
7-8	Carol F. Lemley	P.O. Box 86, Blacksville, WV 26521
7-8	Charlotte Rexroad	707 Buffalo Brink Road, Mannington, WV 26582
7-8	Mary Mutter	435 Winter Road, New Castle, PA 16101
	Shirley France	1940 South Lincoln #2, Salem, OH 44460
	Donald Headley	75 Pike View Drive, Fairview, WV 26570
	Barbara S. Strange	12 Avalon Court, #7, Mercer, PA 16137-5071
	James Headley	52 Dawnson Road, Morgantown, WV 26501
	Jennie Janes	Rt. 1 Box 155A, Fairmont, WV 26554
7-8	Naomi Perry	26 Orchard Street, Westover, WV 26505
	Richard Headley	415 Schaaf Road, Cleveland, OH 44109
	Ollie Gorman	2355 Lynmyra Drive, Fairmont, WV 26554
	Joseph T. Mercer	HC 62 Box 112, Burton, WV 26562
7-8	Loruma B. Brokaw	68319 Morristown Flushing Road, Bellmont, OH 43718
	Debra F. Jones	930 Paxford Place, Mansfield, OH 44906
	Janet D. Crabtree	13993 Butternut Road, Burton, OH 44021
	John C. and Pauline Jones	35305 Jones Road, Freeport, OH 43973
	Alberta R. Jones	2732 Miracle Run Road, Fairview, WV 26570
	Billy Wayne Jones	2732 Miracle Run Road, Fairview, WV 26570
	Sherry Maxwell	1234 Rivershore Drive, Fairmont, WV 26554
	David A. Jones	30025 Old Smyrna Road, Freeport, OH 43973
	Patricia K. Mallernee	399 Heritage Gnadenhutten OH 4462 PLOCEIVED
	Connie J. Simplican	2403 South Atlantic #501, Daytor Biecehof 132128d Ge
	Thomas D. Jones	403 D II A OLL 43073
	Loretta J. Yost	106 Babbling Brook, Morgantown, WV 20508 8 2015
	Trisha Jones	
	Gary C. Jones	29805 Old Smyrna Road, Freeport, OH 43973 Environmental Protect

1
,
,
8
311
358

TMP	Coal Owner	Address	
7-7.8	Consolidation Coal Company, Engineering &		-
	Operations Support - Coal; Attn: Analyst	1000 Consol Energy Drive, Canonsburg, PA 15317	



RECEIVED
Office of Oil and Gas

OCT 2 8 2015

WV Department of Environmental Protection WW-6A4 (1/12) Operator Well No. Fisher 5H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Date of Noti			at least TEN (10) days prior to filing a rmit Application Filed: 10/24/2015	permit application.
Delivery me	thod pursuant t	to West Virginia Code §	22-6A-16(b)	
☐ HAND		CERTIFIED MAIL		
DELIVI		RETURN RECEIPT RE	OUESTED	
DELIVI	EKY	RETURN RECEIPT RE	QUESTED	
receipt reque drilling a hor of this subsection mand if available	sted or hand delizontal well: <i>Protion</i> as of the day be waived in ole, facsimile nur	ivery, give the surface ow rovided, That notice giver ate the notice was provide writing by the surface ow mber and electronic mail	oner notice of its intent to enter upon the pursuant to subsection (a), section tend to the surface owner: <i>Provided, howerer</i> . The notice, if required, shall included address of the operator and the operator	an operator shall, by certified mail return ne surface owner's land for the purpose of en of this article satisfies the requirements evever. That the notice requirements of this ude the name, address, telephone number, or's authorized representative.
		d to the SURFACE OV		
Name: See Atta	schment		Name:	
Address:			Address:	
Pursuant to V	Vest Virginia Co			well operator has an intent to enter upon
Pursuant to V the surface or	Vest Virginia Co wner's land for t		orizontal well on the tract of land as fo	illows:
Pursuant to V the surface of State:	Vest Virginia Co wner's land for t West Virginia		orizontal well on the tract of land as fo	llows: 567414.1
Pursuant to V the surface of State: County:	Vest Virginia Co wner's land for t West Virginia Monongalia		orizontal well on the tract of land as fo UTM NAD 83 Easting: Northing:	bllows: 567414.1 4394351.6
Pursuant to V the surface of State: County: District:	Vest Virginia Co wner's land for t West Virginia Monongalia Clay		orizontal well on the tract of land as fo UTM NAD 83 Easting: Northing: Public Road Access:	Blows: 567414.1 4394351.6 State Route 218 (Daybrook Road)
	Vest Virginia Co wner's land for t West Virginia Monongalia		orizontal well on the tract of land as fo UTM NAD 83 Easting: Northing:	bllows: 567414.1 4394351.6
Pursuant to V the surface of State: County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nur related to ho	West Virginia Cowner's land for towner's land for the land land land land land land land land	e: Code § 22-6A-16(b), this onic mail address of the may be obtained from the	Orizontal well on the tract of land as for the control of land as for land	Blows: 567414.1 4394351.6 State Route 218 (Daybrook Road)
Pursuant to V the surface of State: County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nur related to ho located at 60	West Virginia Cowner's land for towner's land for the land land land land land land land land	e: Code § 22-6A-16(b), this onic mail address of the may be obtained from th, Charleston, WV 25304	Orizontal well on the tract of land as for the control of land as for land	ollows: 567414.1 4394351.6 State Route 218 (Daybrook Road) Fisher ress, telephone number, and if available, ed representative. Additional information of Environmental Protection headquarters,
Pursuant to V the surface of State: County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nur related to ho located at 60 Notice is he	West Virginia Cowner's land for towner's land land land land land land land land	e: Code § 22-6A-16(b), this onic mail address of the may be obtained from th, Charleston, WV 25304	Orizontal well on the tract of land as for the control of land as for land	ollows: 567414.1 4394351.6 State Route 218 (Daybrook Road) Fisher ress, telephone number, and if available, ed representative. Additional information of Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.
Pursuant to V the surface of State: County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nur related to ho located at 60 Notice is he Well Operato	West Virginia Cowner's land for towner's land land land land land land land land	e: Code § 22-6A-16(b), this onic mail address of the may be obtained from th, Charleston, WV 25304	Orizontal well on the tract of land as for the control of land as for land as	ollows: 567414.1 4394351.6 State Route 218 (Daybrook Road) Fisher ress, telephone number, and if available, ed representative. Additional information of Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.
Pursuant to V the surface of State: County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nur related to ho located at 60 Notice is he Well Operato	West Virginia Cowner's land for towner's land land land land land land land land	e: Code § 22-6A-16(b), this onic mail address of the may be obtained from th, Charleston, WV 25304	orizontal well on the tract of land as fo UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name: s notice shall include the name, addr operator and the operator's authorized Secretary, at the WV Department of (304-926-0450) or by visiting www.de	ollows: 567414.1 4394351.6 State Route 218 (Daybrook Road) Fisher ress, telephone number, and if available, ed representative. Additional information of Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx. Hollie Medley, Regulatory Coordinator
Pursuant to V the surface of State: County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nur related to ho located at 60 Notice is he Well Operato Address: Charleston, WV	West Virginia Cowner's land for towner's land land land land land land land land	e: Code § 22-6A-16(b), this onic mail address of the may be obtained from th, Charleston, WV 25304	Orizontal well on the tract of land as for Easting: OTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name: So notice shall include the name, addresse Secretary, at the WV Department of (304-926-0450) or by visiting www.determore Authorized Representative: Address:	ollows: 567414.1 4394351.6 State Route 218 (Daybrook Road) Fisher ress, telephone number, and if available, ed representative. Additional information of Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx. Hollie Medley, Regulatory Coordinator
Pursuant to V the surface of State: County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nur related to ho located at 60 Notice is he Well Operato Address:	West Virginia Cowner's land for the West Virginia Monongalia Clay Blacksville Dunkard Creek Shall Include West Virginia Comber and electrorizontal drilling 157th Street, SE, areby given by Dr.: Northeast Nature 707 Virginia Str 25301	e: Code § 22-6A-16(b), this onic mail address of the may be obtained from th , Charleston, WV 25304 :: ral Energy LLC reet East, Suite 1200	Orizontal well on the tract of land as for Easting: OTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name: So notice shall include the name, addresse Secretary, at the WV Department of (304-926-0450) or by visiting www.detaction Authorized Representative: Address: Morgantown, WV 26501	ollows: 567414.1 4394351.6 State Route 218 (Daybrook Road) Fisher ress, telephone number, and if available, ed representative. Additional information of Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx. Hollie Medley, Regulatory Coordinator 48 Donley Street, Suite 601

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information of Inform

OCT 2 8 2015

WV Department Protection 15

Fisher 5H

Surface Owner(s):

Aaron K. Fisher 2524 Paxton Street Woodbridge, WV 22192

Office of Oil and Gas

WV Department of
Environmental Protection
12/11/2015

WW-6A5 (1/12)

Operator Well No. Fisher 5H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

od pursuant to West Virginia	Code § 2	2-6A-16(c)		
IED MAIL	П	HAND		
N RECEIPT REQUESTED				
equested or hand delivery, give peration. The notice required laprovided by subsection (b), sectorizontal well; and (3) A propo- surface affected by oil and gas	the surface by this sul- ion ten of sed surface operations	the owner whose land obsection shall include this article to a surface use and compensation the dame to the extent the dame.	will be used for e: (1) A copy be owner whose tion agreement mages are com	or the drilling of a horizontal well notice of of this code section; (2) The informatio se land will be used in conjunction with that ontaining an offer of compensation for pensable under article six-b of this chapter
listed in the records of the sheri		me of notice):		
Clay Blacksville			ccess:	4394351.6 State Route 218 (Daybrook Road) Fisher
nall Include:), this noti	ce shall include: (1)	Copy of this	code section; (2) The information require
by W. Va. Code § 22-6A-10(; and (3) A proposed surface used by oil and gas operations to lated to horizontal drilling may	the extent be obtain	the damages are corned from the Secreta	t containing ar inpensable und ry, at the WV	n offer of compensation for damages to the der article six-b of this chapter. Additional Department of Environmental Protection or by visiting <a href="www.dep.wv.gov/oil-and-additional-a</td></tr><tr><td>by W. Va. Code § 22-6A-100; and (3) A proposed surface used by oil and gas operations to lated to horizontal drilling may located at 601 57th Street, SE,</td><td>the extent
be obtain</td><td>the damages are corned from the Secreta ston, WV 25304 (3</td><td>t containing ar
inpensable und
ry, at the WV</td><td>n offer of compensation for damages to the der article six-b of this chapter. Additional Department of Environmental Protection or by visiting <a href=" oil-and-additional-a<="" td="" www.dep.wv.gov="">
by W. Va. Code § 22-6A-100; and (3) A proposed surface used by oil and gas operations to lated to horizontal drilling may located at 601 57th Street, SE, ult.aspx.	the extent be obtain	npensation agreement the damages are connected from the Secreta ston, WV 25304 (3	t containing ar npensable und ry, at the WV 604-926-0450)	n offer of compensation for damages to the der article six-b of this chapter. Additional Department of Environmental Protection or by visiting www.dep.wv.gov/oil-and-environmental Protection or by visiting www.dep.wv.gov/oil-and-environmental Protection
	. Va. Code § 22-6A-16(c), no lequested or hand delivery, give peration. The notice required by provided by subsection (b), sectionizontal well; and (3) A proposurface affected by oil and gas a required by this section shall be by provided to the SURFACE listed in the records of the sheriument by given: set Virginia Code § 22-6A-16(c) me surface owner's land for the provided to the sheriument by given: set Virginia Code § 22-6A-16(c) me surface owner's land for the provided to the provided to the provided to the provided to the sheriument by given: set Virginia Code § 22-6A-16(c) me surface owner's land for the provided to the provided to the provided to the provided to the sheriument by given:	. Va. Code § 22-6A-16(c), no later than equested or hand delivery, give the surface peration. The notice required by this subsection (b), section ten of prizontal well; and (3) A proposed surface surface affected by oil and gas operations a required by this section shall be given to by provided to the SURFACE OWNER listed in the records of the sheriff at the timent by given: by given: set Virginia Code § 22-6A-16(c), notice is the surface owner's land for the purpose of West Virginia Monongalia Clay Blacksville Dunkard Creek	Va. Code § 22-6A-16(c), no later than the date for filing the equested or hand delivery, give the surface owner whose land provided by subsection (b), section ten of this article to a surface provided by subsection (b), section ten of this article to a surface provided by subsection (b), section ten of this article to a surface provided by subsection (b), section ten of this article to a surface provided by subsection (b), section ten of this article to a surface provided to the surface use and compensate surface affected by oil and gas operations to the extent the dampeter of the surface owner at the surface owner's land for the purpose of drilling a horizontal west Virginia and Surface owner's land for the purpose of drilling a horizontal west Virginia and Surface owner's land for the purpose of drilling a horizontal west Virginia and Surface owner's land for the purpose of drilling a horizontal west Virginia and Surface owner's land for the purpose of drilling a horizontal west Virginia and Surface owner's land for the purpose of drilling a horizontal west Virginia and Surface owner's land for the purpose of drilling a horizontal west Virginia and Surface owner's land for the purpose of drilling a horizontal west Virginia and Surface owner's land for the purpose of drilling a horizontal west Virginia and Surface owner's land for the purpose of drilling a horizontal west Virginia and Surface owner's land for the purpose of drilling a horizontal west Virginia and Surface owner's land for the purpose of drilling a horizontal west Virginia and Surface owner's land for the purpose of drilling a horizontal west Virginia and Surface owner's land for the purpose of drilling a horizontal west virginia and surface owner's land for the purpose of drilling and surface owner's land for the purpose of drilling and surface owner's land for the surface owner's land for the surface owner's land for th	. Va. Code § 22-6A-16(c), no later than the date for filing the permit applie equested or hand delivery, give the surface owner whose land will be used for peration. The notice required by this subsection shall include: (1) A copy provided by subsection (b), section ten of this article to a surface owner whose prizontal well; and (3) A proposed surface use and compensation agreement surface affected by oil and gas operations to the extent the damages are come required by this section shall be given to the surface owner at the address like the provided to the SURFACE OWNER(s). Itsted in the records of the sheriff at the time of notice): Name:

OCT 2 8 2015

WV Department of Environmental Protection 12/11/2015

Fisher 5H

Surface Owner(s):

Aaron K. Fisher 2524 Paxton Street Woodbridge, WV 22192

Surface Owner(s) (Road and/or Other Disturbance):

Aaron K. Fisher 2524 Paxton Street Woodbridge, WV 22192

Mr. & Mrs. Donnie E. Simpson 993 Daybrook Road Fairview, WV 26570

Mr. Donnie E. Simpson, Attorney in Fact For Ms. Edna F. Simpson 993 Daybrook Road Fairview, WV 26570

Richard L. Price 1047 Daybrook Road Fairview, WV 26570

> RECEIVED Office of Oil and Gas

OCT 2 8 2015

WV Department of Environmental Protection

12/11/2015

WW-6AW (1-12)

API NO. 47-	4		
OPERATOR WELL	NO.	Fisher 5H	
Well Pad Name: Fish	er		

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

State:	the well plat, all for proposed well work West Virginia		asting:	567414.1
County:	Monongalia	N	orthing:	
District:		Public Road Access		Slate Route 218 (Daybrook Road)
Quadrangle: Watershed:	Blacksville Dunkard Creek	Generally used farn	name:	Fisher
m 1 1	d I d d P	FOR	VECTO:	ION DV A NATIDAT DEDCON
Please check	the box that applies			ION BY A NATURAL PERSON
	the box that applies CE OWNER	Signar	melo	via L. Kack
□ SURFA		Signat Print N	MADO ame: B	TRACK PACK
□ SURFA	CE OWNER	Signaturbance) Signaturbance) Date:	MAVO ame: <u>Bi</u> 10-20	ARBARA L. RACK
□ SURFAC □ SURFAC	CE OWNER CE OWNER (Road and/or Other Dist	Signati Print N Date: FOR E Compa	MAVO ame: Bo 10-20 XECUTI ny:	OPEN J. KOLLL ARBARA L. RACK ON BY A CORPORATION, ETC.
□ SURFAC □ SURFAC □ SURFAC □ COAL C	CE OWNER CE OWNER (Road and/or Other District OWNER (Impoundments/Pits)	Signation Print N Date: FOR E Compa	MADO ame: Bo fo 20 XECUTI	ONBY A CORPORATION, ETC.

Oil and Gas Privacy Notice:


☐ OPERATOR OF ANY NATURAL GAS STORAGE FIELD

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information of Course Course will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Date:

Planned Additives to be used in Fracturing Stimulations

Trade Name	Purpose	Ingredients	Chemical Abstract Service Number (CAS#)
Water	Carrier	Water	7732-18-5
HCI, 10.1-15%	Acidizing	Hydrochloric Acid Water	7647-01-0 7732-18-5
Alpha 1427	Biocide	Alkyl Dimethyl Benzyl Ammonium Chloride (C12-16) Ethanol Glutaraldehyde Quaternary Ammonium Chloride Water	68424-85-1 64-17-5 111-30-8 7173-51-5 7732-18-5
Enzyme G-NE	Breaker	Hemicellulase Enzyme Concentrate Water	9025-56-3 7732-18-5
CI-14	Corrosion Inhibitor	Fatty Acids Methanol Olefin Polyoxyalkylenes Propargyl Alcohol	N.A. 67-56-1 N.A. N.A. 107-19-7
FRW-18	Friction Reducer	Hydrotreated Light Distillate	64742-47-8
GW-3LDF	Gelling Agent	Guar Gum Petroleum Distillate Blend	9000-30-0 CBI
Ferrotrol 300L	Iron Control	Citric Acid	77-92-9
Sad, White, 40/70 €	Proppant	Crystalline Silica (Quartz)	14808-60-7
7 7	Proppant	Crystalline Silica (Quartz)	14808-60-7
Scale Fol 720 OFF	Scale Inhibitor	Diethylene Glycol	111-46-6
RECEIVED Sept 722 8:2015 Sept 722 8:2015 Sept 722 8:2015 Sept 722 8:2015 Sept 722 8:2015			



TWO WORKING DAYS PRIOR TO EXCAVATION, THE CONTRACTOR MUST CONTACT THE WV ONE CALL SYSTEM, INC., 1-800-245-4848 (WV ONE CALL TICKET#1404402841)

OWNER



NORTHEAST NATURAL ENERGY, LLC 707 VIRGINIA STREET SUITE 1200 CHARLESTON, WV 253 01

HANCOCK

WETZEL

LEWIS

PLEASANTS /

MASON

MCDOWELL

RITCHIE RIDGE

CLAY

MERCER

CAL- GILMER

BRAXTON

MUNINGALIA

BARBOUR

SHUR BANDOLPH

MARION

APPROVED WVDEP OOG A-11 12/1/2015

RERKELEY

PROJECT LOCATION

HAMPSHIRE

FISHER WELL PAD CLAY DISTRICT, MONONGALIA COUNTY, WV OCTOBER 2015

REVISED NOVEMBER 2015

1. TITLE SHEET

2-3. EVACUATION ROUTE/PREVAILING WIND 4. E&S CONTROL LAYOUT OVERVIEW 5-7. E&S CONTROL LAYOUT 8. E&S CONTROL AND SITE PLAN OVERVIEW 9-11. E&S CONTROL AND SITE PLAN 12. WELL PAD CROSS-SECTIONS AND PROFILES

C-C'.D-D' AND E-E' 13. EXISTING ACCESS ROAD, ACCESS ROAD #1 AND ACCESS ROAD #2 PROFILE 14-16. EXISTING ACCESS ROAD CROSS-SECTIONS

17-19. ACCESS ROAD #1 AND #2 CROSS-SECTIONS 20-22, DETAIL SHEET 23. RECLAMATION PLAN OVERVIEW 24-26, RECLAMATION PLAN 27. SLOPE STABILIZATION PLAN

TOTAL DISTURBED AREA: 26.9 AC. ACCESS ROAD #1 DISTURBED AREA: 15.6 AC. ACCESS ROAD #2 DISTURBED AREA: 1.6 AC. WELL PAD DISTURBED AREA: 9.7 AC.

PROPERTY OWNER PROJECT BOUNDARY ACREAGE PROPERTY OWNER

DONNEE E. & SHARDON K SIMPSON
DONNEE E. SHARDON
DONNEE E. SHARDON
RECHARDLE PRICE
AARON K. Z. JAMEL E. HOSHER
AARON K. Z. JAMEL E. HOSHER
AARON K. S. JAMEL E. HOSHER
JANE ELAIM FISHER A. AARON K. S. JAMEL E. HOSHER
NORTHEAST HARDLANE HOSHER LIVING TRUST
ROBERT A. SHARDON SHARD FISHER LIVING
DAVID A. SIMPSON S. DONNIE FRMAN ET AL.
TOTAL

PLANS PREPARED BY:

BOORD BENCHEK & ASSOCIATES, INC.

ENGINEERING, SURVEYING, CONSTRUCTION AND MINING SERVICES SOUTHPOINTE, PA 15317 PHONE: 724-746-1055



In de 10-20-15

ANDREW BENCHEK

COORDINATES CENTER OF WELLS (NAD 83) LAT: 39° 41' 46.0" LONG: 80" 12' 49.3" (NAD 27) LAT: 39° 41' 46.0" LONG: 80" 12' 50.1"

SITE ENTRANCE (NAD 83) LAT: 39° 41' 42.2" LONG: 80* 13' 22.4" (NAD 27) LAT: 39° 41' 41.9" LONG: 80" 13' 23.1"

1"=2000

TITLE SHEET

FISHER WELL PAD CLAY DISTRICT, MONONGALIA COUNTY, WV

SHEET


OF 27

IN ACCORDANCE WITH WV 35 CSR 8 THE FOLLOWING EROSION & SEDIMENT CONTROL PLAN HAS BEEN DESIGNED IN ACCORDANCE WITH BEST MANAGEMENT PRACTICES ESTABLISHED BY THE CHIEF AND PROVIDED IN THE OFFICE'S EROSION AND NICHOLAS POCAHONTAS (SEDIMENT CONTROL FIELD MANUAL, A GENERAL CONSTRUCTION SEQUENCE, DESCRIPTION OF STABILIZATION METHODS, AND DETAILS & SPECIFICATIONS FOR EROSION & SEDIMENT BEST MANAGEMENT PRACTICES HAVE BEEN INCLUDED IN THE PROVIDED DETAIL SHEETS GREEN BRIER MONROE

THEKER GRANT

PENDELTON/

PERTY OWNER



TWO WORKING DAYS PRIOR TO EXCAVATION, THE CONTRACTOR MUST CONTACT THE WV ONE CALL SYSTEM, INC., 1-800-245-4848 (WV ONE CALL TICKET#1404402841)

OWNER



NORTHEAST NATURAL ENERGY, LLC 707 VIRGINIA STREET SUITE 1200 CHARLESTON, WV 253 01


FISHER \ CLAY DISTRICT, MON

2-3. EVACUATION ROL 4. E&S CONTROL L 5-7. E&S CON 8. E&S CONTROL AND 9-11. E&S CONTR 12. WELL PAD CROSS-S 13. EXISTING ACCESS ROA **ACCESS ROA** 14-16. EXISTING ACCESS 17-19. ACCESS ROAD #1

> TOTAL DISTURBE ACCESS ROAD #1 DIST ACCESS ROAD #2 DIST WELL PAD DISTUR

C-C', D-D'

20-22. DET 23. RECLAMATION 24-26. RECLAI



IN ACCORDANCE WITH WV 35 CSR 8 THE FOLLOWING EROSION & SEDIMENT CONTROL PLAN HAS DESIGNED IN ACCORDANCE WITH BEST MANAGEMENT PRAC ESTABLISHED BY THE CHIEF AND PROVIDED IN THE OFFICE'S E SEDIMENT CONTROL FIELD MANUAL. A GENERAL CONSTRUCT SEQUENCE, DESCRIPTION OF STABILIZATION METHODS, AND SPECIFICATIONS FOR EROSION & SEDIMENT BEST MANAGEM PRACTICES HAVE BEEN INCLUDED IN THE PROVIDED DETAILS

TITLE SHEET

FISHER WELL PAD CLAY DISTRICT, MONONGALIA COUNTY, W'

WELL PAD ONGALIA COUNTY, WV ER 2015

INDEX SHEET

TE/PREVAILING WIND

AYOUT OVERVIEW

FROL LAYOUT SITE PLAN OVERVIEW

DL AND SITE PLAN

CTIONS AND PROFILES AND E-E'

AD, ACCESS ROAD #1 AND

#2 PROFILE

ROAD CROSS-SECTIONS

AND #2 CROSS-SECTIONS

AIL SHEET

PLAN OVERVIEW

NATION PLAN

D AREA: 26.9 AC.

JRBED AREA: 15.6 AC.

URBED AREA: 1.6 AC.

BED AREA: 9.7 AC.

BEEN

ICES ROSION AND

ION

TM

HEETS.

DETAILS &

PLANS PREPARED BY:

BOORD BENCHEK & ASSOCIATES, INC.

ENGINEERING, SURVEYING, CONSTRUCTION AND MINING SERVICES SOUTHPOINTE, PA 15317 PHONE: 724-746-1055



h de 10-20-15

ANDREW BENCHEK

P.E.

COORDINATES


CENTER OF WELLS (NAD 83) LAT: 39° 41' 46.0" LONG: 80° 12' 49.3" (NAD 27) LAT: 39° 41' 46.0" LONG: 80° 12' 50.1"

SITE ENTRANCE (NAD 83) LAT: 39° 41' 42.2" LONG: 80° 13' 22.4" (NAD 27) LAT: 39° 41' 41.9"

LONG: 80° 13' 23.1"

SHEET

1 OF 26



1"=2000"



