

LATITUDE 39° 40' 00"

80° 20' 00"

LONGITUDE

75

7'5 OGIS topo location

7.5' loc	$\frac{1.725}{0.67W}$	15' loc	$\frac{1.725}{0.67W}$
		(calc.)	

Company _____

Farm _____

Quad Wanes town

County Monongahela

District Battelle

WELL LOCATION MAP

File No. 061-25A

T. D. Jones will No. 1 - Bettleke District, Mingo County, West Virginia.

MINING CLAIM

In the extension, hereby certify that this map is correct and shows all
the information to the best of my knowledge and belief as required by the
act and the action of the mining laws of West Virginia.

John F. Jones

Surveyor

Witnessed before me a Notary Public this 12th day of February, 1911.
My Commission expires on the 12th day of March, 1911.

John F. Jones

Notary Public
Mingo County, West Virginia



WEST VIRGINIA DEPARTMENT OF MINES
Oil and Gas Section
PRELIMINARY DATA SHEET NO. 1

File No. _____ Well No. 1
South Penn Oil Company, of P. O. Bremer 1888, Pittsburgh, Pa.

on the F. M. Amos Farm
 containing 60 acres, located

Huttelle District, in Monongalia County, West Virginia.

The surface of the above tract is owned in fee by Geo. Hotal
 of Washington, W. Va. address, and the mineral rights are owned by

D. H. Courtney, Jr. of Morgantown, W. Va.

The oil and gas privileges are held under lease by the above named company, and this well is drilled under
 permit No. _____ issued by the West Virginia Department of Mines, Oil and Gas Section.

Elevation of surface at top of well, 1115 Spirit
Barometer

The number of feet of the different sized casings used in the well.

<u>16</u>	feet	dia.	Wood conductor
<u>195</u>	feet	<u>10"</u> dia.	cas. <u>2000</u> feet <u>6 5/16"</u> steel cas.
<u>1000</u>	feet	<u>8 1/2"</u> dia.	cas. _____ feet _____ steel cas.
<u>1000</u>	feet	<u>6 5/8"</u> dia.	cas. _____ feet _____ steel cas.

_____ packer of _____ dia. set at _____
 _____ packer of _____ dia. set at _____

_____ in casing perforated at _____ feet to _____ feet

_____ in casing perforated at _____ feet to _____ feet

Cord was cemented at 845-870 feet; thickness 64 inches, end at _____
 feet; thickness _____ inches; end at _____ feet; thickness _____ inches

Lines were used as follows: (Give details.)

February 16, 1921

Sub.

Approved: SOUTH PENN OIL COMPANY, Comm.

By Alman _____

Battelle District, Monongalia County, W. Va.
 On 80 acres; surface owned by Geo. Estel, Wadestown, W. Va., and
 mineral rights by D. H. Courtney, Jr., Morgantown, W. Va.
 South Penn Oil Co.
 Elevation, 1115' B.
 16' wood conductor; 10" casing, 195'; 8 1/4", 1496'; 6-5/8", 1968';
 5-3/16", 2350'. Shot in 4th Sand.
 Abandonment reported to Dept. of Mines, Feb. 16, 1931.

MON-25-A

	Top.	Bottom.
Pittsburgh Coal	963	- 970
Big Injun Sand (gas, 2275')	2270	- 2410
30-Ft. Sand	2760	
50-Ft. Sand (gas, 2913')	2880	- 2960
Stray Sand (oil, 3124')	3120	- 3160
4th Sand (oil, 3222' and 3224')	3217	
Total depth		3237

Battelle District, Monongalia County, W. Va.
 By South Penn Oil Co., P. O. Drawer 1255, Pittsburgh, Pa.
 On 88 acres, surface owned by Geo. Estel, Wadestown, W. Va.,
 and mineral rights by D. H. Courtney, Jr., Morgantown, W. Va.
 Elevation, 1115' L.
 16" conductor; 10" casing, 195'; 8 1/2", 1496'; 6-5/8", 1968';
 5-3/16", 2530'.
 Coal was encountered at 963-970'.
 Abandonment reported to Dept. of Mines Feb. 16, 1931.
 Well was shot twice in Fourth Sand.
 Oil well.

	Top.	Bottom.
Conductor	0	16
Pittsburgh Coal	963	970
Big Injun Sand (gas, 2275')	2270	2410
30-Ft. ? Sand	2760	
50-Ft. ? Sand (gas, 2913')	2880	2960
Stray Sand (oil, 3124')	3120	3160
Fourth Sand (oil, 3222 and 3224')	3217	
Total depth		3237

