

LATITUDE 39° 40' 00"

80° 02' 30"

LONGITUDE

7.5

7.5 OGIS topo location

7.5' loc	<u>1.55S</u>	15' loc	<u>1.55S</u>
	<u>1.27W</u>	(calc.)	<u>3.49W</u>

Company _____

Farm _____

Quad Osage

County Monongahela

District Grant

WELL LOCATION MAP

File No. 061-62A

PLAN OF THE LOCATION OF WELL NO. 311 (TO BE ABANDONED) OF THE
 M. W. P. S. CO. OF FAIRMONT W. VA. ON THE
 N. S. LOUGH FARM CONSISTING OF 17³/₄ ACRES
 LOCATED IN GRANT DISTRICT MONONGALIA COUNTY



ENGINEER'S CERTIFICATE

I, THE UNDERSIGNED, HEREBY CERTIFY THAT THIS MAP IS CORRECT AND SHOWS ALL THE INFORMATION TO THE BEST OF MY KNOWLEDGE AND BELIEF, REQUIRED BY THE OIL AND GAS SECTION OF THE MINING LAWS OF WEST VIRGINIA

J. D. Kelly

**AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF
PLUGGING AND FILLING WELL.**

(ENACTED BY SECTION 3, ARTICLE 4, CHAPTER 22 OF THE CODE)

**WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION**

Consolidation Coal Co. (Pitts. Coal) <small>WELL OPERATOR OR OWNER</small>	Monongahela West Penn Public Service Company, <small>NAME OF WELL OPERATOR</small>
Fairmont, W. Va. <small>CITY</small>	Fairmont, W. Va. <small>CITY</small>
Continental Coal Co. (Sewickley Coal) <small>WELL OPERATOR OR OWNER</small>	July 18, 1935 <small>DATE</small>
Seaway Building, Fairmont, W. Va. <small>ADDRESS</small>	Grant <small>WELL AND LOCATION</small>
Fidelity Building & Loan Assoc. <small>WELL OPERATOR OR OWNER</small>	Monongalia <small>DISTRICT</small>
Horganstown, W. Va. <small>ADDRESS</small>	Well No. 1 - N #311 <small>COUNTY</small>
	N. S. Lough <small>FARM</small>

PERSON TO WHOM MADE IN TRIPLICATE, AND COPY TO BE MAILED BY REGISTERING MAIL TO THE REGISTER, AND COPY TO BE RETURNED BY REG. MAIL TO THE WELL OPERATOR OR OWNER, SHOULD BE MAILED TO EACH LOCAL OFFICE AS SHOWN BY THIS AFFIDAVIT.

AFFIDAVIT

STATE OF WEST VIRGINIA,

COUNTY OF Monongalia } =:

Elsa Jacobs

and

Russell Crawford

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Monongahela West Penn Public Service Company, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the

18th day of July, 1935, and that the well was plugged and filled in the following manner:

Mission in which sand was plugged: Hole bridged by savings at 2200 ft., 68 ft. off bottom. Drove white pine plug, 3 ft. long at 2200 ft. Filled hole with red mud from 2200 ft. to 1688 ft. Drove male and female white pine plugs, 3 ft. long, at 1688 ft. which shut off completely, all gas. Mixed 1 to 1, 6 sacks cement and 6 sacks sand and poured on wooden plugs through 2" pipe. Let stand 5 days. Filled hole with red mud from this point to 1615 ft. or bottom of 6-5/8" casing. Could not pull 6-5/8" casing. Cut 6-5/8" casing off at 1650 ft. and pulled out 970 ft. After pulling 6-5/8" casing, savings filled hole completely to bottom in which sand was plugged.

220 ft. Open hole from 220 ft. to 500 ft. Filled remainder of 6-5/8" casing as hole was filled. Suspended in hole at 500 ft. a string of 2" tubing (vent pipe) with soft rope packer and 6-3/16" x 2" average nipple on top end. Ran small amount of red mud on soft rope packer and then 6 sacks cement and 6 sacks sand, mixed 1 to 1, which when set, anchored 2" vent pipe and filled hole around vent to 500 ft. or 45 ft. below bottom Pittsburgh Coal. Let stand for 3 days. Cemented (mixture 1 to 1) from 500 to 410 ft. (Pittsburg Coal). Filled hole with red mud from 410 ft. to 250 ft. Cemented from 250 ft. to 220 ft. (Sewickley Coal). Filled hole with clay from 220 ft. to surface.

Concrete cement, 18" x 18" at top and 20" x 30" at bottom, extending above ground approximately 3 ft. and buried in fill, covered at surface.

and that the work of plugging and filling said well was completed on the 17th day of July, 1935.

Absent further depositions with not.

Elsa Jacobs
Russell Crawford

OK. 7/27/35
C. H. M. M. - 88