

LATITUDE 39°40'00"

7.5' \_\_\_\_\_

LONGITUDE 88°10'30"

7.5 OGIS topo location

7.5' loc	<u>0.585</u>	15' loc	<u>0.585</u>
	<u>2.13W</u>	(calc.)	<u>4.35W</u>

4830 m Equitrans

Company \_\_\_\_\_

Farm \_\_\_\_\_

Quad Blacksville (Blacksville C)

County Monongahela

District Clay

WELL LOCATION MAP

File No. 061-75A

Map of the land (containing) of U.V. Hester, of  
 Moundsville, W. Va., on the John Yost Farm, consisting of 11.9 Acres.  
 Located in Clay District, Mingo County, West Virginia.



I, the undersigned, hereby certify that this map is correct and true to the  
 information to the best of my knowledge and belief, as required by the  
 and Geo. Taylor of the Mining Land of West Virginia.

Carl B. Madson, Surveyor

Registered before me a Notary Public for Mingo County, West Virginia,  
 this 27 day of February, 1911.

My commission expires April 2, 1911.

*[Signature]*

Clay District, Monongalia County, W. Va.

By J. M. Moorhead, Moundsville, W. Va.

On 11.9 acres, surface and mineral rights owned by John Yost,  
R. F. D., Fairview, W. Va.

Elevation unknown.

10" casing, 464'; 8", 1635'; 6-5/8", 1861'. (10", 646')

Coal was encountered at 638-644'.

Abandonment reported to Dept. of Mines Feb. 12, 1934.

5 1/2-bbl. oil well in Big Injun Sand.

Well was shot with 15 qts., 2027-2034'.

Fresh water at 100'; salt water at 1480'.

	Top.	Bottom.
Pittsburgh Coal (10" casing, 646')	638	644
Sand	750	775
Little Dankard Sand	955	1030
Big Dankard Sand	1110	1170
Gas Sand	1250	1280
1st Salt Sand	1380	1415
2nd Salt Sand (8" casing, 1635')	1480	1635
Little Lime	Unknown	
Pencil Cave	1855	1860
Big Lime (6-5/8" casing, 1861')	1860	1940
Big Injun Sand (oil, 2027-2034'; 5 1/2 bbls. per 24 hrs.)	1940	2095

MON-75-A

## WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

## PRELIMINARY DATA SHEET NO. 1

File No. \_\_\_\_\_ Well No. 1J. E. Moorhead ~~Editor~~ Mountsville, W. Va.as the John Yost Perm.containing 11.9 acres. Location \_\_\_\_\_Clay District, in Monongalia County, West VirginiaThe surface of the above tract is owned in fee by John Yostof R. F. D. Fairview, W. Va. address, and the mineral rights are owned byJohn Yost of R. F. D. Fairview, W. Va.

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit

No. None issued by the West Virginia Department of Mines, Oil and Gas Division

\_\_\_\_\_

Elevation of surface at top of well, Unknown Feet

The number of feet of the different sized casings used in the well.

\_\_\_\_\_ feet \_\_\_\_\_ size. Wood casing.

464 feet 20" size, cup \_\_\_\_\_ feet \_\_\_\_\_ sized cup.1656 feet 8" size, cup \_\_\_\_\_ feet \_\_\_\_\_ sized cup.1961 feet 6-5/8" size, cup \_\_\_\_\_ feet \_\_\_\_\_ sized cup.

\_\_\_\_\_ galcher of \_\_\_\_\_ size, oil at \_\_\_\_\_

\_\_\_\_\_ galcher of \_\_\_\_\_ size, oil at \_\_\_\_\_

\_\_\_\_\_ in casing perforated at \_\_\_\_\_ feet to \_\_\_\_\_ feet.

\_\_\_\_\_ in casing perforated at \_\_\_\_\_ feet to \_\_\_\_\_ feet.

Coal was encountered at 450 feet; thickness 6 F3 inches, and at \_\_\_\_\_

feet; thickness \_\_\_\_\_ inches; and at \_\_\_\_\_ feet; thickness \_\_\_\_\_ inches.

Liths were used as follows: (Give details) \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

February 12, 1924 Date \_\_\_\_\_Approved: J. E. Moorhead Comm.

\_\_\_\_\_

J. d. Moorhead

Address

Moundsville, W. Va. Address

Well No. 1

COMPLETION DATA SHEET  
No. 2  
FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Fgh. Coal			no. 2. 7. 11. 14.					
Sand					638		644	10" casing
Little					780		775	646
Dunkard SA								
Big Dunkard					955		1030	
Sand								
Gas Sand					1110		1170	
1st Salt					1280		1360	
Sand								
2nd Salt					1380		1415	
Sand								
Little Lime			no. 2. 7. 11. 14.		1480		1655	8" casing
Fencil Cave								1635 Ft.
Big Lime					1855		1860	Unknown
Big Injan					1860		1940	2-5/8" casing
Oil					1940		2025	1851 Ft.
					2027		2024	5 1/2 bbls. per 24 Hrs.

Well was not shut at \_\_\_\_\_

Well was shut at 15:30 hrs at 2027-2029

Shut

Fresh water at \_\_\_\_\_

100

Well shut water 2027-1490

Well was \_\_\_\_\_  
producing \_\_\_\_\_  
bbls \_\_\_\_\_

February 12, 1934

J. d. Moorhead  
Signature

NOTE: All bottom formations must be noted as indicated above and all top-calls and all gas points must be recorded under their proper geological names in the column on well as any local names commonly used in the district for each stratum.

**AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF  
PLUGGING AND FILLING WELL.**

(REGULATED BY SECTION 2, ARTICLE 4, CHAPTER 23 OF THE CODE)

**WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS DIVISION**

<u>Davis, Coal. &amp; Coke, Co.</u>	<u>HARRY. L. TARRANT</u>
COAL OPERATOR OR OWNER	NAME OF WELL OPERATOR
<u>Baltimore, Maryland</u>	<u>Wadestown W. Va</u>
ADDRESS	COMPLETE ADDRESS
_____	_____
_____	_____
COAL OPERATOR OR OWNER	WELL AND LOCATION
_____	<u>Battell</u>
ADDRESS	District
_____	<u>Monongalia</u>
COAL OPERATOR OR OWNER	County
_____	_____
ADDRESS	Well No. <u>5</u>
_____	<u>Wise, Tarrant</u> Farm

AFFIDAVIT TO BE MADE IN TRIPLICATE, ONE COPY TO BE KEPT BY RESIDENTS, ONE COPY TO BE KEPT BY THE DEPARTMENT, AND COPY TO BE RETURNED BY THE WELL OPERATOR AND THE OTHER COPY LASTED UNTIL ORDER OF RESIDENTS TO BE MADE TO EACH COAL OPERATOR ABOVE NAMED OF THEIR RESPECTIVE ADDRESSES.

**AFFIDAVIT**

STATE OF WEST VIRGINIA, }  
 County of Monongalia } ss:  
Harry L. Tarrant and Henry J. Yeast  
 being first duly sworn according to law depose and say that they are residents in the work of plugging and filling oil and gas wells and were employed by Harry. L. Tarrant, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 15 day of Feb, 1924, and that the well was plugged and filled in the following manner:

*Monongalia which said well was plugged:*  
 2850 ft to 2805 ft drove lead plug at 2805 ft to 2402 ( this plug sets on shoulder where hole was reduced) filled hole with red mud from 2402 ft to 2825 ft couldn't pull 5 3/16 casing out 2875ft' mud pulled this amount out of hole (208 ft of 5 3/16 casing left in hole. Filled hole with red mud from 2875 ft to 2625 ft filled hole with stone from 2625 ft to 2605 ft as a base for lead plug drove lead plug at 2605 ft to 2602 ft filled hole with red mud from 2602 ft to 2595 ft couldn't start 6 5/8 casing (2593 ft of 6 5/8 casing in hole out casing at 1250 ft and started to pull but hole filled up withavings on the casing was pulled. pulled 6 5/8 casing up to 1065 ft that is (280 ft above mapletown coal cleaned hole out to 1250 ft put in stone from 1250 ft to 1230 ft red mud from 1230 ft to 1225 ft put in cement from 1225 ft through both pittsburgh and mapletown coals to 1065 ft filled hole with red mud from 1065 ft to 8 ft cement monument from 8 ft under ground to 3 ft above surface with name of well and date plugged.

Demarcation of monument:

(THE ABOVE DEMARCATIONS MUST BE IN DETAIL AND ACCORDANCE WITH THE PROVISIONS OF SECTION 2, ARTICLE 4, CHAPTER 23 OF THE CODE)  
 and that the work of plugging and filling said well was completed on the \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_

And further deponents said not.  
Harry L. Tarrant  
Henry J. Yeast  
 Sworn to and subscribed before me this 30th day of April, 1924  
Alvin White

26724  
 6/1/24  
 5/1/24  
 4/1/24  
 3/1/24  
 2/1/24  
 1/1/24